

ALL PARTS, ALL MAKES



STRONG BRANDS, GUARANTEED QUALITY



This is only a selection of brands we can offer. Exceptions apply to certain products/countries.



ELECTRIC WAREHOUSING




TABLE OF CONTENTS

Inhaltsverzeichnis	I–VIII	Verwendet für Jungheinrich	154–165
Gut zu wissen	1–9	• AM 2000 (–1/03/1999)	154–157
Verwendet für Bolzoni	10–13	• AM 2200 (30/04/1999–1/10/2003)	158–161
Verwendet für BT	14–29	• AM 2200 (31/10/2003–1/04/2005)	162–165
• TSM EASYLIFT	14–17	Verwendet für Kentruck	166–171
• TSM QUICKLIFT	18–21	• SH/SHQ/SHS 2000/2500	166–171
• TSM 1 EASYLIFT	22–25	Verwendet für Mic	172–183
• TSM 1 QUICKLIFT	26–29	• TM 22 (30/04/1999–1/10/2003)	172–175
Verwendet für Bulli	30–63	• TM 22 QUICK (30/04/1999–1/10/2003)	176–179
• LHM230 (3121000–32999999)	30–35	• TM 2000 (–1/03/1999)	180–183
• LHM230 QUICK (–3299999)	36–41	Verwendet für Nielsen Holst	184–187
• LIFTER L23 (2400000–3120999)	42–45	• PL15/25/30 SERIES 33/34/35/36/37	184–187
• LIFTER L23 QUICK (2400000–3120999)	46–49	Verwendet für Pramac	188–195
• LIFTER L2000 7/9/10/11 (–2399999)	50–57	• LIFTER GS	188–191
• LIFTER L2000 QUICK 10/11 (–2399999)	58–63	• LIFTER GS PREMIUM	192–195
Verwendet für BV Vestergaard	64–87	Verwendet für Rocla	196–203
• FK 2000/2500/3000 (31/03/1989–31/08/1992)	64–71	• RH25	196–199
• FK 2000/2500/3000 (1/09/1992–31/10/2004)	72–79	• RHS25	200–203
• FK 2300 (1/11/2004–)	80–83	Verwendet für Steinbock	204–207
• FK 3000 (1/11/2004–)	84–87	• WH20/23 MK IX-A	204–207
Verwendet für Climax	88–103	Verwendet für TotalLifter	208–277
• 115	88–91	• AC STANDARD	208–211
• 115R	92–95	• AC QUICKLIFT	212–215
• PV25	96–99	• AC LOW PROFILE	216–219
• PV25R	100–103	• ACZ GALVANISED	220–223
Verwendet für Crown	104–117	• ACS STAINLESS STEEL	224–227
• TRP0001	104–107	• CBGIII STANDARD	228–231
• TRP0002	108–117	• TRP0003	232–237
Verwendet für Ecolift	118–125	• TRP0004	238–243
• PTH	118–121	• TRP0005	244–249
• PTH 50 (–28/02/2007)	122–125	• TRP0006	250–255
Verwendet für Eurolifter	126–129	• TRP0007	256–261
• Ecolift	126–129	• TRPI0001 (–31/12/2015)	262–265
Verwendet für Hu-Lift	130–133	• TRPI0001 (01/01/2016–)	266–269
• Eurolifter	130–133	• TRPI0003 (–31/12/2015)	270–273
Verwendet für Hyster	134–137	• TRPI0003 (01/01/2016–)	274–277
• HP20S	134–137	Verwendet für Toyota	278–281
Verwendet für Hyster	138–153	• HT20	278–281
• PM22 EASYLIFT	138–141	Verwendet für Yale	282–297
• PM22 QUICKLIFT	142–145	• HP22 EASYLIFT	282–285
• PM23 EASYLIFT	146–149	• HP22 QUICKLIFT	286–289
• PM23 QUICKLIFT	150–153	• HP23 EASYLIFT	290–293
		• HP23 QUICKLIFT	294–297
		Dichtungssätze	298
		Verbrauchsmaterialien – Zubehör	299–308

USED FOR BOLZONI

TSM EASYLIFT

HYDRAULIC UNIT BOLZONI TSM EASYLIFT








Nr	Description	Qty	REF
1	Nut	2	120TA9700
2	Bracket	1	119TA9856
3	Lock washer	2	120TA9701
4	Elastic pin	10	120TA9725
5	Frame	1	119TA9881
6	Push/pull rod assembly, lift structure	2	119TA9882
7	Bushing, push/pull rod non fork end	4	120TA9705
8	Shaft, push/pull rod non fork end	2	119TA9883
9	Bushing, torsion tube pivot	2	120TA9726
10	Circlip	2	120TA9727
11	Fork, bracket load wheel	2	120TA9728
12	Bushing	8	105TA2309
13	Shaft, push/pull rod fork end	2	120TA9729
14	Bushing, load wheel tandem pivot	4	120TA9730
15	Shaft, center, fork load wheel	2	120TA9731
16	Shaft/bolt load wheel	4	119TA9888
17	Washer (thickness: 6 mm) (with collar)	4	120TA9732
19A	Wheel assembly, load (nylon) (tandem) (inner diameter: 20 mm)	4	119TA9891
19B	Wheel assembly, load (nylon) (tandem) (inner diameter: 17 mm)	4	107TA2923
19C	Wheel assembly, load (polyurethane) (tandem) (inner diameter: 17 mm)	4	120TA9734
19D	Wheel assembly, load (polyurethane) (tandem) (inner diameter: 20 mm)	4	119TA9893
20	Shaft, fork load wheel bracket to chassis	1	119TA9894
20	Axle, exit roller	1	119TA9894
21	Wheel, exit roller	4	119TA9895
22	Bushing (without collar)	2	119TA9896
25	Washer (nylon) (thickness: 6 mm)	8	119TA9901
28	Shaft/bolt load wheel	2	119TA9887
29	Bolt (M16) (total length: 20,2 mm)	1	120TA9702
23A	Wheel assembly, load (polyurethane) (single) (inner diameter: 17 mm)	2	119TA9897
23B	Wheel assembly, load (nylon) (single) (inner diameter: 17 mm)	2	119TA9898

[illegible]

USED FOR BOLZONI

HYDRAULIC UNIT BOLZONI TSM QUICKLIFT




Nr	Description	Qty	REF
1	Washer (steel) (thickness: 2 mm)	1	119TA9907
2	Spring, control handle return torsion	1	119TA9908
3	Wiper ring (polyurethane with metal outer ring)	1	120TA9737
4	Lip seal	1	120TA9738
5	Body, hydraulic pump unit piston	1	119TA9909
6	O-ring	1	120TA9739
7	Housing, pump	1	119TA9911
8	Screw	4	120TA9740
9	Valve release, hydraulic unit	1	119TA9840
10	Lip seal	2	120TA9689
11	Guide	1	120TA9741
12	Circlip	1	120TA9690
13	Body, hydraulic pump unit piston	1	120TA9742
14	Wiper ring (polyurethane)	1	120TA9691
15	Piston, lift cylinder pallet truck	1	120TA9743
16	Bracket (roller)	1	119TA9847
17	Circlip	1	120TA9692
18	Piston, hydraulic pump unit	1	120TA9744
19	O-ring	1	120TA9693
20	Pipe	1	119TA9851
21	Lever lowering, tiller	1	120TA9694
22	Bushing	1	120TA9745
23	Elastic pin	1	120TA9697
24	Rod complete, lowering	1	120TA9746
25	Spring	1	120TA9698
26	Steel ball	2	120TA9699
28	Washer (thickness: 6 mm)	1	120TA9703
29	Steel ball, lift cylinder piston pallet truck	1	120TA9704
30	Hydraulic unit	1	119TA9914
31	Bushing, handle pivot	2	120TA9705
32	Bracket, tiller arm	1	120TA9706
33	Shaft, handle pivot	1	120TA9707
34	Stud	2	120TA9708
35	Roller, control handle pump	1	120TA9709
36	Pin, control handle pump roller	1	120TA9710
37	Lever lift control	1	120TA9711
38	Ball joint	1	120TA9712
39	Nut	1	120TA9713
40	Elastic pin	1	120TA9714

[illegible]

USED FOR BOLZONI


MAIN FRAME BOLZONI TSM QUICKLIFT



Nr	Description	Qty	REF
1	Nut	2	<u>120TA9700</u>
2	Bracket	1	<u>119TA9856</u>
3	Lock washer	2	<u>120TA9701</u>
4	Elastic pin	10	<u>120TA9725</u>
5	Frame	1	<u>119TA9881</u>
6	Push/pull rod assembly, lift structure	2	<u>119TA9882</u>
7	Bushing, push/pull rod non fork end	4	<u>120TA9705</u>
8	Shaft, push/pull rod non fork end	2	<u>119TA9883</u>
9	Bushing, torsion tube pivot	2	<u>120TA9726</u>
10	Circlip	2	<u>120TA9727</u>
11	Fork, bracket load wheel	2	<u>120TA9728</u>
12	Bushing	8	<u>105TA2309</u>
13	Shaft, push/pull rod fork end	2	<u>120TA9729</u>
14	Bushing, load wheel tandem pivot	4	<u>120TA9730</u>
15	Shaft, center, fork load wheel	2	<u>120TA9731</u>
16	Shaft/bolt load wheel	4	<u>119TA9888</u>
17	Washer (thickness: 6 mm) (with collar)	4	<u>120TA9732</u>
18	Ball bearing	4	<u>120TA9733</u>
19A	Wheel assembly, load (nylon) (tandem) (inner diameter: 20 mm)	4	<u>119TA9891</u>
19B	Wheel assembly, load (nylon) (tandem) (inner diameter: 17 mm)	4	<u>107TA2923</u>
19C	Wheel assembly, load (polyurethane) (tandem) (inner diameter: 17 mm)	4	<u>120TA9734</u>
19D	Wheel assembly, load (polyurethane) (tandem) (inner diameter: 20 mm)	4	<u>119TA9893</u>
20A	Shaft, fork load wheel bracket to chassis	1	<u>119TA9894</u>
20B	Axle, exit roller	1	<u>119TA9894</u>
21	Wheel, exit roller	4	<u>119TA9895</u>
22	Bushing (without collar)	2	<u>119TA9896</u>
23A	Wheel assembly, load (polyurethane) (single) (inner diameter: 17 mm)	2	<u>119TA9897</u>
23B	Wheel assembly, load (nylon) (single) (inner diameter: 17 mm)	2	<u>119TA9898</u>
23C	Wheel assembly, load (polyurethane) (single) (inner diameter: 17 mm)	2	<u>119TA9899</u>

[illegible]

HYDRAULIC UNIT BOLZONI TSM 1 EASYLIFT



Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	124TA5660
2	Wiper ring (polyurethane)	1	124TA5662
3	Lip seal	1	120TA9689
4	Fill plug, hydraulic pump	1	124TA5665
5	Housing	1	124TA5712
6	Shaft, control handle pivot LH	1	124TA5669
7	Valve release, hydraulic unit	1	124TA5671
8	Screw, plug (M14)	1	124TA5673
9	Piston, lift cylinder pallet truck	1	124TA5713
10	Screw, plug	1	124TA5714
11	Screw	1	124TA5679
12	Lever lift control	1	124TA5681
13	Screw	1	124TA5682
14	Nut	1	120TA9700
15	Shaft, control handle pivot RH	1	124TA5683
16	Lip seal	1	120TA9738
17	Wiper ring (polyurethane with metal outer ring)	1	120TA9737
18	Valve release, hydraulic unit	1	124TA5684
19	Spring, control handle return torsion	1	119TA9908
20	Washer (height: 18,5 mm)	1	124TA5685
21	Bracket	1	124TA5686
22	Screw	1	124TA5687
23	Bearing, hydraulic unit pivot	1	124TA5688
24	Thrust plate, hydraulic pump unit mounting	1	124TA5689
25	Shaft, torsion tube to thrust plate	1	124TA5647
26	Spring	4	124TA5653
27A	Wheel assembly, steer (rubber)	2	124TA5690
27B	Wheel assembly, steer (polyurethane)	2	124TA5691
27C	Wheel assembly, steer (nylon)	2	124TA5692
28	Circlip	2	124TA5693
29	Circlip	1	124TA5694
30	Shaft, steer wheel	1	124TA5695
31	Backup ring	1	124TA5696
32	O-ring	1	124TA5697
33	Cover	1	124TA5715
34	Bracket, tiller arm	1	124TA5698

[illegible]

This exploded view diagram illustrates the assembly of a pallet truck. The components are numbered as follows:

- 1, 2:** Forks
- 3, 4, 5, 6:** Components of the front wheel assembly, including a wheel and axle.
- 7, 8, 9:** Components of the rear wheel assembly, including a wheel and axle.
- 10, 11, 12, 13, 14, 15, 16:** Components of the handle assembly, including a handle, a bracket, and a pin.
- 17, 18, 19, 20, 21, 22, 23:** Components of the base plate assembly, including a base plate, a bracket, and a pin.
- 24, 25:** Components of the rear wheel assembly, including a wheel and axle.
- 26, 27, 28:** Components of the handle assembly, including a handle, a bracket, and a pin.
- 29, 30, 31:** Components of the base plate assembly, including a base plate, a bracket, and a pin.
- 32, 33:** Components of the handle assembly, including a handle and a pin.


Nr	Description	Qty	REF
1A	Frame (950 x 530 mm)	1	<u>124TA5619</u>
1B	Frame (800 x 690 mm)	1	<u>124TA6884</u>
1C	Frame (1150 x 690 mm)	1	<u>124TA6885</u>
1D	Frame (1150 x 530 mm)	1	<u>124TA5620</u>
1E	Frame (950 x 690 mm)	1	<u>124TA6886</u>
1F	Frame (800 x 530 mm)	1	<u>124TA5621</u>
2	Nut	2	<u>124TA5622</u>
3	Nut	2	<u>124TA5622</u>
4	Lock washer	2	<u>124TA5623</u>
5A	Wheel assembly, load (polyurethane) (single)	2	<u>124TA5624</u>
5B	Wheel assembly, load (polyurethane) (single)	2	<u>124TA5625</u>
5C	Wheel assembly, load (nylon) (single)	2	<u>124TA5626</u>
6	Bolt, load wheel	2	<u>124TA5627</u>
7	Nut	2	<u>124TA5628</u>
8	Entry roller assembly	2	<u>124TA5629</u>
9	Shaft/bolt, entry roller	2	<u>124TA5630</u>
10	Bushing, fork load wheel bracket to push/pull rod	4	<u>124TA5631</u>
11	Fork, bracket load wheel (RH side)	2	<u>124TA5632</u>
12A	Load wheel and bracket assembly (nylon) (tandem complete)	2	<u>124TA5633</u>
12B	Load wheel and bracket assembly (polyurethane) (tandem complete)	2	<u>124TA5634</u>
12C	Load wheel and bracket assembly (polyurethane) (tandem complete)	2	<u>124TA5635</u>
13	Bushing, fork load wheel bracket to push/pull rod	4	<u>124TA5631</u>
14	Wheel, exit roller	2	<u>124TA5711</u>
15	Fork, bracket load wheel (LH side)	2	<u>124TA5636</u>
16	Axle, exit roller	2	<u>124TA5637</u>
17	Nut	4	<u>124TA5638</u>
18	Washer (thickness: 1 mm) (ribbed)	4	<u>124TA5639</u>
19A	Wheel assembly, load (nylon) (tandem)	4	<u>124TA5640</u>
19B	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA5641</u>
19C	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA5642</u>
20	Shaft/bolt load wheel	4	<u>124TA5643</u>
21	Fork, load wheel	4	<u>124TA5644</u>

[illegible]

USED FOR BOLZONI

TSM 1 QUICKLIFT

HYDRAULIC UNIT BOLZONI TSM 1 QUICKLIFT




Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	<u>124TA5660</u>
2	Wiper ring (polyurethane)	1	<u>124TA5662</u>
3	Lip seal	1	<u>120TA9689</u>
4	Fill plug, hydraulic pump	1	<u>124TA5665</u>
5	Housing	1	<u>124TA5667</u>
6	Shaft, control handle pivot LH	1	<u>124TA5669</u>
7	Valve release, hydraulic unit	1	<u>124TA5671</u>
8	Screw, plug (M14)	1	<u>124TA5673</u>
9	Piston, hydraulic pump unit	1	<u>124TA5675</u>
10	Plug	1	<u>124TA5677</u>
11	Screw	1	<u>124TA5679</u>
12	Lever lift control	1	<u>124TA5681</u>
13	Screw	1	<u>124TA5682</u>
14	Nut	1	<u>120TA9700</u>
15	Shaft, control handle pivot RH	1	<u>124TA5683</u>
16	Lip seal	1	<u>120TA9738</u>
17	Wiper ring (polyurethane with metal outer ring)	1	<u>120TA9737</u>
18	Valve release, hydraulic unit	1	<u>124TA5684</u>
19	Spring, control handle return torsion	1	<u>119TA9908</u>
20	Cap, control handle pivot return spring	1	<u>124TA5685</u>
21	Bracket	1	<u>124TA5686</u>
22	Screw	1	<u>124TA5687</u>
23	Bearing, hydraulic unit pivot	1	<u>124TA5688</u>
24	Thrust plate, hydraulic pump unit mounting	1	<u>124TA5689</u>
25	Shaft, torsion tube to thrust plate	1	<u>124TA5647</u>
26	Spring	4	<u>124TA5653</u>
27A	Wheel assembly, steer (rubber)	2	<u>124TA5690</u>
27B	Wheel assembly, steer (polyurethane)	2	<u>124TA5691</u>
27C	Wheel assembly, steer (nylon)	2	<u>124TA5692</u>
28	Circlip	2	<u>124TA5693</u>
29	Circlip	1	<u>124TA5694</u>
30	Shaft, steer wheel	1	<u>124TA5695</u>
31	Backup ring	1	<u>124TA5696</u>
32	O-ring	1	<u>124TA5697</u>
33	Cover	1	<u>147TA3687</u>
34	Bracket, tiller arm	1	<u>124TA5698</u>

[illegible]

USED FOR BOLZONI

TSM 1 QUICKLIFT


MAIN FRAME BOLZONI TSM 1 QUICKLIFT



Nr	Description	Qty	REF
1	Frame (1150 x 690 mm)	1	<u>124TA6885</u>
1	Frame (800 x 690 mm)	1	<u>124TA6884</u>
1	Frame (950 x 530 mm)	1	<u>124TA5619</u>
1	Frame (950 x 690 mm)	1	<u>124TA6886</u>
1	Frame (800 x 530 mm)	1	<u>124TA5621</u>
1	Frame (1150 x 530 mm)	1	<u>124TA5620</u>
2	Nut	2	<u>124TA5622</u>
3	Nut	2	<u>124TA5622</u>
4	Lock washer	2	<u>124TA5623</u>
5	Wheel assembly, load (nylon) (single)	2	<u>124TA5626</u>
5	Wheel assembly, load (polyurethane) (single)	2	<u>124TA5624</u>
5	Wheel assembly, load (polyurethane) (single)	2	<u>124TA5625</u>
6	Bolt, load wheel	2	<u>124TA5627</u>
7	Nut	2	<u>124TA5628</u>
8	Wheel, entry roller	2	<u>124TA5629</u>
9	Shaft/bolt, entry roller	2	<u>124TA5630</u>
10	Bushing, fork load wheel bracket to chassis	4	<u>124TA5631</u>
11	Fork, bracket load wheel (RH side)	2	<u>124TA5632</u>
12	Load wheel and bracket assembly (nylon) (tandem complete)	2	<u>124TA5633</u>
12	Load wheel and bracket assembly (polyurethane) (tandem complete)	2	<u>124TA5635</u>
12	Load wheel and bracket assembly (polyurethane) (tandem complete)	2	<u>124TA5634</u>
13	Bushing, fork load wheel bracket to chassis	4	<u>124TA5631</u>
14	Wheel, exit roller	2	<u>124TA5711</u>
15	Fork, bracket load wheel (LH side)	2	<u>124TA5636</u>
16	Axle, exit roller	2	<u>124TA5637</u>
17	Nut	4	<u>124TA5638</u>
18	Washer (thickness: 1 mm) (ribbed)	4	<u>124TA5639</u>
19	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA5641</u>
19	Wheel assembly, load (nylon) (tandem)	4	<u>124TA5640</u>
19	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA5642</u>
20	Shaft/bolt load wheel	4	<u>124TA5643</u>
21	Fork, load wheel	4	<u>124TA5644</u>

[illegible]

HYDRAULIC UNIT BT LHM230 (3121000-32999999)




HYDRAULIC UNIT BT LHM230 (3121000-32999999)

Nr	Description	Qty	REF
1	Circlip	1	107TA6580
2	Cap, control handle pivot return spring	1	107TA6581
3	Spring, control handle return torsion	1	105TA4608
4	Insert	1	107TA6582
5	Housing, bearing	1	107TA6583
6	Circlip	1	107TA6584
7	Ball bearing	1	107TA6585
8	Washer (nylon) (thickness: 3 mm)	1	107TA6586
9	Circlip	1	107TA6587
10	Lock pin	2	107TA6588
11	Lock pin	1	107TA6589
12	Lever lift control	1	107TA6590
13	Lock pin	1	107TA6591
14	Bearing, hydraulic unit pivot	1	106TA6779
15	Circlip	2	107TA6592
16	Thrust plate, hydraulic pump unit mounting	1	106TA6781
17	Grease nipple	1	107TA6593
18	Circlip	1	107TA6595
19	Grease nipple	1	107TA6594
20	Shaft, steer wheel	1	107TA6596
21	Circlip	2	107TA6597
22	Ball bearing	2	107TA3175
23	Bushing	2	123TA6139
24	Ball bearing	2	107TA3175
25	Circlip	2	107TA6600
26A	Wheel assembly, steer (rubber)	2	107TA6601
26B	Wheel assembly, steer (polyurethane) (nylon rim)	2	107TA6606
26C	Wheel assembly, steer (nylon)	2	107TA6605
26D	Wheel assembly, steer (steel)	2	123TA6140
27	Cap, front wheel hub	2	122TA7004
28	Lowering lever	1	123TA6141
29	Rivet	4	123TA6142
30	Axle	1	107TA6618
31	Bushing, handle pivot	2	123TA6143
32	Bushing, control handle pump roller	1	107TA6625
33	Roller, control handle pump	1	107TA6621
34	Lock pin	1	123TA6144
35	Pin, control handle pump roller	1	107TA6619

Nr	Description	Qty	REF
36	Cover, tiller head	1	123TA6145
37	Screw	4	123TA6146
49	Hydraulic unit	1	107TA6626
50	Piston, lift cylinder pallet truck	1	107TA6627
51	Body, hydraulic pump unit piston	1	107TA6628
52	O-ring	1	107TA6629
53	Washer (synthetic) (thickness: 4 mm)	1	107TA6630
54	Screw	1	107TA6631
55	Oil seal	1	107TA6632
56	Piston, hydraulic pump unit	1	107TA6634
57	Screw	1	107TA6635
58	Washer (copper) (thickness: 2,5 mm)	1	105TA1188
59	Spring (valve)	1	107TA6636
60	Plunger valve	1	107TA6637
61	Oil seal	1	107TA6638
62	Circlip	1	107TA6640
63	Steel ball	1	107TA6641
64	Circlip	1	107TA6642
65	Turning (bronze)	1	107TA6643
66	Lip seal	1	107TA6644
67A	Hydraulic unit	1	107TA6645
67B	Hydraulic unit	1	107TA6647
67C	Seal kit (valve unit)	1	107TA6648
68	Steel ball	1	107TA6641
69	Washer (copper) (thickness: 1,4 mm)	1	105TA1358
70	O-ring	1	107TA6649
71	Valve housing	1	107TA6650
72	Spring	1	107TA6651
73	Lip seal	1	107TA6652
74	Guide	1	107TA6653
75	Plunger, valve	1	106TA7043
76	Kit seal, hydraulic unit	1	107TA6576
77	Lever lowering, tiller	1	123TA6147
78	Steel ball	2	107TA6613
79	Bushing (without collar)	1	107TA6615
80	Rod complete, lowering	1	107TA6622
81	Spring	1	107TA6623
82	Hexagonal nut	1	107TA6624
83	Spring	1	107TA6614
84	Handle assembly	1	123TA6150

LHM230 (3121000-32999999)


HYDRAULIC UNIT BT LHM230 (3300000-)



Nr	Description	Qty	REF
1	Handle assembly	1	128TA4680
2	Axle	1	128TA4681
3	Rod complete, lowering	1	128TA4682
4	Lever lift control	1	128TA4683
5	Hexagonal nut	1	107TA6624
6	Elastic pin	1	128TA4684
7	Roller kit, control handle pump	1	128TA4685
8	Elastic pin	1	107TA6620
9	Pin, control handle pump roller	1	107TA6619
10	Steel ball	2	107TA6641
11	Screw	4	123TA6146
12	Cover, tiller head	1	123TA6145
13	Spring	1	128TA4686
14	Bushing	1	107TA6615
15	Bracket, tiller arm	1	123TA6141
16	Rivet	4	128TA4687
17	Decal, make (bt) (round)	1	128TA4688
18	Lever lowering, tiller	1	123TA6147
19A	Wheel assembly, steer (nylon)	2	107TA6605
19B	Wheel assembly, steer (polyurethane) (nylon rim)	2	107TA6606
19C	Wheel assembly, steer (rubber)	2	107TA6601
20	Cap, front wheel hub	2	122TA7004
21	Bearing	4	124TA2111
22	Shaft, steer wheel	1	128TA4689
23	Circlip	2	107TA6600
24	Hydraulic unit	1	128TA4690
25	Circlip	1	107TA6580
26	Sleeve	1	128TA4691
27	Piston, lift cylinder pallet truck	1	128TA4692
28	Circlip	1	128TA4693
29	Oil seal	1	107TA6632
30	Elastic pin	1	107TA6655
31	Lip seal	1	128TA4694
32	Steel ball	1	107TA6641
33	Sealing ring (copper) (thickness: 0,9 mm)	1	128TA4695
34	Spring	1	107TA6651
35	Lip seal	1	107TA6652
36	Plunger, valve	1	106TA7043
37	Guide, spring	1	107TA6653

[illegible]


MAIN FRAME BT LHM230 (3121000-)



Nr	Description	Qty	REF
2	Lock pin	1	107TA6592
3	Lock pin	4	107TA6655
4	Ear	2	107TA6688
5	Clamp	2	107TA6658
6	Shaft/bolt, entry roller	2	107TA6659
7	Spacer, entry roller	2	107TA6660
8	Wheel, entry roller	2	107TA2891
9	Hexagonal nut	2	107TA6661
10	Shaft pivot, torsion tube	1	107TA6662
11	Bushing, torsion tube to thrust plate	2	105TA1924
12	Bushing, torsion tube pivot	2	105TA2177
13	Grease nipple	2	107TA6594
14	Torsion tube	1	107TA6663
16	Lock pin	2	107TA6592
17	Shaft, torsion tube to thrust plate	2	123TA6148
18	Washer (thickness: 4,2 mm)	2	107TA6670
19	Bushing, push/pull rod non fork end	4	107TA6671
20	Grease nipple	8	107TA6594
21	Push/pull rod assembly, lift structure	2	105TA4604
22	Bushing, push/pull rod fork end	4	105TA2174
23	Fork, bracket load wheel	2	106TA7393
24	Lock pin	6	107TA6592
25	Ball bearing	4	107TA6675
26	Ear	2	107TA6688
27	Shaft/bolt load wheel	2	107TA6677
28	Shaft, fork load wheel bracket to chassis	2	107TA6679
29	Bushing, fork load wheel bracket to chassis	4	105TA2175
30	Shaft, push/pull rod fork end	2	107TA6681
32	Fork, load wheel	2	107TA6684
33	Wheel, exit roller	2	106TA7045
34	Shaft/bolt load wheel	4	106TA7044
15A	Wheel assembly, load (nylon) (single)	2	107TA2928
15B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	107TA6667
15C	Wheel assembly, load (Vulkollan®) (single)	2	107TA6668
15D	Wheel assembly, load (steel) (single)	2	107TA6666

[illegible]

HYDRAULIC UNIT BT LHM230 QUICK (-3299999)




HYDRAULIC UNIT BT LHM230 QUICK (-3299999)

Nr	Description	Qty	REF
1	Circlip	1	107TA6580
2	Turning	1	107TA6581
3	Spring, control handle return torsion	1	105TA4608
4	Insert	1	107TA6582
5	Housing, bearing	1	124TA2108
6	Circlip	1	107TA6584
7	Ball bearing	1	107TA6585
8	Shim (thickness: 3 mm)	1	107TA6586
9	Circlip	1	107TA6587
10	Elastic pin	2	107TA6588
11	Elastic pin	1	124TA2109
12	Lever lift control	1	107TA6590
13	Elastic pin	1	124TA2109
14	Bearing, hydraulic unit pivot	1	106TA6779
15	Elastic pin	2	107TA6592
16	Thrust plate, hydraulic pump unit mounting	1	106TA6781
17	Grease nipple	1	107TA6594
18	Circlip	1	107TA6595
20	Shaft, steer wheel	1	107TA6596
22	Ball bearing	1	124TA2111
23	Bushing	2	123TA6139
24	Ball bearing	1	124TA2111
25	Circlip	2	107TA6600
26A	Wheel assembly, steer (vulkolan)	2	107TA3102
26B	Wheel assembly, steer (rubber)	2	107TA6601
26C	Wheel assembly, steer (nylon)	2	107TA6605
26D	Wheel assembly, steer (poly) (nylon core)	2	107TA6606
27	Cap, front wheel hub	2	122TA7004
28	Handle, tiller	1	123TA6141
29	Rivet	4	123TA6142
30	Shaft, handle pivot	2	107TA6618
31	Bushing, handle pivot	2	123TA6143
32	Bushing, control handle pump roller	1	107TA6625
33	Roller, control handle pump	1	124TA7264
34	Elastic pin	1	107TA6620
35	Pin, control handle pump roller	1	107TA6619
36	Cap	1	123TA6145
37	Screw	4	123TA6146
49	Hydraulic unit	1	124TA2113
51	Oil seal	1	107TA6632
52	Body, hydraulic pump unit piston (lift cylinder)	1	124TA1646
53	Washer	1	124TA2114
54	Screw	1	107TA6631
55	O-ring	1	107TA6629
56	Piston, hydraulic pump unit	1	107TA6634

Nr	Description	Qty	REF
57	Screw	1	107TA6635
58	Sealing ring (copper)	1	105TA1188
59	Spring	1	107TA6636
60	Plunger valve	1	107TA6637
61	Oil seal	1	107TA6638
62	Lip seal	1	107TA6640
63	Steel ball	1	107TA6641
65	Shim (thickness: 1 mm)	1	124TA1650
66	Turning	1	124TA1652
67A	Kit seal, hydraulic unit (lift cylinder)	1	124TA1654
67B	Kit seal, hydraulic unit (valve unit)	1	124TA1656
68	Steel ball	1	107TA6641
69	Sealing ring (copper)	1	105TA1358
70	O-ring	1	107TA6649
71	Body, valve	1	124TA2115
72	Spring	1	107TA6651
73	Lip seal	1	107TA6652
74	Guide	1	107TA6653
75	Plunger	1	106TA7043
76	Kit seal, hydraulic unit (complete)	1	107TA6990
77	Lever lowering, tiller	1	123TA6147
78	Steel ball	2	107TA6613
79	Bushing	1	107TA6615
80	Rod complete, lowering	1	107TA6622
81	Spring	1	107TA6623
82	Hexagonal nut	1	107TA6624
83	Spring	1	107TA6614
84	Handle assembly	1	123TA6150
85	Steel ball	1	124TA1658
86	Shim (thickness: 1,5 mm)	1	124TA1660
87	O-ring	1	124TA1662
88	Bushing	1	124TA1664
89	Plunger	2	124TA1670
90	Spring	1	124TA1666
91	Screw	1	124TA1668
92	Steel ball	1	107TA6641
93	Spring	1	107TA6636
94	Sealing ring (copper)	1	105TA1188
95	Screw	1	124TA1672
96	Piston, lift cylinder pallet truck	1	124TA1644
97	Lip seal	1	107TA6644
98	Shim (thickness: 3 mm)	1	128TA4722
99	Housing, cylinder	1	128TA4723
100	O-ring	1	124TA1648
101	Shim (thickness: 1 mm)	1	124TA1650
102	Steel ball	2	124TA1658
103	Turning	1	128TA4724

LHM230 QUICK (-3299999)


HYDRAULIC UNIT BT LHM230 QUICK (3300000-)



Nr	Description	Qty	REF
1	Handle assembly	1	128TA4680
2	Shaft, handle pivot	1	128TA4681
3	Rod complete, lowering	1	128TA4682
4	Lever lift control	1	128TA4683
5	Hexagonal nut	1	107TA6624
6	Elastic pin	1	128TA4684
7	Roller, control handle pump (roller and bushing)	1	128TA4685
8	Elastic pin	1	107TA6620
9	Pin, control handle pump roller	1	107TA6619
10	Steel ball	2	107TA6641
11	Screw	4	123TA6146
12	Cap	1	123TA6145
13	Spring	1	128TA4686
14	Bushing	1	107TA6615
15	Handle, tiller	1	123TA6141
16	Rivet	4	128TA4687
17	Decal horizontal, brand name (round)	1	128TA4688
18	Handle	1	123TA6147
19A	Wheel assembly, steer (nylon)	2	107TA6605
19B	Wheel assembly, steer (poly)	2	107TA6606
19C	Wheel assembly, steer (rubber)	2	107TA6601
20	Cap, front wheel hub	2	122TA7004
21	Ball bearing	4	124TA2111
22	Shaft, steer wheel	1	128TA4689
23	Circlip	2	107TA6600
24	Kit seal, hydraulic unit	1	128TA4712
25	Circlip	1	107TA6580
26	Oil seal	1	128TA4713
27	Circlip	1	128TA4714
28	Head, cylinder	1	128TA4715
29	Sleeve	1	128TA4691
30	Piston, lift cylinder pallet truck	1	128TA4692
31	Circlip	1	128TA4693
32	Oil seal	1	107TA6632
33	Elastic pin	1	107TA6655
34	Lip seal	1	128TA4694
35	Steel ball	1	107TA6641
36	Sealing ring (copper)	1	128TA4695
37	Spring	1	107TA6651
38	Lip seal	1	107TA6652

[illegible]


MAIN FRAME BT LHM230 QUICK



Nr	Description	Qty	REF
2	Elastic pin	1	107TA6592
3	Elastic pin	4	107TA6655
4	Ear	2	107TA6688
5	Support	2	107TA6658
6	Shaft/bolt, entry roller	2	107TA6659
7	Spacer, entry roller	2	107TA6660
8	Wheel, entry roller	2	107TA2891
9	Hexagonal nut	2	107TA6661
10	Shaft pivot, torsion tube	1	107TA6662
11	Bushing, torsion tube to thrust plate	2	105TA1924
12	Bushing, torsion tube pivot	2	105TA2177
13	Grease nipple	2	107TA6594
14	Torsion tube	1	107TA6663
15A	Wheel assembly, load (nylon) (single)	2	107TA2928
15B	Wheel assembly, load (poly) (single)	2	107TA6667
15C	Wheel assembly, load (vulkolan) (single)	2	107TA6668
15D	Wheel assembly, load (steel) (single)	2	107TA6666
16	Elastic pin	2	107TA6592
17	Shaft, torsion tube to thrust plate	2	123TA6148
18	Shim (thickness: 4,2 mm)	2	107TA6670
19	Bushing, push/pull rod non fork end	4	107TA6671
20	Grease nipple	8	107TA6594
21	Push/pull rod assembly, lift structure	2	105TA4604
22	Bushing, push/pull rod fork end	4	105TA2174
23	Bushing, load wheel tandem pivot	2	106TA7393
24	Elastic pin	6	107TA6592
25	Ball bearing	4	107TA6675
26	Ear	2	107TA6688
27	Shaft/bolt load wheel	2	107TA6677
28	Axle, exit roller	2	107TA6679
29	Bushing, fork load wheel bracket to chassis	4	105TA2175
30	Shaft, push/pull rod fork end	2	107TA6681
31A	Wheel assembly, load (nylon) (tandem)	4	107TA2936
31B	Wheel assembly, load (urethane) (tandem)	4	107TA2788

[illegible]

HYDRAULIC UNIT BT LIFTER L23 (2400000-3120999)




HYDRAULIC UNIT BT LIFTER L23 (2400000-3120999)

Nr	Description	Qty	REF
1	Circlip	1	107TA6580
2	Cap, control handle pivot return spring	1	107TA6581
3	Spring, control handle return torsion	1	105TA4608
4	Insert	1	107TA6582
5	Housing, bearing	1	107TA6583
6	Circlip	1	107TA6584
7	Ball bearing	1	107TA6585
8	Washer (nylon) (thickness: 3 mm)	1	107TA6586
9	Circlip	1	107TA6587
10	Elastic pin	2	107TA6588
11	Cotter pin	1	107TA6589
12	Lever lift control	1	107TA6590
13	Cotter pin	1	107TA6591
14	Spacer, pivot bearing hydraulic pump unit to chassis	1	106TA6779
15	Elastic pin	2	107TA6592
16	Thrust plate, hydraulic pump unit mounting	1	106TA6781
17	Grease nipple	1	107TA6593
18	Circlip	1	107TA6595
19	Grease nipple	1	107TA6594
20	Shaft, steer wheel	1	107TA6596
21	Circlip	2	107TA6597
22	Ball bearing	2	147TA3710
23	Bushing (without collar)	2	123TA6139
24	Ball bearing	2	147TA3710
25	Circlip	2	107TA6600
26A	Wheel assembly, steer (rubber)	2	107TA6601
26B	Wheel assembly, steer (polyurethane) (nylon rim)	2	107TA6606
26C	Wheel assembly, steer (nylon)	2	107TA6605
26D	Wheel assembly, steer (steel)	2	123TA6140
27	Cap, front wheel hub	2	122TA7004
28	Lowering lever	1	123TA6141
29	Rivet	4	123TA6142
30	Shaft, handle pivot	1	107TA6618
31	Bushing, handle pivot	2	123TA6143
32	Bushing, control handle pump roller	1	107TA6625
33	Roller, control handle pump	1	107TA6621
34	Elastic pin	1	107TA6620

Nr	Description	Qty	REF
35	Pin, control handle pump roller	1	107TA6619
36	Cover, tiller head	1	123TA6145
37	Screw	4	123TA6146
49	Hydraulic unit	1	107TA6626
50	Piston, lift cylinder pallet truck	1	107TA6627
51	Body, hydraulic pump unit piston	1	107TA6628
52	O-ring	1	107TA6629
53	Washer (synthetic) (thickness: 4 mm)	1	107TA6630
54	Screw	1	107TA6631
55	Oil seal	1	107TA6632
56	Piston, hydraulic pump unit	1	107TA6634
57	Screw	1	107TA6635
58	Washer (copper) (thickness: 2,5 mm)	1	105TA1188
59	Spring	1	107TA6636
60	Plunger valve	1	107TA6637
61	Oil seal	1	107TA6638
62	Lip seal	1	107TA6640
63	Steel ball	1	107TA6641
64	Circlip	1	107TA6642
65	Turning (bronze)	1	107TA6643
66	Lip seal	1	107TA6644
67A	Kit seal, hydraulic pump unit piston (pump cylinder)	1	107TA6645
67B	Kit seal, lift cylinder (lift cylinder)	1	107TA6647
67C	Seal kit (valve unit)	1	107TA6648
68	Steel ball	1	107TA6641
69	Washer (copper) (thickness: 1,4 mm)	1	105TA1358
70	O-ring	1	107TA6649
71	Valve housing	1	107TA6650
72	Spring	1	107TA6651
73	Lip seal	1	107TA6652
74	Guide, spring	1	107TA6653
75	Plunger, valve	1	106TA7043
76	Kit repair, hydraulic unit	1	107TA6576
77	Lever lowering, tiller	1	123TA6147
78	Steel ball	2	107TA6613
79	Bushing	1	107TA6615
80	Rod complete, lowering	1	107TA6622
81	Spring	1	107TA6623
82	Hexagonal nut	1	107TA6624
83	Spring	1	107TA6614
84	Handle assembly	1	123TA6150


MAIN FRAME BT LIFTER L23 (2400000-3120999)



Nr	Description	Qty	REF
2	Elastic pin	1	107TA6592
3	Elastic pin	4	107TA6655
4	Ear	2	107TA6688
5	Bracket, entry roller	2	107TA6658
6	Shaft/bolt, entry roller	2	107TA6659
7	Spacer, entry roller	2	107TA6660
8	Wheel, entry roller	2	107TA2891
9	Hexagonal nut	2	107TA6661
10	Shaft pivot, torsion tube	1	107TA6662
11	Bushing, torsion tube to thrust plate	2	105TA1924
12	Bushing, torsion tube pivot	2	105TA2177
13	Grease nipple	2	107TA6594
14	Torsion tube	1	107TA6663
15	Wheel assembly, load (Vulkollan®) (single)	2	107TA6668
15	Wheel assembly, load (steel) (single)	2	107TA6666
15	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	107TA6667
15	Wheel assembly, load (nylon) (single)	2	107TA2928
16	Elastic pin	2	107TA6592
17	Shaft, torsion tube to thrust plate	2	123TA6148
18	Washer (thickness: 4,2 mm)	2	107TA6670
19	Bushing, push/pull rod non fork end	4	107TA6671
20	Grease nipple	8	107TA6594
21	Push/pull rod, lift structure (fork length: 1150 mm)	2	105TA4604
22	Bushing, push/pull rod fork end	4	105TA2174
23	Fork, bracket load wheel	2	106TA7393
24	Elastic pin	6	107TA6592
25	Bearing	4	107TA6675
26	Ear	2	107TA6688
27	Shaft/bolt load wheel	2	107TA6677
28	Shaft, fork load wheel bracket to chassis	2	107TA6679
29	Bushing, fork load wheel bracket to chassis	4	105TA2175
30	Shaft, push/pull rod fork end (diameter: 18 mm) (length: 84,5 mm)	2	107TA6681
31	Wheel assembly, load (Vulkollan®) (tandem)	4	107TA2788

[illegible]

HYDRAULIC UNIT BT LIFTER L23 QUICK (2400000-3120999)




HYDRAULIC UNIT BT LIFTER L23 QUICK (2400000-3120999)

Nr	Description	Qty	REF
1	Circlip	1	107TA6580
2	Cap, control handle pivot return spring	1	107TA6581
3	Spring, control handle return torsion	1	105TA4608
4	Insert	1	107TA6582
5	Housing, bearing	1	124TA2108
6	Circlip	1	107TA6584
7	Ball bearing	1	107TA6585
8	Washer (nylon) (thickness: 3 mm)	1	107TA6586
9	Circlip	1	107TA6587
10	Elastic pin	2	107TA6588
11	Cotter pin	1	124TA2109
12	Lever lift control	1	107TA6590
13	Cotter pin	1	124TA2109
14	Bearing, hydraulic unit pivot	1	106TA6779
15	Elastic pin	2	107TA6592
16	Thrust plate, hydraulic pump unit mounting	1	106TA6781
17	Grease nipple	1	107TA6594
18	Circlip	1	107TA6595
20	Shaft, steer wheel	1	107TA6596
22	Ball bearing	1	124TA2111
23	Bushing (without collar)	2	123TA6139
24	Ball bearing	1	124TA2111
25	Circlip	2	107TA6600
26	Wheel assembly, steer (Vulkollan®)	2	107TA3102
26	Wheel assembly, steer (rubber)	2	107TA6601
26	Wheel assembly, steer (nylon)	2	107TA6605
26	Wheel assembly, steer (polyurethane) (nylon rim)	2	107TA6606
27	Cap, front wheel hub	2	122TA7004
28	Lowering lever	1	123TA6141
29	Rivet	4	123TA6142
30	Shaft, handle pivot	2	107TA6618
31	Bushing, handle pivot	2	123TA6143
32	Spacer, entry roller	1	107TA6625
33	Roller, control handle pump	1	124TA7264
34	Elastic pin	1	107TA6620
35	Pin, control handle pump roller	1	107TA6619
36	Cover, tiller head	1	123TA6145
37	Screw	4	123TA6146
49	Hydraulic unit	1	124TA2113
50	Piston, lift cylinder pallet truck	1	124TA1644
51	Oil seal	1	107TA6632

Nr	Description	Qty	REF
52	Body, hydraulic pump unit piston	1	124TA1646
53	Washer (synthetic) (thickness: 4 mm)	1	124TA2114
54	Screw	1	107TA6631
55	O-ring	1	107TA6629
56	Piston, hydraulic pump unit	1	107TA6634
57	Screw	1	107TA6635
58	Washer (copper) (thickness: 2,5 mm)	1	105TA1188
59	Spring	1	107TA6636
60	Plunger valve	1	107TA6637
61	Oil seal	1	107TA6638
62	Lip seal	1	107TA6640
63	Steel ball	1	107TA6641
65	Washer (thickness: 1 mm)	1	124TA1650
66	Turning (brass)	1	124TA1652
67	Kit seal, lift cylinder (lift cylinder)	1	124TA1654
67	Seal kit (valve unit)	1	124TA1656
68	Steel ball	1	107TA6641
69	Washer (copper) (thickness: 1,4 mm)	1	105TA1358
70	O-ring	1	107TA6649
71	Valve housing	1	124TA2115
72	Spring	1	107TA6651
73	Lip seal	1	107TA6652
74	Guide, spring	1	107TA6653
75	Plunger, valve	1	106TA7043
76	Kit seal, lift cylinder (lift cylinder)	1	124TA1654
77	Lever lowering, tiller	1	123TA6147
78	Steel ball	2	107TA6613
79	Bushing	1	107TA6615
80	Rod complete, lowering	1	107TA6622
81	Spring	1	107TA6623
82	Hexagonal nut	1	107TA6624
83	Spring	1	107TA6614
84	Handle assembly	1	123TA6150
85	Ball bearing	1	124TA1658
86	Washer (thickness: 1,5 mm)	1	124TA1660
87	O-ring	1	124TA1662
88	Bushing	1	124TA1664
89	Plunger, valve	2	124TA1670
90	Spring	1	124TA1666
91	Screw	1	124TA1668
92	Steel ball	1	107TA6641
93	Spring	1	107TA6636
94	Washer (copper) (thickness: 2,5 mm)	1	105TA1188
95	Screw	1	124TA1672

MAIN FRAME BT LIFTER L23 QUICK (2400000-3120999)




MAIN FRAME BT LIFTER L23 QUICK (2400000-3120999)

Nr	Description	Qty	REF
2	Elastic pin	1	107TA6592
3	Elastic pin	4	107TA6655
4	Ear	2	107TA6688
5	Bracket, entry roller	2	107TA6658
6	Shaft/bolt, entry roller	2	107TA6659
7	Spacer, entry roller	2	107TA6660
8	Wheel, entry roller	2	107TA2891
9	Hexagonal nut	2	107TA6661
10	Shaft pivot, torsion tube	1	107TA6662
11	Bushing, torsion tube to thrust plate	2	105TA1924
12	Bushing, torsion tube pivot	2	105TA2177
13	Grease nipple	2	107TA6594
14	Torsion tube	1	107TA6663
15A	Wheel assembly, load (nylon) (single)	2	107TA2928
15B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	107TA6667
15C	Wheel assembly, load (Vulkollan®) (single)	2	107TA6668
15D	Wheel assembly, load (steel) (single)	2	107TA6666
16	Elastic pin	2	107TA6592
17	Shaft, torsion tube to thrust plate	2	123TA6148
18	Washer (thickness: 4,2 mm)	2	107TA6670
19	Bushing, push/pull rod non fork end	4	107TA6671
20	Grease nipple	8	107TA6594
21	Push/pull rod, lift structure (fork length: 1150 mm)	2	105TA4604
22	Bushing, push/pull rod fork end	4	105TA2174
23	Fork, bracket load wheel	2	106TA7393
24	Elastic pin	6	107TA6592
25	Bearing	4	107TA6675
26	Ear	2	107TA6688
27	Shaft/bolt load wheel	2	107TA6677
28	Shaft, fork load wheel bracket to chassis	1	107TA6679
28	Axle, exit roller	1	107TA6679
29	Bushing, fork load wheel bracket to chassis	4	105TA2175
30	Shaft, push/pull rod fork end (diameter: 18 mm) (length: 84,5 mm)	2	107TA6681
31A	Wheel assembly, load (nylon) (tandem)	4	107TA2936

[illegible]


HYDRAULIC UNIT BT LIFTER L2000 7/9/10/11 (-2399999)




HYDRAULIC UNIT BT LIFTER L2000 7/9/10/11 (-2399999)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Circlip	1	107TA6580	26F	Wheel assembly, load (nylon) (without bearings)	2	107TA6604
2	Washer (steel) (thickness: 6 mm)	1	107TA6581	26G	Wheel assembly, steer (nylon) (only for L2000/11) (2586500-)	2	107TA6605
3	Spring, control handle return torsion	1	105TA4608	27	Cap, front wheel hub	2	122TA7004
4	Insert	1	107TA6582	28	Handle	2	107TA6607
5	Housing, bearing	1	107TA6583	29A	Screw (M6) (total length: 16 mm) (L2000/7)	2	107TA6608
6	Circlip	1	107TA6584	29B	Screw (6,3 x 25 mm) (from L2000/8)	2	107TA6609
7	Ball bearing	1	107TA6585	30	Adhesive	1	107TA6610
8	Washer (nylon) (thickness: 3 mm)	1	107TA6586	31	Clamp	2	107TA6611
9	Circlip	1	107TA6587	32	Lever lowering, tiller	1	106TA6780
10	Elastic pin	2	107TA6588	33	Elastic pin	1	107TA6612
11	Cotter pin	1	107TA6589	34	Steel ball	2	107TA6613
12	Lever lift control	1	107TA6590	35	Spring	1	107TA6614
13	Cotter pin	1	107TA6591	36	Bushing	1	107TA6615
14	Spacer, pivot bearing hydraulic pump unit to chassis	1	106TA6779	37	Steel ball	2	107TA6613
15	Elastic pin	2	107TA6592	38	Handle assembly	1	106TA6777
16	Thrust plate, hydraulic pump unit mounting	1	106TA6781	39	Bracket, tiller arm	1	107TA6616
17	Grease nipple (L2000/8)	1	107TA6594	40	Bushing, handle pivot	2	107TA6617
17	Grease nipple (to L2000/7)	1	107TA6593	41	Shaft, handle pivot	2	107TA6618
18	Circlip	1	107TA6595	42	Pin, control handle pump roller	1	107TA6619
19	Grease nipple	1	107TA6594	43	Elastic pin	1	107TA6620
20	Shaft, steer wheel	1	107TA6596	44	Roller, control handle pump	1	107TA6621
21	Circlip	2	107TA6597	45	Rod complete, lowering	1	107TA6622
22	Ball bearing	2	107TA6598	46	Spring	1	107TA6623
23	Bushing (without collar)	2	105TA1681	47	Hexagonal nut	1	107TA6624
24	Ball bearing	2	107TA6599	48	Bushing, control handle pump roller	1	107TA6625
25	Circlip	2	107TA6600	49	Hydraulic unit	1	107TA6626
26A	Wheel assembly, steer (rubber) (nylon rim) (without bearings)	2	107TA3008	50	Piston, lift cylinder pallet truck	1	107TA6627
26B	Wheel assembly, steer (rubber) (only for L2000/11) (2586500-)	2	107TA6601	51	Body, hydraulic pump unit piston	1	107TA6628
26C	Wheel assembly, load (polyurethane) (nylon rim) (without bearings)	2	107TA6603	52	O-ring	1	107TA6629
26D	Wheel assembly, load (polyurethane) (without bearings)	2	107TA3009	53	Washer (synthetic) (thickness: 4 mm)	1	107TA6630
26E	Wheel assembly, steer (polyurethane) (nylon rim) (only for L2000/11) (2586500-)	2	107TA6606	54	Screw	1	107TA6631
				55	Oil seal	1	107TA6632
				56A	Piston, hydraulic pump unit (L2000/7)	1	107TA6633
				56B	Piston, hydraulic pump unit (L2000/10)	1	107TA6634

HYDRAULIC UNIT BT LIFTER L2000 7/9/10/11 (-2399999)



MAIN FRAME BT LIFTER L2000 7/9/10/11 (-2399999)




MAIN FRAME BT LIFTER L2000 7/9/10/11 (-2399999)

Nr	Description	Qty	REF
2	Elastic pin	1	107TA6592
3A	Elastic pin (L2000/7)	4	107TA6654
3B	Elastic pin (L2000/10)	4	107TA6655
4A	Ear (L2000/7)	2	107TA6656
4B	Ear (L2000/10)	2	107TA6657
5	Bracket, entry roller	2	107TA6658
6	Shaft/bolt, entry roller	2	107TA6659
7	Spacer, entry roller	2	107TA6660
8	Wheel, entry roller	2	107TA2891
9	Hexagonal nut	2	107TA6661
10	Shaft pivot, torsion tube	1	107TA6662
11	Bushing, torsion tube to thrust plate	2	105TA1924
12	Bushing	2	105TA2177
13	Grease nipple	2	107TA6594
14	Torsion tube (frame width: 520 mm)	1	107TA6663
15A	Wheel assembly, load (nylon) (single)	2	107TA6664
15B	Wheel assembly, load (polyurethane) (single)	2	107TA6665
15C	Wheel assembly, load (steel) (single)	2	107TA6666
15D	Wheel assembly, load (nylon) (single) (L2000/11) (2256000-)	2	107TA2928
15E	Wheel assembly, load (polyurethane) (single) (L2000/11) (2256000-)	2	107TA6667
15F	Wheel assembly, load (Vulkollan®) (single) (L2000/11) (2256000-)	2	107TA6668
16	Elastic pin	2	107TA6592
17	Shaft, torsion tube to thrust plate	2	107TA6669
18	Washer (thickness: 4,2 mm)	2	107TA6670
19	Bushing, push/pull rod non fork end	4	107TA6671
20	Grease nipple	8	107TA6594
21A	Push/pull rod, lift structure (fork length: 1000 mm)	2	107TA6672
21B	Push/pull rod, lift structure (fork length: 1070 mm)	2	107TA6673
21C	Push/pull rod, lift structure (fork length: 1150 mm)	2	105TA4604
21D	Push/pull rod, lift structure (fork length: 1220 mm)	2	107TA6674
22	Bushing, push/pull rod fork end	4	105TA2174

Nr	Description	Qty	REF
23A	Fork, bracket load wheel (L2000/7)	2	106TA8088
23B	Fork, bracket load wheel (L2000/10)	2	106TA7393
24	Elastic pin	6	107TA6592
25A	Bearing	4	106TA6778
25B	Bearing (L2000/11) (2256000-)	4	107TA6675
26A	Wheel assembly, load (nylon) (single wheel) (without bearings)	2	105TA4633
26B	Wheel assembly, load (polyurethane) (without bearings) (single)	2	107TA2626
26C	Wheel assembly, load (polyurethane) (nylon rim) (single) (without bearings)	2	107TA6676
26D	Wheel assembly, load (steel) (tandem)	2	107TA6666
26E	Wheel assembly, load (steel) (single) (without bearings)	2	107TA2968
27	Shaft/bolt load wheel	2	107TA6677
28A	Shaft, fork load wheel bracket to chassis (L2000/7)	2	107TA6678
28B	Shaft/bolt load wheel (L2000/10)	2	107TA6679
29	Bushing, fork load wheel bracket to chassis	4	105TA2175
30A	Shaft, push/pull rod fork end (length: 110 mm)	2	107TA6680
30B	Shaft, push/pull rod fork end (length: 84,5 mm) (L2000/10)	2	107TA6681
31A	Wheel assembly, load (nylon) (tandem)	4	107TA2936
31B	Wheel assembly, load (polyurethane) (nylon rim) (tandem)	4	107TA6682
31C	Wheel assembly, load (steel) (tandem)	4	107TA2957
31D	Wheel assembly, load (nylon) (tandem) (L2000/11) (2256000-)	4	107TA2935
31E	Wheel assembly, load (polyurethane) (nylon rim) (tandem) (L2000/11) (2256000-)	4	107TA6683
31F	Wheel assembly, load (Vulkollan®) (tandem) (L2000/11) (2256000-)	4	107TA2788
32	Fork, load wheel	2	107TA6684
33	Wheel assembly, load (steel) (tandem) (without bearings)	4	107TA6687

LIFTER L2000 7/9/10/11 (-2399999)


MAIN FRAME BT LIFTER L2000 7/9/10/11 (-2399999)



MAIN FRAME BT LIFTER L2000 7/9/10/11 (-2399999)

[illegible][illegible]

HYDRAULIC UNIT BT LIFTER L2000 QUICK 10/11 (-2399999)




HYDRAULIC UNIT BT LIFTER L2000 QUICK 10/11 (-2399999)

Nr	Description	Qty	REF
1	Circlip	1	107TA6580
2	Washer (steel) (thickness: 6 mm)	1	107TA6581
3	Spring, control handle return torsion	1	105TA4608
4	Insert	1	107TA6582
5	Housing, bearing	1	107TA6583
6	Circlip	1	107TA6584
7	Ball bearing	1	107TA6585
8	Washer (nylon) (thickness: 3 mm)	1	107TA6586
9	Circlip	1	107TA6587
10	Elastic pin	2	107TA6588
11	Cotter pin	1	107TA6589
12	Lever lift control	1	107TA6590
13	Cotter pin	1	107TA6591
14	Spacer, pivot bearing hydraulic pump unit to chassis	1	106TA6779
15	Elastic pin	2	107TA6592
16	Thrust plate, hydraulic pump unit mounting	1	106TA6781
17	Grease nipple	1	107TA6594
18	Circlip	1	107TA6595
19	Grease nipple	2	107TA6594
20	Shaft, steer wheel	1	107TA6596
21	Circlip	2	107TA6597
22	Ball bearing	2	107TA6598
23	Bushing (without collar)	2	105TA1681
24	Ball bearing	2	107TA6599
25	Circlip	2	107TA6600
26A	Wheel assembly, steer (rubber) (nylon rim) (without bearings)	2	107TA3008
26B	Wheel assembly, steer (rubber) (L2000/11) (2256000-)	2	107TA6601
26C	Wheel assembly, load (polyurethane) (nylon rim) (without bearings)	2	107TA6603
26D	Wheel assembly, load (polyurethane) (without bearings)	2	107TA3009
26E	Wheel assembly, steer (polyurethane) (L2000/11) (2256000-)	2	107TA6606
26F	Wheel assembly, load (nylon) (without bearings)	2	107TA6604


Nr	Description	Qty	REF
26G	Wheel assembly, steer (nylon) (L2000/11) (2256000-)	2	107TA6605
27	Cap, front wheel hub	2	122TA7004
28	Handle	2	107TA6607
29	Screw	2	107TA6609
30	Adhesive	1	107TA6610
31	Clamp	2	107TA6611
32	Lever lowering, tiller	1	106TA6780
33	Elastic pin	1	107TA6612
34	Steel ball	2	107TA6613
35	Spring	1	107TA6614
36	Bushing	1	107TA6615
37	Steel ball	2	107TA6613
38	Handle assembly	1	106TA6777
39	Bracket, tiller arm	1	107TA6616
40	Bushing, handle pivot	2	107TA6617
41	Shaft, handle pivot	1	107TA6618
42	Axle	1	107TA6619
43	Elastic pin	1	107TA6620
44	Roller, control handle pump	1	107TA6621
45	Rod complete, lowering	1	107TA6622
46	Spring	1	107TA6623
47	Hexagonal nut	1	107TA6624
48	Bushing, control handle pump roller	1	107TA6625
49	Pump, hydraulic	1	124TA1642
50	Piston, lift cylinder pallet truck	1	124TA1644
51	Body, hydraulic pump unit piston	1	124TA1646
52	O-ring	1	107TA6629
53	Washer (synthetic) (thickness: 4 mm)	1	107TA6630
54	Screw	1	107TA6631
55	Oil seal	1	107TA6632
56	Piston, hydraulic pump unit	1	107TA6634
57	Screw	1	107TA6635
58	Washer (copper) (thickness: 2,5 mm)	1	105TA1188
59	Spring	1	107TA6636
60	Lever lift control	1	107TA6637
61	Oil seal	1	107TA6638
62	Lip seal	1	107TA6639
63	Steel ball	1	107TA6641
64	O-ring	1	124TA1648

HYDRAULIC UNIT BT LIFTER L2000 QUICK 10/11 (-2399999)



[illegible][illegible]

MAIN FRAME BT LIFTER L2000 QUICK 10/11 [-2399999]



MAIN FRAME BT LIFTER L2000 QUICK 10/11 (-2399999)


Nr	Description	Qty	REF
2	Cap, control handle pivot return spring	1	107TA6592
3	Elastic pin	4	107TA6655
4	Ear	2	107TA6657
5	Clamp	2	107TA6658
6	Shaft/bolt, entry roller	2	107TA6659
7	Spacer, entry roller	2	107TA6660
8	Wheel, entry roller	2	107TA2891
9	Hexagonal nut	2	107TA6661
10	Shaft pivot, torsion tube	1	107TA6662
11	Shaft, torsion tube to thrust plate	2	105TA1924
12	Bushing, torsion tube pivot	2	105TA2177
13	Grease nipple	2	107TA6594
14	Torsion tube	1	107TA6663
15A	Wheel assembly, load (nylon) (single)	2	107TA6664
15B	Wheel assembly, load (polyurethane) (single)	2	107TA6665
15C	Wheel assembly, load (steel) (single)	2	107TA6666
15D	Wheel assembly, load (nylon) (single) (L2000/11) (2256000-)	2	107TA2928
15E	Wheel assembly, load (polyurethane) (single) (L2000/11) (2256000-)	2	107TA6667
15F	Wheel assembly, load (Vulkollan®) (single) (L2000/11) (2256000-)	2	107TA6668
16	Elastic pin	2	107TA6592
17	Arm bolt	2	107TA6669
18	Washer (thickness: 4,2 mm)	2	107TA6670
19	Bushing, push/pull rod non fork end	4	107TA6671
20	Grease nipple	8	107TA6594
21A	Push/pull rod assembly, lift structure (fork length: 1000 mm)	2	107TA6672
21B	Push/pull rod assembly, lift structure (fork length: 1070 mm)	2	107TA6673
21C	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	105TA4604
21D	Push/pull rod assembly, lift structure (fork length: 1220 mm)	2	107TA6674
22	Bushing, push/pull rod fork end	4	105TA2174

Nr	Description	Qty	REF
23	Fork, bracket load wheel	2	106TA7393
24	Elastic pin	6	107TA6592
25A	Bearing	4	106TA6778
25B	Bearing	4	107TA6675
26A	Wheel assembly, load (nylon) (single wheel) (without bearings)	2	105TA4633
26B	Wheel assembly, load (polyurethane) (nylon rim)	2	107TA6676
26C	Wheel assembly, load (steel) (single) (without bearings)	2	107TA2968
27	Shaft, fork load wheel bracket to chassis	2	107TA6677
28	Wheel, exit roller	2	107TA6679
29	Wheel, exit roller	4	105TA2175
30	Shaft, push/pull rod fork end (diameter: 18 mm) (length: 84,5 mm)	2	107TA6681
31A	Wheel assembly, load (nylon) (tandem)	4	107TA2936
31B	Wheel assembly, load (polyurethane) (nylon rim)	4	107TA6682
31C	Wheel assembly, load (steel) (tandem)	4	107TA2957
31D	Wheel assembly, load (nylon) (tandem) (L2000/11) (2256000-)	4	107TA2935
31E	Wheel assembly, load (polyurethane) (nylon rim) (tandem) (L2000/11) (2256000-)	4	107TA6683
31F	Wheel assembly, load (Vulkollan®) (tandem) (L2000/11) (2256000-)	4	107TA2788
32	Fork, bracket load wheel	2	107TA6684
33A	Wheel assembly, load (nylon)	4	107TA6685
33B	Wheel assembly, load (polyurethane) (nylon rim) (tandem) (without bearings)	4	107TA6686
33C	Wheel assembly, load (steel) (tandem) (without bearings)	4	107TA6687
34	Shaft/bolt load wheel	4	106TA7044
35	Wheel, exit roller	2	106TA7045
36	Ear	2	107TA6688

USED FOR BULLI

FK 2000/2500/3000 (31/03/1989-31/08/1992)

HYDRAULIC UNIT BULLI FK 2000/2500/3000 (31/03/1989-31/08/1992)



HYDRAULIC UNIT BULLI FK 2000/2500/3000 (31/03/1989-31/08/1992)

Nr	Description	Qty	REF
1	Bracket, tiller arm	1	124TA1490
2	Lever lowering, tiller	1	124TA1491
3	Elastic pin	1	124TA1492
4	Spring, lever	1	124TA1493
5	Elastic pin	2	124TA1494
6	Stop (rubber)	1	124TA1495
7	Elastic pin	1	124TA1496
8	Rod complete, lowering	1	124TA1497
9	Elastic pin	1	124TA1492
10	Lever, reversing	1	124TA1498
11	Pin, control handle pump roller	1	124TA1499
12	Roller, control handle pump	1	124TA1500
13	Bolt (LH thread)	1	124TA1501
14	Bolt (RH thread)	1	124TA1502
15	Bushing, handle pivot	2	124TA1503
16	Hydraulic unit	1	124TA1504
17	Steel ball, lift cylinder piston pallet truck	1	124TA1505
18	Elastic pin	1	124TA1506
19	Spacer, pivot bearing hydraulic pump unit to chassis	1	124TA1507
20	Thrust plate, hydraulic pump unit mounting	1	124TA1508
21	Circlip	1	124TA1509
22	Elastic pin	2	124TA1510
23A	Wheel assembly, steer (rubber)	2	124TA1511
23B	Wheel assembly, steer (polyurethane)	2	124TA1512
23C	Wheel assembly, steer (nylon)	2	124TA1513
23D	Wheel assembly, steer (polyurethane) (aluminium core)	2	124TA1514
24	Shaft, steer wheel	1	124TA1515
25	Circlip	4	124TA1516
26	Shim (thickness: 1 mm)	2	124TA1517
27	Cotter pin	1	124TA1518
28A	Cap, front wheel hub (for nylon wheel)	2	124TA1519
28B	Cap, front wheel hub (for polyurethane wheel)	2	124TA1521
29	Piston, lift cylinder pallet truck	1	124TA1522
30	Wiper ring (polyurethane)	1	124TA1523
31	Composite seal	1	124TA1524

[illegible]

USED FOR BULLI

FK 2500 (31/03/1989–31/08/1992)

HYDRAULIC UNIT BULLI FK 2500 (31/03/1989–31/08/1992)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Bracket, tiller arm	1	124TA1490	33	Wiper ring (rubber)	1	124TA1545
2	Lever lowering, tiller	1	124TA1491	34	Lip seal	1	124TA1546
3	Elastic pin	1	124TA1492	35	Spring, control handle return torsion	1	124TA1528
4	Spring, lever	1	124TA1493	36	Cap, control handle pivot return spring	1	124TA1529
5	Elastic pin	2	124TA1494	37	Shim (thickness: 3 mm)	1	124TA1530
6	Stop (rubber)	1	124TA1495	38	Circlip	1	124TA1531
7	Elastic pin	1	124TA1496	39	Screw, plug (M14)	1	124TA1532
8	Rod complete, lowering	1	124TA1497	40	Screw, plug (M14)	1	124TA1533
9	Elastic pin	1	124TA1492	41	Sealing ring (copper) (thickness: 1,4 mm)	1	124TA1534
10	Lever, reversing	1	124TA1498	42	Screw, plug (M14)	1	124TA2639
11	Pin, control handle pump roller	1	124TA1499	43	Screw, plug	1	124TA1536
12	Roller, control handle pump	1	124TA1500	44	Sealing ring (copper) (thickness: 1,4 mm)	1	124TA1534
13	Bolt (LH thread)	1	124TA1501	45	Valve release, hydraulic unit	1	124TA1537
14	Bolt (RH thread)	1	124TA1502	46	Screw	1	124TA1538
15	Bushing, handle pivot	2	124TA1503	47	Lever lift control	1	124TA1539
16	Hydraulic unit	1	124TA1543	48	Screw	1	124TA1540
17	Steel ball, lift cylinder piston pallet truck	1	124TA1505	49	Nut	1	124TA1541
18	Elastic pin	1	124TA1506	50	Lip seal	1	124TA1542
19	Spacer, pivot bearing hydraulic pump unit to chassis	1	124TA1507	51	Kit seal, hydraulic unit	1	124TA2646
20	Thrust plate, hydraulic pump unit mounting	1	124TA1508				
21	Circlip	1	124TA1509				
22	Elastic pin	2	124TA1510				
23A	Wheel assembly, steer (rubber)	2	124TA1511				
23B	Wheel assembly, steer (polyurethane)	2	124TA1512				
23C	Wheel assembly, steer (nylon)	2	124TA1513				
23D	Wheel assembly, steer (polyurethane) (aluminium core)	2	124TA1514				
24	Shaft, steer wheel	1	124TA1515				
25	Circlip	4	124TA1516				
26	Shim (thickness: 1 mm)	2	124TA1517				
27	Cotter pin	1	124TA1518				
28A	Cap, front wheel hub (for nylon wheel)	2	124TA1519				
28B	Cap, front wheel hub (for polyurethane wheel)	2	124TA1521				
29	Piston, hydraulic pump unit	1	124TA1522				
30	Wiper ring (polyurethane)	1	124TA1523				
31	Composite seal	1	124TA1524				
32	Piston, hydraulic pump unit	1	124TA1544				

HYDRAULIC UNIT BULLI FK 3000 (31/03/1989–31/08/1992)


Nr	Description	Qty	REF
1	Bracket, tiller arm	1	124TA1490
2	Lever lowering, tiller	1	124TA1491
3	Elastic pin	1	124TA1492
4	Spring, lever	1	124TA1493
5	Elastic pin	2	124TA1494
6	Stop (rubber)	1	124TA1495
7	Elastic pin	1	124TA1496
8	Lowering linkage	1	124TA1497
9	Elastic pin	1	124TA1492
10	Lever, reversing	1	124TA1498
11	Pin, control handle pump roller	1	124TA1499
12	Roller, control handle pump	1	124TA1500
13	Shaft, handle pivot	2	124TA1501
14	Bolt (RH thread) (tension pin)	1	124TA1502
15	Bushing, handle pivot	2	124TA1503
16	Hydraulic unit	1	124TA1548
17	Steel ball, lift cylinder piston pallet truck	1	124TA1505
18	Elastic pin	1	124TA1506
19	Bearing, hydraulic unit pivot	1	124TA1507
20	Thrust plate, hydraulic pump unit mounting	1	124TA1508
21	Circlip	1	124TA1509
22	Elastic pin	2	124TA1510
23A	Wheel assembly, steer (rubber)	2	124TA1549
23B	Wheel assembly, steer (polyurethane)	2	124TA1512
23C	Wheel assembly, steer (nylon)	2	124TA1513
23D	Wheel assembly, steer (polyurethane) (aluminium core)	2	124TA1514
24	Shaft, steer wheel	1	124TA1515
25	Circlip	4	124TA1516
26	Shim (thickness: 1 mm)	2	124TA1517
27	Cotter pin	1	124TA1518
28A	Cap, front wheel hub (for rubber wheel)	2	124TA1550
28B	Cap, front wheel hub (for nylon wheel)	2	124TA1519
28C	Cap, front wheel hub (for polyurethane wheel)	2	124TA1521
29	Piston, lift cylinder pallet truck	1	124TA1522
30	Wiper ring (polyurethane)	1	124TA1523

[illegible]

USED FOR BULLI

FK 2000/2500/3000 (31/03/1989-31/08/1992)

MAIN FRAME BULLI FK 2000/2500/3000 (31/03/1989-31/08/1992)



MAIN FRAME BULLI FK 2000/2500/3000 (31/03/1989–31/08/1992)

Nr	Description	Qty	REF
1	Torsion tube (frame width: 570 mm)	1	124TA1558
1	Torsion tube (frame width: 450 mm)	1	124TA1555
1	Torsion tube (frame width: 540 mm)	1	124TA1557
1	Torsion tube (frame width: 520 mm)	1	124TA1556
2	Bushing, torsion tube pivot	2	124TA1559
3A	Shaft pivot, torsion tube (frame width: 450 mm)	1	124TA1560
3B	Shaft pivot, torsion tube	1	124TA1561
3C	Shaft pivot, torsion tube (frame width: 540 mm)	1	124TA1562
3D	Shaft pivot, torsion tube (frame width: 680 mm)	1	124TA1563
4	Bushing, push/pull rod fork end	2	124TA1564
5A	Push/pull rod assembly, lift structure (fork length: 910 mm)	2	124TA1565
5B	Push/pull rod assembly, lift structure (fork length: 1000 mm)	2	124TA1566
5C	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	124TA1567
5D	Push/pull rod assembly, lift structure (fork length: 1220 mm)	2	124TA1568
6	Washer (thickness: 4,2 mm)	2	124TA1569
7	Elastic pin	2	124TA1510
8	Fork, bracket load wheel	2	124TA1570
9A	Shaft, fork load wheel bracket to chassis	1	124TA1571
9B	Axle, exit roller	1	124TA1571
10	Elastic pin	2	124TA1510
11A	Shaft, fork load wheel bracket to chassis	1	124TA1572
11B	Axle, exit roller	1	124TA1572
12	Wheel, exit roller (nylon) (intermediate)	4	124TA1573
13	Wheel, exit roller	2	124TA1574
14	Elastic pin	4	124TA1510
15	Shaft/bolt load wheel	2	124TA1575
16A	Shim (plastic) (thickness: 1,1 mm)	4	124TA1576
16B	Washer (nylon) (thickness: 2 mm)	4	124TA1577

Nr	Description	Qty	REF
17A	Wheel assembly, load (nylon) (single)	2	124TA1578
17B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	124TA1579
17C	Load wheel (steel) (single) (without bearings)	2	124TA1580
17D	Wheel assembly, load (Vulkollan®) (single)	2	124TA1581
18	Elastic pin	2	124TA1510
19	Shaft, torsion tube to thrust plate	2	124TA1582
20	Entry roller assembly	2	124TA1583
21A	Carrier complete, load wheel (nylon) (tandem)	2	124TA1584
21B	Carrier complete, load wheel (polyurethane) (nylon rim) (tandem)	2	124TA1585
21C	Carrier complete, load wheel (steel) (tandem)	2	124TA1586
21D	Carrier complete, load wheel (Vulkollan®)	2	124TA1587
22A	Wheel assembly, load (nylon) (tandem)	4	124TA1588
22B	Wheel assembly, load (polyurethane) (nylon rim) (tandem)	4	124TA1589
22C	Wheel assembly, load (steel) (tandem)	4	124TA1590
22D	Wheel assembly, load (polyurethane) (tandem)	4	147TA3916
23	Fork, load wheel	2	124TA1592
24	Fork, load wheel	2	124TA1593
25	Fork, load wheel	2	124TA1594
26	Circlip	4	124TA1595
27	Shaft, center, fork load wheel	4	124TA1596
28	Elastic pin	4	124TA1597

MAIN FRAME BULLI FK 2500 (31/03/1989–31/08/1992)

Nr	Description	Qty	REF
1A	Torsion tube (length: 450 mm)	1	<u>124TA1555</u>
1B	Torsion tube (length: 520 mm)	1	<u>124TA1556</u>
1C	Torsion tube (length: 540 mm)	1	<u>124TA1557</u>
1D	Torsion tube (length: 570 mm)	1	<u>124TA1558</u>
2	Bushing, torsion tube pivot	2	<u>124TA1559</u>
3A	Shaft pivot, torsion tube (length: 450 mm)	1	<u>124TA1560</u>
3B	Shaft pivot, torsion tube	1	<u>124TA1561</u>
3C	Shaft pivot, torsion tube (length: 540 mm)	1	<u>124TA1562</u>
3D	Shaft pivot, torsion tube (length: 680 mm)	1	<u>124TA1563</u>
4	Bushing, push/pull rod fork end	2	<u>124TA1564</u>
5A	Push/pull rod assembly, lift structure (length: 910 mm)	2	<u>124TA1565</u>
5B	Push/pull rod assembly, lift structure (length: 1000 mm)	2	<u>124TA1566</u>
5C	Push/pull rod assembly, lift structure (length: 1150 mm)	2	<u>124TA1567</u>
5D	Push/pull rod assembly, lift structure (length: 1220 mm)	2	<u>124TA1568</u>
6	Washer (thickness: 4,2 mm)	2	<u>124TA1569</u>
7	Elastic pin	2	<u>124TA1510</u>
8	Fork, bracket load wheel	2	<u>124TA1570</u>
9A	Shaft, fork load wheel bracket to chassis	2	<u>124TA1571</u>
9B	Axle, exit roller	2	<u>124TA1571</u>
10	Elastic pin	2	<u>124TA1510</u>
11A	Shaft, fork load wheel bracket to chassis	2	<u>124TA1572</u>
11B	Axle, exit roller	2	<u>124TA1572</u>
12	Wheel, exit roller (nylon)	4	<u>124TA1573</u>
13	Wheel, exit roller	2	<u>124TA1574</u>
14	Elastic pin	4	<u>124TA1510</u>
15	Shaft/bolt load wheel	2	<u>124TA1575</u>
16A	Shim (plastic) (thickness: 1,1 mm)	4	<u>124TA1576</u>
16B	Washer (nylon) (thickness: 2 mm)	4	<u>124TA1577</u>
17A	Wheel assembly, load (nylon) (single)	2	<u>124TA1578</u>

[illegible]


MAIN FRAME BULLI FK 3000 (31/03/1989–31/08/1992)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1A	Torsion tube (frame width: 450 mm)	1	124TA1555	17B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	124TA1579
1B	Torsion tube (frame width: 520 mm)	1	124TA1556	17C	Load wheel (steel) (single) (without bearings)	2	124TA1580
1C	Torsion tube (frame width: 540 mm)	1	124TA1557	17D	Wheel assembly, load (Vulkollan®) (single)	2	124TA1581
1D	Torsion tube (frame width: 570 mm)	1	124TA1558	18	Elastic pin	2	124TA1510
2	Bushing, torsion tube pivot	2	124TA1559	19	Shaft, torsion tube to lift cylinder bracket	2	124TA1582
3A	Shaft pivot, torsion tube (frame width: 450 mm)	1	124TA1560	20	Entry roller assembly	2	124TA1583
3B	Shaft pivot, torsion tube	1	124TA1561	21A	Carrier complete, load wheel (nylon) (tandem)	2	124TA1584
3C	Shaft pivot, torsion tube (frame width: 540 mm)	1	124TA1562	21B	Carrier complete, load wheel (polyurethane) (nylon rim) (tandem)	2	124TA1585
3D	Shaft pivot, torsion tube (frame width: 680 mm)	1	124TA1563	21C	Carrier complete, load wheel (steel)	2	124TA1586
4	Bushing, push/pull rod non fork end	2	124TA1564	21D	Carrier complete, load wheel (Vulkollan®) (tandem)	2	124TA1587
5A	Push/pull rod assembly, lift structure (fork length: 910 mm)	2	124TA1565	22A	Wheel assembly, load (nylon) (tandem)	4	124TA1588
5B	Push/pull rod assembly, lift structure (fork length: 1000 mm)	2	124TA1566	22B	Wheel assembly, load (polyurethane) (nylon rim) (tandem)	4	124TA1589
5C	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	124TA1567	22C	Wheel assembly, load (steel) (tandem)	4	124TA1590
5D	Push/pull rod assembly, lift structure (fork length: 1220 mm)	2	124TA1568	22D	Wheel assembly, load (polyurethane) (tandem)	4	147TA3916
6	Washer (thickness: 4,2 mm)	2	124TA1569	23	Fork, load wheel	2	124TA1592
7	Elastic pin	2	124TA1510	24	Fork, load wheel	2	124TA1593
8	Fork, bracket load wheel	2	124TA1570	25	Fork, load wheel	2	124TA1594
9A	Shaft, fork load wheel bracket to chassis	2	124TA1571	26	Circlip	4	124TA1595
9B	Axle, exit roller	2	124TA1571	27	Shaft, center, fork load wheel	4	124TA1596
10	Elastic pin	2	124TA1510	28	Elastic pin	4	124TA1597
11A	Shaft, fork load wheel bracket to chassis	2	124TA1572				
11B	Axle, exit roller	2	124TA1572				
12	Wheel, exit roller (nylon) (intermediate)	4	124TA1573				
13	Wheel, exit roller	2	124TA1574				
14	Elastic pin	4	124TA1510				
15	Shaft/bolt load wheel	2	124TA1575				
16A	Shim (plastic) (thickness: 1,1 mm)	4	124TA1576				
16B	Washer (nylon) (thickness: 2 mm)	4	124TA1577				
17A	Wheel assembly, load (nylon) (single)	2	124TA1578				

USED FOR BULLI

FK 2000/2500/3000 (1/09/1992-31/10/2004)

HYDRAULIC UNIT BULLI FK 2000/2500/3000 (1/09/1992-31/10/2004)



Nr	Description	Qty	REF
1	Handle assembly	1	124TA5618
2	Lever lowering, tiller	1	124TA1491
3	Elastic pin (handle)	1	124TA1492
4	Spring, lever (lowering)	1	124TA1493
5	Elastic pin (spring)	2	124TA1494
6	Stop (rubber)	1	124TA1495
7	Elastic pin (lowering linkage)	1	124TA1496
8	Lowering rod	1	124TA2116
9	Chain, hydraulic unit	1	124TA2117
10	Spring, lever (lowering)	1	124TA2118
11	Pin, control handle pump roller	1	124TA1499
12	Roller, control handle pump	1	124TA1500
13	Shaft, handle pivot	1	124TA2119
14	Elastic pin (pivot pin)	2	124TA1597
15	Bushing, handle pivot	2	124TA2120
16	Hydraulic unit	1	124TA2121
17	Steel ball, lift cylinder piston pallet truck	1	124TA1505
18	Elastic pin (lifting head)	1	124TA1506
19	Bearing, hydraulic unit pivot	1	124TA1507
20	Thrust plate, hydraulic pump unit mounting	1	124TA1508
21	Circlip	1	124TA1509
22	Elastic pin (pressure plate)	2	124TA1510
23A	Wheel assembly, steer (rubber)	2	124TA2122
23B	Wheel assembly, steer (polyurethane)	2	124TA1512
23C	Wheel assembly, steer (Vulkollan®)	2	124TA1514
23D	Wheel assembly, steer (nylon)	2	124TA1513
24	Shaft, steer wheel	1	124TA1515
25	Circlip (for steering roller shaft)	4	124TA1516
26	Shim (thickness: 1 mm)	2	124TA1517
27	Elastic pin (steering wheel shaft)	1	124TA1518
28A	Cap, front wheel hub	2	124TA1519
28B	Cap, front wheel hub	2	124TA1520
28C	Cap, front wheel hub	2	124TA1521
29	Piston, lift cylinder pallet truck	1	124TA2628
30	Wiper ring (rubber)	1	124TA2123
31	Lip seal	1	124TA2629
32	Piston, hydraulic pump unit	1	124TA6890

[illegible]

USED FOR BULLI

FK 2500 (1/09/1992-31/10/2004)


HYDRAULIC UNIT BULLI FK 2500 (1/09/1992-31/10/2004)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Handle assembly	1	124TA2626	33	Wiper ring (polyurethane)	1	124TA2631
2	Lever lowering, tiller	1	124TA2627	34	Lip seal	1	124TA2632
3	Lock pin	1	124TA1492	35	Spring, control handle return torsion	1	124TA2633
4	Spring, lever	1	124TA1493	36	Cap, control handle pivot return spring	1	124TA2125
5	Lock pin	2	124TA1494	37	Shim (thickness: 3 mm)	1	124TA2634
6	Stop (rubber)	1	124TA1495	38	Circlip	1	124TA2635
7	Elastic pin (lowering linkage)	1	124TA1496	39	Plug	1	124TA1532
8	Lowering rod	1	124TA2116	40	Screw, plug	1	124TA2637
9	Chain, hydraulic unit	1	124TA2117	41	Sealing ring (copper)	1	124TA2638
10	Spring, lever (lowering)	1	124TA2118	42	Screw, plug	1	124TA2639
11	Pin, control handle pump roller	1	124TA1499	43	Screw, plug	1	124TA2640
12	Roller, control handle pump	1	124TA1500	44	Sealing ring (copper)	1	124TA2638
13	Shaft, handle pivot	1	124TA2119	45	Valve release, hydraulic unit	1	124TA2641
14	Elastic pin (pivot pin)	2	124TA1597	46	Lever lift control	1	124TA2126
15	Bushing, handle pivot	2	124TA2120	47	Elastic pin (lowering lever)	1	124TA2127
16	Hydraulic unit	1	124TA2128	48	Screw	1	124TA2642
17	Steel ball, lift cylinder piston pallet truck	1	124TA1505	49	Nut	1	124TA2643
18	Elastic pin (lifting head)	1	124TA1506	50	Screw, plug	1	124TA2644
19	Bearing, hydraulic unit pivot	1	124TA1507	51	Sealing ring	1	124TA2645
20	Thrust plate, hydraulic pump unit mounting	1	124TA1508	52	Kit seal, hydraulic unit	1	107TA7022
21	Circlip	1	124TA1509				
22	Elastic pin (pressure plate)	2	124TA1510				
23A	Wheel assembly, steer (rubber)	1	124TA2122				
23B	Wheel assembly, steer (polyurethane)	2	124TA1512				
23C	Wheel assembly, steer (nylon)	2	124TA1513				
23D	Wheel assembly, steer (Vulkollan®)	2	124TA1514				
24	Shaft, steer wheel	1	124TA1515				
25	Circlip (for steering roller shaft)	1	124TA1516				
26	Shim (thickness: 1 mm)	1	124TA1517				
27	Elastic pin (steering wheel shaft)	1	124TA1518				
28A	Cap, front wheel hub	2	124TA1519				
28B	Cap, front wheel hub	2	124TA1520				
28C	Cap, front wheel hub	2	124TA1521				
29	Piston, lift cylinder pallet truck	1	124TA2628				
30	Wiper ring (rubber)	1	124TA2123				
31	Lip seal	1	124TA2629				
32	Piston, hydraulic pump unit	1	124TA2630				

HYDRAULIC UNIT BULLI FK 3000 (1/09/1992-31/10/2004)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Handle assembly	1	124TA2626	32	Piston, hydraulic pump unit	1	124TA2647
2	Lever lowering, tiller	1	124TA2627	33	Wiper ring (polyurethane)	1	124TA2648
3	Lock pin	1	124TA1492	34	Lip seal	1	124TA2649
4	Spring, lever	1	124TA1493	35	Spring, control handle return torsion	1	124TA2124
5	Lock pin	2	124TA1494	36	Cap, control handle pivot return spring	1	124TA2125
6	Stop (rubber)	1	124TA1495	37	Shim (thickness: 3 mm)	1	124TA2634
7	Elastic pin (lowering linkage)	1	124TA1496	38	Circlip	1	124TA2635
8	Lowering rod	1	124TA2116	39	Plug	1	124TA1532
9	Chain, hydraulic unit	1	124TA2117	40	Screw, plug	1	124TA2637
10	Spring, lever (lowering)	1	124TA2118	41	Sealing ring (copper)	1	124TA2638
11	Pin, control handle pump roller	1	124TA1499	42	Valve release, hydraulic unit	1	124TA2650
12	Roller, control handle pump	1	124TA1500	43	Screw, plug	1	124TA2640
13	Shaft, handle pivot	1	124TA2119	44	Sealing ring (copper)	1	124TA2638
14	Elastic pin (pivot pin)	2	124TA1597	45	Valve release, hydraulic unit	1	124TA2641
15	Bushing, handle pivot	2	124TA2120	46	Lever lift control	1	124TA2126
16	Hydraulic unit	1	124TA2129	47	Elastic pin (lowering lever)	1	124TA2127
17	Steel ball, lift cylinder piston pallet truck	1	124TA1505	48	Screw	1	124TA2642
18	Elastic pin (lifting head)	1	124TA1506	49	Nut	1	124TA2643
19	Bearing, hydraulic unit pivot	1	124TA1507	50	Screw, plug	1	124TA2644
20	Thrust plate, hydraulic pump unit mounting	1	124TA1508	51	Sealing ring	1	124TA2645
21	Circlip	1	124TA1509	52	Kit seal, hydraulic unit	1	107TA7023
22	Elastic pin (pressure plate)	1	124TA1510				
23A	Wheel assembly, steer (rubber)	2	124TA1549				
23B	Wheel assembly, steer (polyurethane)	2	124TA1512				
23C	Wheel assembly, steer (nylon)	2	124TA1513				
23D	Wheel assembly, steer (Vulkollan®)	2	124TA1514				
24	Shaft, steer wheel	1	124TA1515				
25	Circlip (for steering roller shaft)	1	124TA1516				
26	Shim (thickness: 1 mm)	1	124TA1517				
27	Elastic pin (steering wheel shaft)	1	124TA1518				
28A	Cap, front wheel hub	2	124TA1550				
28B	Cap, front wheel hub	2	124TA1519				
28C	Cap, front wheel hub	2	124TA1520				
28D	Cap, front wheel hub	2	124TA1521				
29	Piston, lift cylinder pallet truck	1	124TA2628				
30	Wiper ring (rubber)	1	124TA2123				
31	Lip seal	1	124TA2629				


MAIN FRAME BULLI FK 2000 (1/09/1992-31/10/2004)



Nr	Description	Qty	REF
1A	Torsion tube	1	<u>124TA1555</u>
1B	Torsion tube	1	<u>124TA2130</u>
1C	Torsion tube	1	<u>124TA1557</u>
1D	Torsion tube	1	<u>124TA1558</u>
2	Bushing, torsion tube pivot	2	<u>124TA1559</u>
3A	Shaft pivot, torsion tube	1	<u>124TA1560</u>
3B	Shaft pivot, torsion tube	1	<u>124TA2132</u>
3C	Shaft pivot, torsion tube	1	<u>124TA1562</u>
3D	Shaft pivot, torsion tube	1	<u>124TA1563</u>
4	Bushing, push/pull rod non fork end	2	<u>124TA1564</u>
5A	Push/pull rod assembly, lift structure	2	<u>124TA5579</u>
5B	Push/pull rod assembly, lift structure	2	<u>124TA1565</u>
5C	Push/pull rod assembly, lift structure	2	<u>124TA1566</u>
5D	Push/pull rod assembly, lift structure	2	<u>124TA1567</u>
5E	Push/pull rod assembly, lift structure	2	<u>124TA1568</u>
5F	Push/pull rod assembly, lift structure	2	<u>124TA5580</u>
5G	Push/pull rod assembly, lift structure	2	<u>124TA2133</u>
6	Shim (thickness: 4,2 mm)	2	<u>124TA1569</u>
7	Elastic pin (tie bar)	4	<u>124TA1510</u>
8	Fork, bracket load wheel	2	<u>124TA1570</u>
9	Shaft, push/pull rod fork end	2	<u>124TA1571</u>
10	Elastic pin (tie bar)	2	<u>124TA1510</u>
11A	Shaft, fork load wheel bracket to chassis	2	<u>124TA1572</u>
11B	Axle, exit roller	2	<u>124TA1572</u>
12	Wheel, exit roller (nylon) (intermediate)	4	<u>124TA1573</u>
13	Wheel, exit roller	2	<u>124TA1574</u>
14	Elastic pin (wheel fork)	4	<u>124TA1510</u>
15	Shaft/bolt load wheel	2	<u>124TA1575</u>
16	Shim (plastic) (thickness: 1,1 mm)	4	<u>124TA1576</u>
17A	Wheel assembly, load (nylon) (single)	2	<u>124TA1578</u>
17B	Wheel assembly, load (Vulkollan®) (single)	2	<u>124TA1581</u>
17C	Wheel assembly, load	2	<u>124TA2134</u>
17D	Wheel assembly, load	2	<u>124TA1580</u>
18	Elastic pin (wheel fork)	4	<u>124TA1510</u>

[illegible]

MAIN FRAME BULLI FK 2500/3000 (1/09/1992-31/10/2004)




MAIN FRAME BULLI FK 2500/3000 (1/09/1992-31/10/2004)

Nr	Description	Qty	REF
1A	Torsion tube	1	124TA1555
1B	Torsion tube	1	124TA2140
1C	Torsion tube	1	124TA2141
1D	Torsion tube	1	124TA2131
2	Bushing, torsion tube pivot	2	124TA1559
3A	Shaft pivot, torsion tube	1	124TA1560
3B	Shaft pivot, torsion tube	1	124TA2132
3C	Shaft pivot, torsion tube	1	124TA1562
3D	Shaft pivot, torsion tube	1	124TA1563
4	Bushing, push/pull rod non fork end	2	124TA1564
5A	Push/pull rod assembly, lift structure	2	124TA1565
5B	Push/pull rod assembly, lift structure	2	124TA1566
5C	Push/pull rod assembly, lift structure	2	124TA1567
5D	Push/pull rod assembly, lift structure	2	124TA1568
6	Shim (thickness: 4,2 mm)	2	124TA1569
7	Elastic pin (tie bar)	4	124TA1510
8	Fork, bracket load wheel	2	124TA1570
9	Shaft, push/pull rod fork end	2	124TA1571
10	Elastic pin (tie bar)	2	124TA1510
11	Axle, exit roller	2	124TA1572
11	Shaft, fork load wheel bracket to chassis	2	124TA1572
12	Wheel, exit roller (nylon) (intermediate)	4	124TA1573
13	Wheel, exit roller	2	124TA1574
14	Elastic pin (wheel fork)	4	124TA1510
15	Shaft/bolt load wheel	2	124TA1575
16A	Shim (plastic) (thickness: 1,1 mm)	4	124TA1576
16B	Shim (nylon) (thickness: 2 mm)	4	124TA1577
17A	Wheel assembly, load (nylon) (single)	2	124TA1578
17B	Wheel assembly, load	2	124TA1580
17C	Wheel assembly, load (Vulkollan®) (single)	2	124TA1581
17D	Wheel assembly, load	2	124TA2134
18	Elastic pin (wheel fork)	4	124TA1510
19	Shaft, torsion tube to thrust plate	2	124TA1582
20	Entry roller assembly	2	124TA1583

[illegible]


HYDRAULIC UNIT BULLI FK 2300 (1/11/2004-)



Nr	Description	Qty	REF
1	Lever lowering, tiller	1	<u>124TA5589</u>
2	Elastic pin	1	<u>124TA1492</u>
3	Elastic pin	2	<u>124TA1494</u>
4	Bracket, tiller arm	1	<u>124TA5592</u>
5	Elastic pin	1	<u>124TA1496</u>
6	Cap (with logo)	1	<u>124TA9112</u>
7	Roller, control handle pump	1	<u>124TA1500</u>
8	Pin, control handle pump roller	1	<u>124TA1499</u>
9	Bushing, handle pivot	2	<u>124TA2120</u>
10	Steel ball, lift cylinder piston pallet truck	1	<u>124TA1505</u>
11A	Wheel assembly, steer	2	<u>124TA2122</u>
11B	Wheel assembly, steer (polyurethane)	2	<u>124TA1512</u>
11C	Wheel assembly, steer (nylon)	2	<u>124TA1513</u>
11D	Wheel assembly, steer	2	<u>124TA1514</u>
11E	Wheel assembly, steer	2	<u>124TA5603</u>
12A	Wheel assembly, steer	2	<u>124TA1519</u>
12B	Cap, front wheel hub	2	<u>124TA1520</u>
12C	Cap, front wheel hub	2	<u>124TA1519</u>
12D	Cap, front wheel hub	2	<u>124TA1521</u>
13	Circlip	4	<u>124TA1516</u>
14	Shim (thickness: 1 mm)	2	<u>124TA1517</u>
15	Elastic pin	1	<u>124TA1518</u>
16	Bearing, hydraulic unit pivot	1	<u>124TA1507</u>
17	Thrust plate, hydraulic pump unit mounting	1	<u>124TA5608</u>
18	Elastic pin	2	<u>124TA1510</u>
19	Circlip	1	<u>124TA1509</u>
20	Spring, lever	1	<u>124TA1493</u>
21	Stop (rubber)	1	<u>124TA1495</u>
22	Lowering rod	1	<u>124TA5609</u>
23	Chain, hydraulic unit	1	<u>124TA5610</u>
24	Elastic pin	2	<u>124TA1597</u>
25	Shaft, handle pivot	1	<u>124TA2119</u>
26	Hydraulic unit	1	<u>124TA5617</u>
27	Shaft, steer wheel	1	<u>124TA1515</u>
28	Circlip	1	<u>124TA5612</u>
29	Lip seal	1	<u>124TA5613</u>
30	Cap, control handle pivot return spring	1	<u>124TA2125</u>
31	Spring, control handle return torsion	2	<u>124TA5614</u>
32	Piston, hydraulic pump unit	1	<u>124TA5615</u>

[illegible]

MAIN FRAME BULLI FK 2300 (1/11/2004-)




Nr	Description	Qty	REF
1	Shim (thickness: 4,2 mm)	2	<u>124TA1569</u>
2	Bushing, push/pull rod non fork end	2	<u>124TA1564</u>
3	Circlip	2	<u>124TA5578</u>
4A	Push/pull rod assembly, lift structure	2	<u>124TA5579</u>
4B	Push/pull rod assembly, lift structure	2	<u>124TA1565</u>
4C	Push/pull rod assembly, lift structure	2	<u>124TA1566</u>
4D	Push/pull rod assembly, lift structure	2	<u>124TA1567</u>
4E	Push/pull rod assembly, lift structure	2	<u>124TA1568</u>
4F	Push/pull rod assembly, lift structure	2	<u>124TA5580</u>
4G	Push/pull rod assembly, lift structure	2	<u>124TA2133</u>
5	Wheel, exit roller (nylon) (intermediate)	4	<u>124TA1573</u>
6	Elastic pin	2	<u>124TA1510</u>
7	Shaft, push/pull rod fork end	2	<u>124TA1571</u>
8	Wheel, exit roller	2	<u>124TA1574</u>
9	Elastic pin	4	<u>124TA1510</u>
10	Axle, exit roller	2	<u>124TA1572</u>
10	Shaft, fork load wheel bracket to chassis	2	<u>124TA1572</u>
11	Shaft/bolt load wheel	2	<u>124TA1575</u>
12	Fork, bracket load wheel	2	<u>124TA1570</u>
13	Elastic pin	2	<u>124TA1510</u>
14	Shim (plastic) (thickness: 1,1 mm)	4	<u>124TA1576</u>
15A	Wheel assembly, load (nylon) (single)	2	<u>124TA1578</u>
15B	Wheel assembly, load (Vulkollan®) (single)	2	<u>124TA1581</u>
15C	Wheel assembly, load	2	<u>124TA2134</u>
15D	Wheel assembly, load	2	<u>124TA1580</u>
16A	Carrier complete, load wheel (nylon) (tandem)	2	<u>124TA1584</u>
16B	Carrier complete, load wheel (polyurethane) (tandem)	2	<u>124TA1585</u>
16C	Carrier complete, load wheel (Vulkollan®) (tandem)	2	<u>124TA1587</u>
16D	Carrier complete, load wheel (steel) (tandem)	2	<u>124TA1586</u>
17	Fork, load wheel	2	<u>124TA1592</u>
18	Entry roller assembly	2	<u>124TA1583</u>
19	Elastic pin	2	<u>124TA1597</u>

[illegible]

USED FOR BULLI


HYDRAULIC UNIT BULLI FK 3000 (1/11/2004-)



Nr	Description	Qty	REF
1	Lever lowering, tiller	1	<u>124TA5589</u>
2	Elastic pin	1	<u>124TA1492</u>
3	Elastic pin	2	<u>124TA1494</u>
4	Bracket, tiller arm	1	<u>124TA5592</u>
5	Elastic pin	1	<u>124TA1496</u>
6	Cap (with logo)	1	<u>124TA9112</u>
7	Roller, control handle pump	1	<u>124TA1500</u>
8	Pin, control handle pump roller	1	<u>124TA1499</u>
9	Bushing, handle pivot	2	<u>124TA2120</u>
10	Steel ball, lift cylinder piston pallet truck	1	<u>124TA1505</u>
11A	Wheel assembly, steer (rubber)	2	<u>124TA1549</u>
11B	Wheel assembly, steer (polyurethane)	2	<u>124TA1512</u>
11C	Wheel assembly, steer (nylon)	2	<u>124TA1513</u>
11D	Wheel assembly, steer	2	<u>124TA5601</u>
11E	Wheel assembly, steer	2	<u>124TA5603</u>
12A	Cap, front wheel hub	2	<u>124TA1550</u>
12B	Cap, front wheel hub	2	<u>124TA1520</u>
12C	Cap, front wheel hub	2	<u>124TA1519</u>
12D	Cap, front wheel hub	2	<u>124TA1519</u>
13	Circlip	4	<u>124TA1516</u>
14	Shim (thickness: 1 mm)	2	<u>124TA1517</u>
15	Elastic pin	1	<u>124TA1518</u>
16	Bearing, hydraulic unit pivot	1	<u>124TA1507</u>
17	Thrust plate, hydraulic pump unit mounting	1	<u>124TA5608</u>
18	Elastic pin	2	<u>124TA1510</u>
19	Circlip	1	<u>124TA1509</u>
20	Spring, lever	1	<u>124TA1493</u>
21	Stop (rubber)	1	<u>124TA1495</u>
22	Lowering rod	1	<u>124TA5609</u>
23	Chain, hydraulic unit	1	<u>124TA5610</u>
24	Elastic pin	2	<u>124TA1597</u>
25	Shaft, handle pivot	1	<u>124TA2119</u>
26	Hydraulic unit	1	<u>124TA5611</u>
27	Shaft, steer wheel	1	<u>124TA1515</u>
28	Circlip	1	<u>124TA5612</u>
29	Lip seal	1	<u>124TA5613</u>
30	Cap, control handle pivot return spring	1	<u>124TA2125</u>
31	Spring, control handle return torsion	2	<u>124TA5614</u>

[illegible]


MAIN FRAME BULLI FK 3000 (1/11/2004-)



Nr	Description	Qty	REF
1	Shim (thickness: 4,2 mm)	2	<u>124TA1569</u>
2	Bushing, push/pull rod non fork end	2	<u>124TA1564</u>
3	Circlip	2	<u>124TA5578</u>
4A	Push/pull rod assembly, lift structure	2	<u>124TA5579</u>
4B	Push/pull rod assembly, lift structure	2	<u>124TA1565</u>
4C	Push/pull rod assembly, lift structure	2	<u>124TA1566</u>
4D	Push/pull rod assembly, lift structure	2	<u>124TA1567</u>
4E	Push/pull rod assembly, lift structure	2	<u>124TA1568</u>
4F	Push/pull rod assembly, lift structure	2	<u>124TA5580</u>
4G	Push/pull rod assembly, lift structure	2	<u>124TA2133</u>
5	Wheel, exit roller (nylon) (intermediate)	4	<u>124TA1573</u>
6	Elastic pin	2	<u>124TA1510</u>
7	Shaft, push/pull rod fork end	2	<u>124TA1571</u>
8	Wheel, exit roller	2	<u>124TA1574</u>
9	Elastic pin	4	<u>124TA1510</u>
10	Axle, exit roller	2	<u>124TA1572</u>
10	Shaft, fork load wheel bracket to chassis	2	<u>124TA1572</u>
11	Shaft/bolt load wheel	2	<u>124TA1575</u>
12	Fork, bracket load wheel	2	<u>124TA1570</u>
13	Elastic pin	2	<u>124TA1510</u>
14	Shim (plastic) (thickness: 1,1 mm)	4	<u>124TA1576</u>
15A	Wheel assembly, load (nylon) (single)	2	<u>124TA1578</u>
15B	Wheel assembly, load (Vulkollan®) (single)	2	<u>124TA1581</u>
15C	Wheel assembly, load	2	<u>124TA2134</u>
15D	Wheel assembly, load	2	<u>124TA1580</u>
16A	Carrier complete, load wheel (nylon) (tandem)	2	<u>124TA1584</u>
16B	Carrier complete, load wheel (polyurethane) (tandem)	2	<u>124TA1585</u>
16C	Carrier complete, load wheel (Vulkollan®) (tandem)	2	<u>124TA1587</u>
16D	Carrier complete, load wheel (steel) (tandem)	2	<u>124TA1586</u>
17	Fork, load wheel	2	<u>124TA1592</u>
18	Entry roller assembly	2	<u>124TA1583</u>
19	Elastic pin	2	<u>124TA1597</u>

[illegible]


HYDRAULIC UNIT BV VESTERGAARD 115




HYDRAULIC UNIT BV VESTERGAARD 115

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Hydraulic unit	1	123TA6765	41	Bonded seal	1	120TA9959
2	Cap, rubber	1	120TA9931	42	Elastic pin	1	120TA9993
3	Circlip	1	120TA9932	43	Steel ball	1	120TA9963
4	Lip seal	1	120TA9933	44	Bearing, hydraulic unit pivot	1	123TA6776
5	Bushing	1	120TA9934	45	Thrust plate, hydraulic pump unit mounting	1	105TA4611
6	Piston, lift cylinder pallet truck	1	123TA6766	46	Circlip	1	120TA9971
7	Steel ball	1	120TA9936	47	Axle	2	120TA9972
8	Steel ball	1	120TA9937	48	Elastic pin	2	120TA9973
9	Body, hydraulic pump unit piston	1	123TA6767	49	Bracket, tiller arm	1	123TA6777
10	Bushing	2	105TA2313	50	Bushing, handle pivot	2	120TA9976
11	O-ring	1	120TA9939	51	Roller, control handle pump	1	120TA9977
12	Oil seal	1	123TA6768	52	Pin, control handle pump roller	1	120TA9978
13	O-ring	1	120TA9941	53	Handle, release	1	120TA9979
14	Body, hydraulic pump unit piston	1	105TA4612	54	Elastic pin	1	120TA9980
15	Elastic pin	2	120TA9995	55	Rod complete, lowering	1	120TA9981
16	Cap, front wheel hub	2	120TA9994	56	Chain, hydraulic unit	1	120TA9982
17	Lip seal	1	123TA6769	57	Shaft, steer wheel	1	120TA9992
18	Oil seal	1	120TA9945	58	Ball bearing	4	123TA6782
19	Oil seal	1	123TA6770	59	Nut	1	123TA6778
20	Steel ball	1	120TA9966	60	Nut	1	123TA6779
21	Washer (copper) (thickness: 2 mm)	1	105TA1245	61A	Wheel assembly, steer (polyurethane) (nylon rim)	2	123TA6780
22	Spring, control handle return torsion	1	120TA9947	61B	Wheel assembly, steer (polyurethane)	2	123TA6781
23	Shaft, handle pivot	1	120TA9948	62	Kit seal, hydraulic unit	1	107TA7000
24	Lock pin	1	120TA9949				
25	Lever lift control	1	123TA6771				
26	Elastic pin	1	120TA9951				
27	Bushing (rubber)	1	120TA9952				
28	Washer (thickness: 1,3 mm)	1	120TA9953				
29	Valve screw	1	120TA9954				
30	Lip seal	1	120TA9955				
31	Pin, release	1	123TA6772				
32	O-ring (4,47 x 1,78 mm)	1	120TA9957				
33	Bolt (stepped)	1	120TA9958				
34	Bonded seal	1	120TA9959				
35	Spring	1	120TA9960				
36	Steel ball	1	120TA9961				
37	Screw	1	123TA6773				
38	Bonded seal (10,7 x 16 x 1,5 mm)	1	121TA1100				
39	Spring	1	123TA6774				
40	Bolt (stepped)	1	123TA6775				


MAIN FRAME BV VESTERGAARD 115



TANDEM




HYDRAULIC UNIT BV VESTERGAARD 115R




HYDRAULIC UNIT BV VESTERGAARD 115R

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Pump housing	1	123TA8532	41	O-ring	2	120TA9967
2	Cap, rubber	1	120TA9931	42	Seat, spring (with spring)	1	120TA9968
3	Circlip	1	120TA9932	43	Bearing, hydraulic unit pivot	1	123TA6776
4	Lip seal	1	120TA9933	44	Thrust plate, hydraulic pump unit mounting	1	123TA8534
5	Bushing	1	120TA9934	45	Circlip	1	121TA1080
6	Piston, lift cylinder pallet truck	1	121TA1067	46	Axle	2	121TA1081
7	Steel ball	1	120TA9936	47	Lock pin	2	121TA1082
8	Steel ball	1	120TA9937	48	Handle assembly	1	121TA1083
9	Body, hydraulic pump unit piston	1	121TA1068	49	Cap, front wheel hub	2	120TA9994
10	Hydraulic unit	1	123TA8533	50	Bushing, handle pivot	2	105TA1847
11	O-ring	1	120TA9939	51	Roller, control handle pump	1	120TA9977
12	Wiper ring (rubber)	1	120TA9940	52	Lock pin	1	121TA1085
13	O-ring	1	120TA9941	53	Lever lowering, tiller	1	121TA1086
14	Cylinder, pump (complete with pump piston)	1	121TA1069	54	Elastic pin	1	121TA1053
15	Bushing	2	105TA2313	55	Rod complete, lowering	1	121TA1087
16	Lock pin	2	121TA1099	56	Chain, hydraulic unit	1	121TA1088
17	Lip seal	1	120TA9944	57	Rod complete, lowering (threaded)	1	121TA1089
18	Oil seal	1	120TA9945	58	Rod complete, lowering (threaded)	1	121TA1090
19	Shaft, steer wheel	1	120TA9946	59	Nut	1	121TA1091
20	Washer (copper) (thickness: 2 mm)	1	105TA1245	60	Nut	1	123TA8535
21	Spring, control handle return torsion	1	121TA1070	61	Washer (thickness: 1,5 mm)	1	121TA1093
22	Shaft, handle pivot	1	121TA1071	62A	Wheel assembly, steer (polyurethane) (nylon rim)	2	107TA3104
23	Lock pin	1	121TA1072	62B	Wheel assembly, steer (nylon)	2	120TA9988
24	Lever lift control	1	123TA6771	63	Lock pin	1	121TA1098
25	Lock pin	1	121TA1074	64	Ball bearing	4	121TA1096
26	Bushing (rubber)	1	120TA9952	65	Fork, bracket load wheel	1	121TA1097
27	Washer (thickness: 4,5 mm)	1	121TA1075	66	Kit seal, hydraulic unit	1	107TA7001
28	Valve screw	1	120TA9954				
29	Lip seal	1	120TA9955				
30	Pin, release	1	120TA9956				
31	O-ring (4,47 x 1,78 mm)	1	120TA9957				
32	Bolt (stepped)	1	121TA1076				
33	Bonded seal	2	120TA9959				
34	Spring	1	120TA9960				
35	Steel ball	1	120TA9961				
36	Bolt	1	121TA1077				
37	Steel ball	1	120TA9963				
38	Valve release, hydraulic unit	1	121TA1078				
39	O-ring	2	120TA9965				
40	Steel ball	1	120TA9966				

MAIN FRAME BV VESTERGAARD 115R



TANDEM




Nr	Description	Qty	REF
2	Screw	1	<u>121TA1045</u>
3A	Torsion tube	1	<u>121TA1046</u>
3B	Torsion tube (frame width: 685 mm) (with bushings)	1	<u>121TA1047</u>
4	Shaft, center, fork load wheel	4	<u>121TA1062</u>
5A	Bushing, torsion tube pivot (for frame width: 520 mm)	2	<u>121TA1000</u>
5B	Bushing, torsion tube pivot (for frame width: 685 mm)	2	<u>105TA2059</u>
6	Shaft pivot, torsion tube (frame width: 520 mm)	1	<u>121TA1048</u>
7	Elastic pin (toothed)	1	<u>147TA3917</u>
8	Push/pull rod assembly, lift structure	2	<u>121TA1050</u>
9	Washer (plastic) (thickness: 2,55 mm)	8	<u>105TA2322</u>
10	Bushing, push/pull rod non fork end	2	<u>121TA1009</u>
11	Bushing, push/pull rod fork end	2	<u>121TA1008</u>
12	Lock pin	2	<u>121TA1051</u>
13	Shaft, push/pull rod fork end	2	<u>121TA1052</u>
14	Elastic pin	2	<u>121TA1053</u>
15	Shaft, fork load wheel bracket to chassis	2	<u>121TA1054</u>
16	Wheel, exit roller (auxiliary)	4	<u>121TA1013</u>
17	Sealing ring (aluminium)	4	<u>121TA1055</u>
18	Fork, bracket load wheel	2	<u>103TA7884</u>
19	Shaft/bolt load wheel	2	<u>121TA1056</u>
20A	Wheel assembly, load (nylon) (single) (with bearings)	2	<u>107TA2932</u>
20B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	<u>121TA1057</u>
21	Lock pin	8	<u>121TA1063</u>
23	Wheel, entry roller	2	<u>121TA1020</u>
24	Nut	2	<u>121TA1059</u>
25	Spacer, entry roller	2	<u>121TA1060</u>
26	Bushing (nylon)	4	<u>121TA1023</u>
27A	Wheel assembly, load (nylon) (tandem) (stainless steel bearings)	4	<u>121TA1061</u>
27B	Wheel assembly, load (polyurethane) (nylon rim) (tandem) (with bearings)	4	<u>108TA8543</u>
28	Grease nipple, fork load wheel	2	<u>103TA7734</u>

[illegible]

USED FOR BV VESTERGAARD

PV25

HYDRAULIC UNIT BV VESTERGAARD PV25




HYDRAULIC UNIT BV VESTERGAARD PV25


Nr	Description	Qty	REF
1	Pump housing	1	120TA9930
2	Cap, rubber	1	120TA9931
3	Circlip	1	120TA9932
4	Lip seal	1	120TA9933
5	Bushing	1	120TA9934
6	Piston, lift cylinder pallet truck	1	120TA9935
7	Steel ball	1	120TA9936
8	Steel ball	1	120TA9937
9	Body, hydraulic pump unit piston	1	120TA9938
10	Hydraulic unit	1	120TA9996
11	O-ring	1	120TA9939
12	Wiper ring (rubber)	1	120TA9940
13	O-ring	1	120TA9941
14	Body, hydraulic pump unit piston	1	105TA4612
15	Body, hydraulic pump unit piston	1	120TA9942
16	Housing, pump	1	120TA9943
17	Lip seal	1	120TA9944
18	Oil seal	1	120TA9945
19	Cap	1	120TA9946
20	Washer (copper) (thickness: 2 mm)	1	105TA1245
21	Spring, control handle return torsion	1	120TA9947
22	Shaft, handle pivot	1	120TA9948
23	Lock pin	1	120TA9949
24	Valve release, hydraulic unit	1	120TA9950
25	Elastic pin	1	120TA9951
26	Bushing (rubber)	1	120TA9952
27	Washer (thickness: 1,3 mm)	1	120TA9953
28	Valve screw	1	120TA9954
29	Lip seal	1	120TA9955
30	Pin, release	1	120TA9956
31	O-ring (4,47 x 1,78 mm)	1	120TA9957
32	Bolt (stepped)	1	120TA9958
33	Bonded seal	2	120TA9959
34	Spring	1	120TA9960
35	Steel ball	1	120TA9961
36	Valve screw	1	120TA9962
37	Steel ball	1	120TA9963
38	Lever lift control	1	120TA9964
39	O-ring	2	120TA9965
40	Steel ball	1	120TA9966

Nr	Description	Qty	REF
41	O-ring	2	120TA9967
42	Seat, spring (with spring)	1	120TA9968
43A	Bearing, hydraulic unit pivot (60 x 40 x 13 mm)	1	120TA9969
43B	Bearing, hydraulic unit pivot (65 x 45 x 14 mm) (older version)	1	123TA6776
44	Thrust plate, hydraulic pump unit mounting	1	120TA9970
45	Circlip	1	120TA9971
46	Axle	2	120TA9972
47	Elastic pin	2	120TA9973
48	Handle assembly	1	120TA9974
49	Bracket, tiller arm	1	120TA9975
50	Bushing, handle pivot	2	120TA9976
51	Roller, control handle pump	1	120TA9977
52	Pin, control handle pump roller	1	120TA9978
53	Lever lowering, tiller	1	120TA9979
54	Elastic pin	1	120TA9980
55	Rod complete, lowering	1	120TA9981
56	Chain, hydraulic unit	1	120TA9982
57	Rod complete, lowering (threaded)	1	120TA9983
58	Rod complete, lowering (threaded)	1	120TA9984
59	Nut	1	123TA6778
60	Nut	1	120TA9986
61	Washer (thickness: 1,6 mm)	1	120TA9987
62A	Wheel assembly, steer (polyurethane) (nylon rim)	2	107TA3104
62B	Wheel assembly, steer (rubber)	2	107TA3136
62C	Wheel assembly, steer (nylon)	2	120TA9988
62D	Wheel assembly, steer (Vulkollan®)	2	120TA9989
63	Kit seal, hydraulic unit	1	107TA7001
64	Ball bearing	4	120TA9990
65	Turning (nylon)	1	120TA9991
66	Shaft, steer wheel	1	120TA9992
67	Elastic pin	1	120TA9993
68	Cap, front wheel hub	2	120TA9994
69	Elastic pin	2	120TA9995
70	Bushing	2	105TA2313

MAIN FRAME BV VESTERGAARD PV25



TANDEM




Nr	Description	Qty	REF
2	Screw	1	<u>120TA9997</u>
3A	Torsion tube (frame width: 480/520 mm)	1	<u>120TA9998</u>
3B	Torsion tube (frame width: 685 mm)	1	<u>120TA9999</u>
4	Shaft, center, fork load wheel	4	<u>121TA1027</u>
5A	Bushing, torsion tube pivot (for frame width: 520 mm)	2	<u>121TA1000</u>
5B	Bushing, torsion tube pivot (for frame width: 685 mm)	2	<u>105TA2059</u>
6A	Shaft pivot, torsion tube (frame width: 480/520 mm)	1	<u>121TA1001</u>
6B	Shaft pivot, torsion tube (frame width: 685 mm)	1	<u>121TA1002</u>
7	Elastic pin	3	<u>121TA1003</u>
8A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	<u>121TA1004</u>
8B	Push/pull rod assembly, lift structure (frame width: 480 mm) (fork length: 950 mm)	2	<u>121TA1005</u>
8C	Push/pull rod assembly, lift structure (fork length: 1130 mm)	2	<u>121TA1006</u>
8D	Push/pull rod assembly, lift structure (frame width: 520/685 mm) (fork length: 950 mm)	2	<u>121TA1007</u>
9	Elastic pin	8	<u>121TA1028</u>
10	Bushing	2	<u>121TA1008</u>
11	Bushing, push/pull rod fork end	2	<u>121TA1009</u>
12	Lock pin	2	<u>121TA1010</u>
13	Shaft, push/pull rod fork end	2	<u>121TA1011</u>
14	Elastic pin	2	<u>120TA9980</u>
15	Shaft, fork load wheel bracket to chassis	2	<u>121TA1012</u>
16	Wheel, exit roller (auxiliary)	4	<u>121TA1013</u>
17	Washer (thickness: 2 mm)	4	<u>121TA1014</u>
18	Fork, bracket load wheel	2	<u>121TA1015</u>
19	Shaft/bolt load wheel	2	<u>121TA1016</u>
20A	Wheel assembly, load (nylon) (single)	2	<u>121TA1017</u>
20B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	<u>108TA8549</u>
21A	Wheel assembly, load (nylon) (single) (without bearings)	2	<u>121TA1018</u>

[illegible]

USED FOR BV VESTERGAARD

PV25R


HYDRAULIC UNIT BV VESTERGAARD PV25R




Nr	Description	Qty	REF
1	Pump housing	1	<u>121TA1065</u>
2	Plug/screw	1	<u>121TA1066</u>
3	Circlip	1	<u>120TA9932</u>
4	Lip seal	1	<u>120TA9933</u>
5	Bushing	1	<u>120TA9934</u>
6	Piston, lift cylinder pallet truck	1	<u>121TA1067</u>
7	Steel ball	1	<u>120TA9936</u>
8	Steel ball	1	<u>120TA9937</u>
9	Body, hydraulic pump unit piston	1	<u>121TA1068</u>
10	Grease nipple	5	<u>121TA1064</u>
11	O-ring	1	<u>120TA9939</u>
12	Wiper ring (rubber)	1	<u>120TA9940</u>
13	O-ring	1	<u>120TA9941</u>
14	Cylinder, pump (complete with pump piston)	1	<u>121TA1069</u>
15	Bonded seal (10,7 x 16 x 1,5 mm)	1	<u>121TA1100</u>
16	Hydraulic unit	1	<u>121TA1101</u>
17	Lip seal	1	<u>120TA9944</u>
18	Oil seal	1	<u>120TA9945</u>
19	Cap	1	<u>120TA9946</u>
20	Washer (copper) (thickness: 2 mm)	1	<u>105TA1245</u>
21	Spring, control handle return torsion	1	<u>121TA1070</u>
22	Shaft, handle pivot	1	<u>121TA1071</u>
23	Lock pin	1	<u>121TA1072</u>
24	Valve release, hydraulic unit	1	<u>121TA1073</u>
25	Lock pin	1	<u>121TA1074</u>
26	Bushing (rubber)	1	<u>120TA9952</u>
27	Washer (thickness: 4,5 mm)	1	<u>121TA1075</u>
28	Valve screw	1	<u>120TA9954</u>
29	Lip seal	1	<u>120TA9955</u>
30	Pin, release	1	<u>120TA9956</u>
31	O-ring (4,47 x 1,78 mm)	1	<u>120TA9957</u>
32	Bolt (stepped)	1	<u>121TA1076</u>
33	Bonded seal	2	<u>120TA9959</u>
34	Lever lift control	1	<u>120TA9960</u>
35	Steel ball	1	<u>120TA9961</u>
36	Bolt	1	<u>121TA1077</u>
37	Steel ball	1	<u>120TA9963</u>
38	Valve release, hydraulic unit	1	<u>121TA1078</u>
39	O-ring	2	<u>120TA9965</u>
40	Steel ball	1	<u>120TA9966</u>

[illegible]

MAIN FRAME BV VESTERGAARD PV25R




TANDEM



Nr	Description	Qty	REF
2	Screw	1	121TA1045
3A	Torsion tube (frame width: 520 mm) (with bushings)	1	121TA1046
3B	Torsion tube (frame width: 685 mm) (with bushings)	1	121TA1047
4	Shaft/bolt load wheel	4	121TA1062
5A	Bushing, torsion tube pivot (for frame width: 520 mm)	2	121TA1000
5B	Bushing, torsion tube pivot (for frame width: 685 mm)	2	105TA2059
6A	Shaft pivot, torsion tube (frame width: 520 mm)	1	121TA1048
6B	Shaft pivot, torsion tube (frame width: 685 mm)	1	145TA8953
7	Elastic pin (toothed)	3	147TA3917
8	Push/pull rod assembly, lift structure	2	121TA1050
9	Lock pin	8	121TA1063
10	Bushing, push/pull rod non fork end	2	121TA1008
11	Bushing, push/pull rod fork end	2	121TA1009
12	Lock pin	2	121TA1051
13	Shaft, push/pull rod fork end	2	121TA1052
14	Elastic pin	2	121TA1053
15	Shaft, fork load wheel bracket to chassis	2	121TA1054
16	Wheel, exit roller (auxiliary)	4	121TA1013
17	Sealing ring (aluminium)	4	121TA1055
18	Fork, bracket load wheel	2	103TA7884
19A	Shaft, center, fork load wheel (tandem)	2	121TA1056
19B	Shaft/bolt load wheel (single)	2	121TA1056
20A	Wheel assembly, load (nylon) (single) (with bearings)	2	107TA2932
20B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	121TA1057
21	Washer (plastic) (thickness: 2,55 mm)	8	105TA2322
23	Wheel, entry roller	2	121TA1020
24	Nut	2	121TA1059
25	Shaft/bolt, entry roller	2	121TA1060
26	Bushing (nylon)	4	121TA1023
27A	Wheel assembly, load (nylon) (tandem) (stainless steel bearings)	4	121TA1061

[illegible]


HYDRAULIC UNIT CLIMAX TRP0001



HYDRAULIC UNIT CLIMAX TRP0001


Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Hydraulic unit (with wheels)	1	147TA4246	32	Spring	1	147TA4055
2	Nut	1	124TA2363	33	Bushing (without collar)	1	124TA2359
3	Handle assembly (includes items 2,3 and 29 to 34)	1	124TA2381	34	Rod complete, lowering (includes items 30 and 33)	1	122TA6952
4	Bridge (cast iron)	1	124TA2340	35	Steel ball (diameter: 14,29 mm)	1	124TA2365
5	Roller, control handle pump	1	124TA2341	36	Piston, lift cylinder pallet truck	1	147TA4234
6	Pin, control handle pump roller	1	124TA2342	37	Bushing	1	124TA2357
7	Elastic pin	1	124TA2368	38	Valve release, hydraulic unit	1	147TA4366
8	Shaft, handle pivot	1	124TA2338	39	Shaft, steer wheel	1	124TA2352
9	Elastic pin	1	124TA2375	40	Cap, oil tank	1	124TA2354
10	Steel ball (diameter: 5,56 mm)	1	147TA4236	41	Tank, hydraulic oil	1	124TA2353
11	Spring	1	124TA2346	42	Protection, hydraulic pump unit oil tank	1	124TA2355
12A	Wheel assembly, steer (polyurethane)	2	147TA4245	43	Kit seal, hydraulic unit	1	122TA6922
12B	Wheel assembly, steer (rubber)	2	124TA2343				
12C	Wheel assembly, steer (polyurethane) (aluminium rim)	2	124TA2344				
12D	Wheel assembly, steer (nylon)	2	124TA2345				
13	Cap, front wheel hub	2	124TA2349				
14	Circlip	2	124TA2369				
15	Screw	2	124TA2348				
16	Circlip	2	124TA2374				
17	Thrust plate, hydraulic pump unit mounting	2	124TA2356				
18	Bearing, hydraulic unit pivot	2	129TA5076				
19	Lever lift control	1	147TA4238				
20	Valve release, hydraulic unit	1	124TA7533				
21	Bushing, handle pivot	1	124TA2351				
22	Housing, pump	1	122TA6943				
23	Sealing ring (copper) (thickness: 1,5 mm)	1	147TA4046				
24	Body, hydraulic pump unit piston	2	147TA4052				
25	Spring, control handle return torsion	1	147TA4048				
26	Piston, hydraulic pump unit	1	129TA8151				
27	Cap, control handle pivot return spring	1	124TA2333				
28	Circlip	1	147TA4050				
29	Steel ball	1	124TA2364				
30	Lever lowering, tiller	1	124TA2360				
31	Bolt	1	124TA2372				

MAIN FRAME CLIMAX TRP0001



[illegible][illegible]


HYDRAULIC UNIT CLIMAX TRP0002



Nr	Description	Qty	REF
1	Hydraulic unit complete (with wheels)	1	147TA4240
2	Nut	1	124TA2363
3	Handle assembly (includes items 2,3 and 29 to 34)	1	151TA3149
4	Bridge (cast iron)	1	147TA4364
5	Roller, control handle pump	1	124TA2341
6	Pin, control handle pump roller	1	124TA2342
7	Elastic pin	1	124TA2368
8	Shaft, handle pivot	1	124TA2338
9	Elastic pin	1	124TA2375
10	Steel ball (diameter: 5,56 mm)	1	147TA4236
11	Spring	1	124TA2346
12A	Wheel assembly, steer (polyurethane) (nylon rim)	2	147TA4235
12B	Wheel assembly, steer (rubber)	2	124TA2343
12C	Wheel assembly, steer (polyurethane) (aluminium rim)	2	124TA2344
12D	Wheel assembly, steer (nylon)	2	124TA2345
13	Cap, front wheel hub	2	124TA2349
14	Circlip	2	124TA2369
15	Screw	2	147TA4237
16	Circlip	1	124TA2374
17	Thrust plate, hydraulic pump unit mounting	1	147TA4239
18	Bearing, hydraulic unit pivot	1	129TA5076
19	Lever lift control	1	147TA4238
20	Valve release, hydraulic unit	1	124TA7533
21	Bushing	2	124TA2351
22	Housing, pump	1	147TA4365
23	Sealing ring (copper) (thickness: 1,5 mm)	1	147TA4046
24	Body, hydraulic pump unit piston	1	147TA4052
25	Spring, control handle return torsion	1	147TA4048
26	Piston, hydraulic pump unit	1	129TA8151
27	Cap, control handle pivot return spring	1	124TA2333
28	Circlip	1	147TA4050
29	Steel ball (diameter: 7,94 mm)	2	124TA2364
30	Lever lowering, tiller	1	124TA2360


[illegible]

MAIN FRAME CLIMAX TRP0002



[illegible][illegible]


HYDRAULIC UNIT CLIMAX TRPI0002 (-31/12/2015)



Nr	Description	Qty	REF
	Hydraulic unit	1	<u>145TA8897</u>
1	Housing, pump	1	<u>145TA8898</u>
2	Screw (slotted)	1	<u>145TA8899</u>
3	Circlip	1	<u>145TA8901</u>
4	Washer set	1	<u>145TA8946</u>
5	Bushing	1	<u>144TA9109</u>
6	Piston, lift cylinder pallet truck	1	<u>145TA8903</u>
7	Steel ball, lift cylinder piston pallet truck	1	<u>145TA8904</u>
8	Steel ball, lift cylinder piston pallet truck	1	<u>145TA8905</u>
9	Body, hydraulic pump unit piston	1	<u>145TA8906</u>
10	Bushing (without collar)	2	<u>145TA8945</u>
11	Spacer	2	<u>145TA8944</u>
12	Cap, front wheel hub	2	<u>144TA9172</u>
13	Circlip	1	<u>145TA8916</u>
14	Body, hydraulic pump unit piston (with pump piston)	1	<u>145TA8908</u>
15	Chamber and spring	1	<u>144TA9154</u>
16	Piston, hydraulic pump unit	1	<u>145TA8911</u>
17	Shaft, steer wheel	1	<u>145TA8943</u>
18	Spacer, pivot bearing hydraulic pump unit to chassis	1	<u>145TA8942</u>
19	Cap, end	1	<u>144TA9132</u>
20A	Wheel assembly, steer (polyurethane)	2	<u>151TA3014</u>
20B	Wheel assembly, steer (rubber)	2	<u>151TA3015</u>
20C	Wheel assembly, steer (nylon)	2	<u>145TA8940</u>
21	Spring, control handle return torsion	1	<u>145TA8912</u>
22	Shaft, handle pivot	1	<u>145TA8913</u>
23	Lock pin	1	<u>145TA8914</u>
24	Lever lift control	1	<u>145TA8915</u>
25	Lock pin	1	<u>145TA8916</u>
26	Washer (thickness: 1,5 mm)	1	<u>145TA8938</u>
27	Nut	1	<u>145TA8937</u>
28	Pin, control handle pump roller	1	<u>145TA8930</u>
29	Nut, special	1	<u>151TA3009</u>
30	Thrust plate, hydraulic pump unit mounting	1	<u>145TA8923</u>
31	Bearing, hydraulic unit pivot	1	<u>145TA8922</u>

[illegible]


HYDRAULIC UNIT CLIMAX TRPI0002 (1/01/2016-)



Nr	Description	Qty	REF
1	Hydraulic unit	1	145TA8897
2	Screw (slotted)	1	145TA8899
3	Circlip	1	145TA8901
4	Washer set	1	145TA8946
5	Bushing	1	144TA9109
6	Piston, lift cylinder pallet truck	1	145TA8903
7	Steel ball	1	145TA8904
8	Steel ball (diameter: 2,54 mm)	1	145TA8905
9	Body, hydraulic pump unit piston	1	145TA8906
10	Locking ring	1	151TA3407
11	Circlip	2	145TA8945
12	Spacer	2	145TA8944
13	Cap, front wheel hub	2	144TA9172
14	Body, hydraulic pump unit piston (with pump piston)	1	151TA3253
15	Body, hydraulic pump unit piston (with seals)	1	151TA3254
16	Cap, control handle pivot return spring (with seals)	1	145TA8911
17	Elastic pin	1	145TA8916
18	Shaft, steer wheel	1	145TA8943
19	Cap, end	1	144TA9132
20	Spacer, pivot bearing hydraulic pump unit to chassis	1	145TA8942
21	Spring, control handle return torsion	1	145TA8912
22	Shaft, handle pivot	1	145TA8913
23	Elastic pin	1	145TA8914
24	Lever lift control	1	145TA8915
25	Elastic pin	1	151TA3404
26A	Wheel assembly, steer (polyurethane)	2	151TA3014
26B	Wheel assembly, steer (rubber)	2	151TA3015
26C	Wheel assembly, steer (nylon)	2	145TA8940
27	Washer (thickness: 1,5 mm)	1	145TA8938
28	Nut	1	145TA8937
29	Tube	1	151TA3222
30	Rod complete, lowering	1	151TA3406
31	Elastic pin	1	151TA3220
32	Lever lowering, tiller	1	151TA3219
33	Pin, control handle pump roller	1	145TA8930

[illegible]


MAIN FRAME CLIMAX TRPI0002



Nr	Description	Qty	REF
1	Sealing ring (aluminium) (thickness: 1 mm)	4	<u>145TA8976</u>
2	Bolt	1	<u>145TA8949</u>
3	Torsion tube (fork width: 520 mm)	1	<u>145TA8948</u>
3	Torsion tube (fork width: 685 mm)	1	<u>145TA8950</u>
4	Wheel, exit roller	4	<u>145TA8975</u>
5A	Bushing, torsion tube pivot (fork width: 520 mm)	2	<u>145TA8951</u>
5B	Bushing, push/pull rod non fork end (fork width: 685 mm)	2	<u>145TA8951</u>
6A	Torsion tube (fork width: 520 mm)	1	<u>145TA8952</u>
6B	Torsion tube (fork width: 685 mm)	1	<u>145TA8953</u>
7	Lock pin	3	<u>145TA8954</u>
8	Push/pull rod assembly, lift structure	2	<u>145TA8955</u>
9	Shaft, center, fork load wheel	4	<u>145TA8973</u>
10	Bushing, push/pull rod fork end	8	<u>145TA8956</u>
11	Lock pin	4	<u>145TA8972</u>
12	Lock pin	4	<u>145TA8932</u>
13	Shaft, push/pull rod fork end	2	<u>145TA8957</u>
14	Shaft/bolt load wheel	4	<u>145TA8971</u>
15	Shaft, fork load wheel bracket to chassis	2	<u>145TA8958</u>
16	Bushing, fork load wheel bracket to chassis	4	<u>145TA8959</u>
17	Lock pin	4	<u>145TA8954</u>
18	Fork, bracket load wheel	2	<u>145TA8960</u>
19	Shaft/bolt load wheel	2	<u>145TA8961</u>
20A	Wheel assembly, load (nylon)	2	<u>145TA8962</u>
20B	Wheel assembly, load (polyurethane)	2	<u>145TA8963</u>
21	Grease nipple	8	<u>145TA8974</u>
22	Fork, load wheel	4	<u>145TA8970</u>
23	Wheel, entry roller	2	<u>145TA8965</u>
24	Lock nut	2	<u>145TA8966</u>
25	Shaft/bolt, entry roller	2	<u>145TA8967</u>
26A	Wheel assembly, load (nylon)	4	<u>145TA8968</u>
26B	Wheel assembly, load (polyurethane)	4	<u>145TA8969</u>

[illegible]

HYDRAULIC UNIT CROWN PTH



HYDRAULIC UNIT CROWN PTH


Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	123TA9536	39	Pin, control handle pump roller	1	123TA9563
2	Sleeve	1	123TA8426	40	Bushing, control handle pump roller	2	123TA9564
3	Magnet (with sleeve)	1	123TA8427	41	Roller, control handle pump	1	105TA1932
4	Oil seal	1	123TA9537	42	Nut	1	123TA9565
5	Circlip	1	123TA9538	43	Nut	1	123TA9566
6	Bushing	1	123TA8430	44	Washer (thickness: 2,5 mm)	2	123TA9567
7	Lip seal	1	123TA9539	45	Spring	1	123TA9568
8	Bushing	1	123TA9540	46	Rod complete, lowering	1	123TA9569
9	Anchor, chain	1	113TA1925	47	Lever lowering, tiller	1	123TA9570
10A	Chain, hydraulic unit	1	123TA9541	48	Shaft, steer wheel	1	123TA9571
10B	Link, chain	1	113TA1756	49	Ball bearing	4	147TA3689
11	Anchor, chain	1	113TA1926	50A	Wheel assembly, steer (polyurethane)	2	123TA9572
12	Fill plug, hydraulic pump	1	123TA8433	50B	Wheel assembly, steer (nylon)	2	123TA9573
13	O-ring	1	147TA3688	50C	Wheel assembly, steer (steel)	2	123TA9574
14	Pin, release	1	123TA9543	51	Circlip	2	123TA9557
15	Spring	1	123TA9544	52	Rod end, push/pull rod fork end	1	123TA9575
16	Oil seal	1	123TA9545	53	Circlip	1	119TA9877
17	Lever lift control	1	123TA9546	54	Grease nipple	1	123TA9576
18	Body, hydraulic pump unit piston	1	123TA9547	55	Elastic pin	1	123TA9577
19	Actuating plate	1	123TA9548	56	Bearing, hydraulic unit pivot	1	123TA9578
20	Ball housing	1	123TA8443	57	Shaft, handle pivot	1	123TA9579
21	Steel ball	1	123TA9549	58	Elastic pin	1	123TA9580
22	Tappet	1	123TA8442	59	Elastic pin	1	123TA9581
23	Kit seal, hydraulic unit	1	107TA7004	60	Rim, steer wheel	1	123TA9582
24	Ball bearing	1	123TA9550	61	Spacer, pivot bearing hydraulic pump unit to chassis	1	123TA9583
25	Spring	1	123TA8445	62	Bushing, handle pivot	2	105TA1884
26	Screw, plug	1	123TA8447	63	Elastic pin	1	123TA9584
27	Washer (thickness: 2,5 mm)	1	123TA9551	64	Elastic pin	2	123TA9584
28	Spring, control handle return torsion	1	123TA9552	65	Elastic pin	2	123TA9577
29	Backup ring	2	123TA9553	66	Ball bearing	2	123TA9550
30	O-ring	2	123TA9554	67	Bushing (without collar)	1	105TA1786
31	Body, hydraulic pump unit piston (includes items 27 to 34)	1	123TA9555	68	Spring	1	123TA8474
32	Circlip	1	123TA9556				
33	Circlip	1	123TA9557				
34	Piston, hydraulic pump unit	1	123TA9555				
35	Sealing ring (copper)	2	123TA9558				
36	Sealing ring (copper)	1	123TA9559				
37	Screw	1	123TA9560				
38A	Bracket, tiller arm	1	123TA9561				
38B	Handle assembly	1	123TA9562				

This technical drawing is an exploded view of a mechanical assembly, showing 36 individual components labeled with numbers 1 through 36. The components are arranged in a way that illustrates their relative positions and how they fit together. The main parts include a large frame (31), a long horizontal beam (4), a vertical support (17), a long cylindrical component (15), and various smaller brackets, pins, and fasteners. The diagram uses perspective to show the three-dimensional nature of the parts and their assembly relationship.

Nr	Description	Qty	REF
1	Shaft, torsion tube to thrust plate	2	<u>123TA9585</u>
2	Torsion tube	1	<u>123TA9586</u>
3	Shaft, push/pull rod non fork end	2	<u>123TA9587</u>
4	Push/pull rod assembly, lift structure	2	<u>123TA9588</u>
5	Elastic pin	2	<u>123TA9589</u>
6	Bushing, push/pull rod fork end	4	<u>123TA8496</u>
7	Bushing, fork load wheel bracket to chassis	4	<u>105TA1944</u>
8	Shaft, fork load wheel bracket to chassis	2	<u>123TA9590</u>
9	Elastic pin	4	<u>123TA9584</u>
10	Wheel, exit roller	2	<u>123TA9591</u>
11	Fork, bracket load wheel	2	<u>103TA7788</u>
12	Fork, bracket load wheel	2	<u>103TA7784</u>
13	Elastic pin	2	<u>123TA9592</u>
14	Ball bearing	4	<u>123TA9593</u>
15A	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	<u>123TA9595</u>
15B	Wheel assembly, load (steel) (single)	2	<u>123TA9596</u>
16	Wheel, entry roller	2	<u>123TA9597</u>
17	Shaft, fork load wheel bracket to chassis	2	<u>123TA9598</u>
18	Shaft pivot, torsion tube	2	<u>123TA9599</u>
19	Fork, bracket load wheel	2	<u>123TA9600</u>
20	Fork, bracket load wheel	2	<u>123TA9601</u>
21	Bushing, push/pull rod fork end	4	<u>123TA8496</u>
22	Bushing, fork load wheel bracket to chassis	4	<u>105TA1944</u>
23	Shaft, center, fork load wheel	4	<u>123TA9602</u>
24	Shaft/bolt load wheel	4	<u>123TA9603</u>
25	Bushing, load wheel tandem pivot	4	<u>105TA2115</u>
26	Fork, load wheel	4	<u>103TA7747</u>
27	Bushing	8	<u>105TA1679</u>
28	Ball bearing	8	<u>123TA9593</u>
29A	Wheel assembly, load (polyurethane) (tandem)	4	<u>123TA9604</u>
29B	Wheel assembly, load (nylon) (tandem)	4	<u>129TA9392</u>
29C	Wheel assembly, load (steel) (tandem)	4	<u>124TA5720</u>

[illegible]

HYDRAULIC UNIT CROWN PTH 50 (-28/02/2007)




HYDRAULIC UNIT CROWN PTH 50 (-28/02/2007)


Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	123TA8425
2	Sleeve	1	123TA8426
3	Magnet (with sleeve)	1	123TA8427
4	Oil seal	1	123TA8428
5	Circlip	1	123TA8429
6	Bushing	1	123TA8430
7	Lip seal	1	123TA8431
8	Bushing	1	123TA8432
9	Fill plug, hydraulic pump	1	123TA8433
10	Sealing ring (copper)	2	123TA8434
11	O-ring	1	123TA8435
12	Plunger, valve	1	123TA8436
13	Spring	1	123TA8437
14	Seal	1	123TA8438
15	Lever lift control	1	123TA8439
16	Elastic pin	1	123TA8440
17	Ball bearing	1	123TA8441
18	Tappet	1	123TA8442
19	Ball housing	1	123TA8443
20	Steel ball	1	123TA8444
21	Spring	1	123TA8445
22	Sealing ring (copper)	1	123TA8446
23	Screw, plug	1	123TA8447
24	Shim (thickness: 2,5 mm)	1	123TA8448
25	Spring, control handle return torsion	1	123TA8449
26	Backup ring (rubber)	2	123TA8450
27	O-ring	2	123TA8451
28	Lip seal (polyurethane)	1	123TA8452
29	Body, hydraulic pump unit piston	1	123TA8453
30	Circlip	1	123TA8454
31	Circlip	1	123TA8455
32A	Piston, hydraulic pump unit	1	123TA8456
32B	Kit seal, hydraulic pump unit piston	1	123TA8457
33A	Hydraulic unit	1	123TA8458
33B	Weld, pump	1	123TA8459
34	Steel ball	1	123TA8460
35	Valve release, hydraulic unit	1	123TA8461
36	Screw (adjusting)	1	123TA8462
37	Sealing ring (copper)	1	123TA8466
38	Screw, plug	1	123TA8447
39	Handle assembly	1	123TA8463
40	Pin, control handle pump roller	1	123TA8464

Nr	Description	Qty	REF
41	Bushing, control handle pump roller	2	123TA8465
42	Roller, control handle pump	1	123TA8466
43	Capscrew	1	123TA8467
44	Anchor, chain	1	106TA7845
45	Chain, hydraulic unit	1	123TA8468
46	Insert assembly	1	123TA8469
47	Spring	1	123TA8470
48	Lever lowering, tiller	1	123TA8471
49	Nut (barrel)	1	123TA8472
50	Elastic pin	1	123TA8473
51	Spring	1	123TA8474
52	Ball bearing	2	123TA8441
53	Shaft, steer wheel	1	123TA8475
54	Ball bearing	4	123TA8476
55A	Wheel assembly, steer (polyurethane) (without bearings)	2	111TA1211
55B	Wheel assembly, steer (nylon) (without bearings)	2	111TA1210
55C	Wheel assembly, steer (rubber) (without bearings)	2	111TA1209
55D	Wheel assembly, steer (polyurethane) (nylon rim)	2	123TA8477
55E	Wheel assembly, steer (nylon)	2	123TA8478
55F	Wheel assembly, steer (rubber)	2	123TA8479
56	Circlip	2	123TA8480
57	Cap, front wheel hub	2	123TA8481
58	Elastic pin	2	123TA8482
59	Circlip	1	123TA8483
60	Grease nipple	1	123TA8484
61	Thrust plate, hydraulic pump unit mounting	1	123TA8485
62	Bearing, hydraulic unit pivot	1	123TA8486
63	Spacer, pivot bearing hydraulic pump unit to chassis	1	123TA8487
64	Elastic pin	1	123TA8488
65	Shaft, handle pivot	1	123TA8489
66	Elastic pin	1	123TA8490
67	Ball bearing	1	123TA8491
68	Kit repair, hydraulic unit	1	107TA7005
69A	Hydraulic unit	1	123TA8492
69B	Hydraulic unit	1	123TA8493
70	Bushing, handle pivot	2	123TA8494
71	Connecting rod	1	123TA9612

MAIN FRAME CROWN PTH 50 (-28/02/2007)




TANDEM



Nr	Description	Qty	REF
1	Shaft, torsion tube to thrust plate	2	<u>123TA8495</u>
2	Bushing, torsion tube to thrust plate	2	<u>123TA8496</u>
3	Bushing, torsion tube pivot	2	<u>123TA8497</u>
4	Torsion tube (frame width: 520 mm)	1	<u>123TA8498</u>
5	Bushing, push/pull rod non fork end	4	<u>123TA8499</u>
6	Elastic pin	2	<u>123TA8473</u>
7	Axle	4	<u>123TA8500</u>
8	Elastic pin	2	<u>123TA8501</u>
9	Shaft pivot, torsion tube	2	<u>123TA8502</u>
10	Frame (frame width: 520 mm) (fork length: 1150 mm)	1	<u>123TA8503</u>
11	Bushing, fork load wheel bracket to chassis	1	<u>123TA8504</u>
12	Washer (thickness: 2 mm)	1	<u>123TA8505</u>
13	Circlip	1	<u>123TA8506</u>
14	Knob	1	<u>123TA8507</u>
15	Spring	1	<u>123TA8508</u>
16	Insert	1	<u>123TA8509</u>
17	Push/pull rod assembly, lift structure (fork length: 1500 mm)	2	<u>123TA8510</u>
18	Wheel, exit roller	4	<u>123TA8511</u>
19	Bushing, load wheel tandem pivot	4	<u>123TA8512</u>
20	Fork, bracket load wheel	2	<u>123TA8513</u>
21	Elastic pin	4	<u>123TA8501</u>
22	Ball bearing	4	<u>123TA8476</u>
23A	Wheel assembly, load (polyurethane) (nylon rim) (without bearings) (single)	2	<u>107TA2474</u>
23B	Wheel assembly, load (nylon) (single) (without bearings)	2	<u>110TA8520</u>
23C	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	<u>123TA8514</u>
23D	Wheel assembly, load (nylon) (single)	2	<u>123TA8515</u>
24	Shaft, fork load wheel bracket to chassis	2	<u>123TA8516</u>
25	Fork, bracket load wheel	2	<u>123TA8517</u>
26	Lock nut	2	<u>123TA8518</u>
27	Wheel, entry roller	2	<u>107TA2893</u>
28	Axle, exit roller	2	<u>123TA8519</u>
29	Elastic pin	2	<u>123TA8520</u>

[illegible]

HYDRAULIC UNIT ECOLIFT




HYDRAULIC UNIT ECOLIFT

Nr	Description	Qty	REF
1	Bushing (nylon) (without collar)	1	147TA4001
2	Elastic pin	1	147TA4002
3	Elastic pin	1	147TA4003
4	Elastic pin	1	147TA4002
5	Lever lowering, tiller	1	147TA4004
6	Chain, hydraulic unit	1	147TA4005
7	Rod, chain release	1	147TA4006
8	Elastic pin	2	147TA4007
9	Spring (lowering)	1	147TA4008
10	Capscrew	2	147TA4009
11	Steel ball, lift cylinder piston pallet truck	1	147TA4010
12	Pin	1	147TA4011
13	O-ring (internal diameter: 15 mm)	1	147TA4012
14	O-ring	1	107TA6974
15	Screw	1	147TA4013
16	Nut	1	147TA4014
17	Elastic pin	1	147TA4015
18	O-ring	1	147TA4016
19	O-ring (internal diameter: 15 mm)	1	147TA4012
20	Screw	1	147TA4017
21	Backup ring (polyurethane)	1	147TA4018
22	Backup ring (polyurethane)	1	147TA4019
23	Valve release, hydraulic unit	1	123TA6826
24	Rod complete, lowering (includes items 6, 7 and 24)	1	107TA6943
25	Circlip	2	123TA6828
26	Pin, control handle pump roller	1	123TA6829
27	Roller, control handle pump	1	123TA6830
28	Elastic pin	1	123TA6831
29	Shaft, handle pivot	1	123TA6832
30	Bushing, handle pivot	2	123TA6833
31A	Housing, pump	1	123TA6834
31B	Hydraulic unit	1	123TA9048
32	Circlip	1	123TA6835
33	Cap, control handle pivot return spring	1	123TA6836
34	Spring, control handle return torsion	1	123TA6837
35	Piston, hydraulic pump unit	1	123TA6838
36	Wiper ring (polyurethane)	1	123TA6839
37	Oil seal (UHS16)	1	123TA6840
38	Body, hydraulic pump unit piston	1	123TA6841
39	Sealing ring (copper) (thickness: 1,5 mm)	1	123TA6842
40	Bushing (without collar)	1	123TA6843
41	Washer (thickness: 2 mm)	1	123TA6844


Nr	Description	Qty	REF
42	Circlip	1	123TA6845
43	Piston, lift cylinder pallet truck	1	123TA6846
44	Wiper ring (polyurethane)	1	123TA6847
45	O-ring	1	123TA6848
46	Body, hydraulic pump unit piston	1	123TA6849
47	O-ring	1	123TA6850
48	Lip seal	1	123TA6851
49	Locking wire	1	123TA6852
50	Cap, rubber	1	123TA6853
51	Tank, hydraulic oil	1	123TA6854
52	Protection, hydraulic pump unit oil tank	1	123TA6855
53	O-ring	1	123TA6856
54	Lever lift control	1	123TA6857
55	Screw, plug	1	123TA6858
56	Screw, plug	2	123TA6859
57	Sealing ring (copper)	1	123TA6860
58A	Bracket, tiller arm	1	123TA9049
58B	Handle assembly	1	123TA9049
59	Valve release, hydraulic unit	1	123TA6862
61	Kit seal, hydraulic unit	1	123TA6863
62	Elastic pin	1	147TA4015
63	Bearing, hydraulic unit pivot	1	107TA6870
64	Spacer, pivot bearing hydraulic pump unit to chassis	1	147TA4020
65	Elastic pin	2	147TA4002
66	Thrust plate, hydraulic pump unit mounting	1	123TA6864
67	Circlip	1	147TA4021
68	Shaft, steer wheel	1	147TA4022
69	Circlip	2	123TA6865
70	Washer (thickness: 3,5 mm)	2	147TA4023
71A	Wheel assembly, steer (nylon)	2	147TA4024
71B	Wheel assembly, steer (polyurethane) (black) (steel rim)	2	147TA4025
71C	Wheel assembly, steer (polyurethane) (black) (aluminium rim)	2	147TA4027
71D	Wheel assembly, steer (rubber)	2	147TA4026
71E	Wheel assembly, steer (polyurethane) (brown) (aluminium rim)	2	147TA4029
72	Circlip	2	147TA4031
73	Shaft, torsion tube to thrust plate	2	123TA6866
74	Ball bearing	4	147TA4028
75	Cap, front wheel hub	2	147TA4030

MAIN FRAME ECOLIFT



USED FOR EUROLIFTER

HYDRAULIC UNIT EUROLIFTER




HYDRAULIC UNIT EUROLIFTER

Nr	Description	Qty	REF
1	Bushing (nylon) (without collar)	1	107TA6937
2	Elastic pin	1	107TA6938
3	Bracket, tiller arm	1	107TA6939
4	Elastic pin	1	107TA6940
5	Elastic pin	1	107TA6941
6	Lever lowering, tiller	1	107TA6942
7	Rod complete, lowering	1	107TA6943
10	Roller, control handle pump	1	107TA6947
11	Pin, control handle pump roller	1	107TA6948
12	Shaft, handle pivot	1	107TA6949
13	Elastic pin	1	107TA6950
14	Spring (lowering)	1	107TA6951
15	Elastic pin	1	107TA6958
16	Cap, control handle pivot return spring	1	107TA6952
17	Spring, control handle return torsion	1	107TA6953
18	Plunger (with pump piston)	1	107TA6954
19	Wiper ring (rubber)	1	107TA6955
20	Lip seal	1	107TA6956
21	Screw	1	107TA6957
22A	Pump, hydraulic (for wheels diameter: 180 mm)	1	107TA6959
22B	Pump, hydraulic (for wheels diameter: 200 mm)	1	128TA4331
23	Sealing ring	2	107TA6960
24	Bolt (M10) (total length: 20,5 mm)	2	107TA6961
25	O-ring	1	107TA6962
26	Wiper ring (polyurethane)	1	107TA6963
27	Capscrew	3	107TA6964
28	Body, hydraulic pump unit piston	1	107TA6965
29	O-ring (internal diameter: 62 mm)	1	107TA6966
30	Steel ball	1	107TA6967
31A	Piston, lift cylinder pallet truck (for wheels diameter: 180 mm)	1	107TA6968
31B	Piston, lift cylinder pallet truck (for wheels diameter: 200 mm)	1	128TA4332
32	O-ring (internal diameter: 31 mm)	1	107TA6969
33	Lip seal	1	107TA6970
34	Pin	1	107TA6971

Nr	Description	Qty	REF
35	O-ring (internal diameter: 15 mm)	1	107TA6972
36	O-ring (internal diameter: 15 mm)	1	107TA6973
37	O-ring	1	107TA6974
38	Lever lift control	1	107TA6975
39	Screw	1	107TA6976
40	Nut	1	107TA6977
41	Elastic pin	1	107TA6978
42	Valve release, hydraulic unit	1	107TA6979
43	O-ring	1	107TA6980
44	O-ring (internal diameter: 15 mm)	1	107TA6973
45	Screw	1	107TA6981
47	Backup ring (polyurethane)	1	107TA6983
48	Washer (thickness: 2 mm)	1	107TA6985
49	Circlip (CGH23)	1	107TA6986
50	Valve release, hydraulic unit	1	107TA6984
51	Kit seal, hydraulic unit	1	147TA3695
52	Cap, bearing	1	107TA6924
53	Elastic pin	2	107TA6869
54	Bearing, hydraulic unit pivot	1	107TA6870
55	Elastic pin	2	107TA6871
56	Thrust plate, hydraulic pump unit mounting	1	107TA6872
57	Circlip	1	107TA6873
58	Shaft, steer wheel	1	107TA6874
59	Washer (thickness: 3,5 mm)	2	107TA6875
60A	Wheel assembly, steer (nylon) (diameter: 180 mm)	2	107TA6876
60B	Wheel assembly, steer (nylon) (diameter: 200 mm)	2	124TA9060
60C	Wheel assembly, steer (rubber) (diameter: 180 mm)	2	107TA6878
60D	Wheel assembly, steer (rubber) (diameter: 200 mm)	2	124TA9061
60E	Wheel assembly, steer (polyurethane) (diameter: 180 mm)	2	107TA6879
60F	Wheel assembly, steer (polyurethane) (diameter: 200 mm)	2	124TA9062
61	Circlip	2	107TA6887
62	Bushing (steel) (without collar)	8	107TA6931

USED FOR EUROLIFTER


MAIN FRAME EUROLIFTER



Nr	Description	Qty	REF
1	Shaft/bolt load wheel	4	107TA6933
2	Nut	4	107TA6936
3	Fork, load wheel	4	107TA6934
4	Bushing (steel) (without collar)	8	107TA6906
5	Axle	4	107TA6935
6	Cover, bearing	8	123TA9616
7	Ball bearing	8	107TA7787
8A	Wheel assembly, load (nylon) (tandem)	4	107TA6925
8B	Wheel assembly, load (polyurethane) (tandem)	4	107TA6926
8C	Wheel assembly, load (polyurethane) (tandem)	4	107TA6927
9	Plastic cover	8	107TA6913
10	Bushing (steel)	8	147TA3696
12	Ball bearing	8	107TA7787
13	Snapping	8	107TA6914
14	Wheel, exit roller	2	124TA7532
15	Torsion tube	1	107TA8690
16	Bushing, torsion tube pivot	2	107TA6891
17	Bushing, push/pull rod non fork end	2	107TA6892
18	Bushing (copper)	2	107TA6893
19	Bushing, push/pull rod fork end	4	107TA6894
20	Elastic pin	2	107TA6896
21	Push/pull rod assembly, lift structure	2	107TA6897
22	Elastic pin	4	107TA6898
23	Exit roller	4	107TA6899
24	Elastic pin	2	107TA6900
25	Shaft, push/pull rod fork end	2	107TA6901
26	Fork, bracket load wheel	2	107TA6902
27	Elastic pin	2	107TA6903
28	Shaft, fork load wheel bracket to chassis	2	107TA6904
29A	Shaft/bolt load wheel	1	107TA6905
29B	Axle, exit roller	1	107TA6905
30	Bushing (steel) (without collar)	4	107TA6906
31A	Wheel assembly, load (nylon) (single)	2	107TA6907
31B	Wheel assembly, load (polyurethane) (single)	2	107TA6908
31C	Wheel assembly, load (polyurethane) (single)	2	107TA6909

[illegible]

HYDRAULIC UNIT HU-LIFT HP20S




HYDRAULIC UNIT HU-LIFT HP20S

Nr	Description	Qty	REF
1	Handle assembly	1	134TA9054
2	Bracket, tiller arm	1	134TA9059
3	Cushion (rubber)	1	134TA9057
4	Lock washer	3	134TA9055
5	Screw	3	134TA9056
6	Elastic pin	1	134TA9058
7	Lever lowering, tiller	1	134TA9065
8	Rod complete, lowering	1	134TA9066
9	Elastic pin	1	134TA9064
10	Elastic pin	1	134TA9063
11	Roller (nylon)	1	134TA9062
12	Spring	1	134TA9060
13	Elastic pin	2	134TA9061
14	Oil seal	1	134TA9067
15	Backup ring	1	134TA9068
16	O-ring	1	134TA9069
17	Body, hydraulic pump unit piston	1	134TA9070
18	O-ring	1	134TA9072
19	O-ring	1	134TA9073
20	Lip seal	1	134TA9071
21	O-ring	1	134TA9084
22	Fill plug	1	134TA9085
23	Tank	1	134TA9086
24	Protection, hydraulic pump unit oil tank	1	134TA9087
25	Screw	2	134TA9088
26	Hydraulic unit	1	134TA9089
27	Valve release, hydraulic unit	1	134TA9091
28	Lever lift control	1	134TA9092
29	Circlip	2	134TA9113
30	Cap, front wheel hub	2	134TA9114
31A	Wheel assembly, steer	2	134TA9109
31B	Wheel assembly, steer	2	134TA9110
31C	Wheel assembly, steer	2	134TA9111
31D	Wheel assembly, steer	2	134TA9112
32	Valve release, hydraulic unit	1	134TA9093
33	Shaft, steer wheel	1	134TA9108
34	Elastic pin	2	134TA9117
35	Dowel pin	2	134TA9118
36	Circlip	1	134TA9120
37	Thrust plate, hydraulic pump unit mounting	1	134TA9119
38	Bearing, hydraulic unit pivot	1	134TA9116


Nr	Description	Qty	REF
39	Spacer, pivot bearing hydraulic pump unit to chassis	1	134TA9115
40	Elastic pin	1	134TA9094
41	Housing, pump	1	134TA9107
42	Elastic pin	1	134TA9094
43	Pump piston assembly (with pump piston)	1	134TA9121
44	Sealing ring (copper) (thickness: 1,5 mm)	1	134TA9106
45	O-ring	1	134TA9105
46	Lip seal	1	134TA9104
47	Pump cylinder	1	134TA9103
48	O-ring	1	134TA9102
49	Backup ring	1	134TA9101
50	Oil seal	1	134TA9100
51	Piston, hydraulic pump unit	1	134TA9099
52	Spring, control handle return torsion	1	134TA9098
53	Cap, control handle pivot return spring	1	134TA9097
54	Cover, retaining	1	134TA9096
55	Elastic pin	1	134TA9095
56	Valve release, hydraulic unit	1	134TA9090
57	Bushing, handle pivot	2	134TA9083
58	Shaft, handle pivot	1	134TA9082
59	Bushing, control handle pump roller	1	134TA9078
60	Roller, control handle pump	1	134TA9077
61	Elastic pin	1	134TA9079
62	Circlip	2	134TA9081
63	Pin, control handle pump roller	1	134TA9080
64	Bracket, handle mount	1	134TA9076
65	Piston, lift cylinder pallet truck	1	134TA9075
66	Steel ball, lift cylinder piston pallet truck	1	134TA9074
	Kit seal, hydraulic unit	1	134TA9122

MAIN FRAME HU-LIFT HP20S



[illegible][illegible]


HYDRAULIC UNIT HYSTER PM22 EASYLIFT



HYDRAULIC UNIT HYSTER PM22 EASYLIFT

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Cap, control handle pivot return spring	1	124TA8757	40	Spacer, pivot bearing hydraulic pump unit to chassis	1	124TA8745
2	Spring, control handle return torsion	1	124TA8758	41	Shaft, steer wheel	1	124TA8765
3	Wiper ring (polyurethane with metal outer ring)	1	124TA8660	42	Wheel spacer	2	124TA8747
4	Lip seal	1	124TA8659	43	Ball bearing	4	124TA8748
5	Body, hydraulic pump unit piston	1	124TA8759	44A	Wheel assembly, steer (rubber)	2	124TA8193
6	Body, hydraulic pump unit piston	1	124TA8760	44B	Wheel assembly, steer (polyurethane)	2	124TA8195
7	Valve kit	2	124TA8761	44C	Wheel assembly, steer (nylon)	2	124TA8197
8	Lip seal	1	124TA8649	45	Circlip	2	124TA8199
9	Guide	1	124TA8715	46	Bearing, hydraulic unit pivot	1	124TA8201
10	Circlip	1	124TA8716	47	Circlip	1	124TA8203
11	Cap, pump body	1	124TA8717	48	Thrust plate, hydraulic pump unit mounting	1	124TA8205
12	Wiper ring (polyurethane)	1	124TA8718	49	Bushing, torsion tube to thrust plate	2	124TA8207
13	Piston, lift cylinder pallet truck	1	124TA8719	50	Shaft, torsion tube to thrust plate	2	124TA8209
14	Bracket (roller)	1	124TA8720	51	Kit seal, hydraulic unit	1	124TA8414
15	Circlip	1	124TA8721				
16	Piston, hydraulic pump unit	1	124TA8762				
17	O-ring	1	124TA8723				
18	Pipe	1	124TA8724				
19	Lever lowering, tiller	1	124TA8725				
20	Bushing	1	124TA8726				
21	Rod complete, lowering	1	124TA8728				
22	Elastic pin	1	124TA8727				
23	Spring	1	124TA8729				
24	Steel ball	2	124TA8730				
26	Washer (thickness: 6 mm)	1	124TA8731				
27	Steel ball, lift cylinder piston pallet truck	1	124TA8732				
28	Hydraulic unit	1	124TA8763				
29	Bushing, handle pivot	2	124TA8734				
30	Bracket, tiller arm	1	124TA8735				
31	Shaft, handle pivot	1	124TA8736				
32	Screw	2	124TA8737				
33	Roller, control handle pump	1	124TA8738				
34	Pin, control handle pump roller	1	124TA8739				
35	Lever lift control	1	124TA8740				
36	Ball joint	1	124TA8741				
37	Nut	1	124TA8742				
38	Elastic pin	1	124TA8743				
39	Elastic pin	1	124TA8764				






MAIN FRAME HYSTER PM22 EASYLIFT



MAIN FRAME HYSTER PM22 EASYLIFT

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Nut	2	124TA8657	22	Bushing (without collar)	2	124TA8792
2	Bracket	1	124TA8766	23A	Wheel assembly, load (polyurethane) (single)	2	124TA8793
3	Lock washer	2	124TA8767	23B	Wheel assembly, load (nylon) (single)	2	124TA8794
4	Elastic pin	10	124TA8768	23C	Wheel assembly, load (polyurethane) (single)	2	124TA8795
6A	Push/pull rod, lift structure (fork length: 950 mm)	2	124TA8769	24	Fork, load wheel	2	124TA8796
6B	Push/pull rod, lift structure (fork length: 1120 mm)	2	124TA8770	25	Washer (thickness: 0,6 mm)	8	124TA8474
6C	Push/pull rod, lift structure (fork length: 600 mm)	2	124TA8771	26	Ball bearing	8	124TA8476
6D	Push/pull rod, lift structure (fork length: 800 mm)	2	124TA8772	27	Shaft/bolt load wheel	2	124TA8478
6E	Push/pull rod, lift structure (fork length: 1300 mm)	2	124TA8773	28	Bolt (M16) (total length: 20,2 mm)	2	124TA8480
6F	Push/pull rod, lift structure (fork length: 1500 mm)	2	124TA8774				
6G	Push/pull rod, lift structure (fork length: 1800 mm)	2	124TA8775				
6H	Push/pull rod, lift structure (fork length: 2000 mm)	2	124TA8776				
6I	Push/pull rod, lift structure (fork length: 2500 mm)	2	124TA8777				
7	Bushing, push/pull rod non fork end	4	124TA8734				
8	Shaft, push/pull rod non fork end	2	124TA8778				
9	Bushing, torsion tube pivot	2	124TA8779				
10	Circlip	2	124TA8780				
11	Fork, bracket load wheel	2	124TA8781				
12	Bushing	8	124TA8782				
13	Shaft, push/pull rod fork end	2	124TA8783				
14	Bushing, load wheel tandem pivot	4	124TA8784				
15	Shaft, center, fork load wheel	2	124TA8478				
16	Shaft/bolt load wheel	4	124TA8785				
17	Washer (height: 6 mm) (with collar)	4	124TA8786				
18	Ball bearing	4	124TA8476				
19A	Wheel assembly, load (nylon) (tandem)	4	124TA8787				
19B	Wheel assembly, load (polyurethane) (tandem)	4	124TA8788				
19C	Wheel assembly, load (polyurethane) (without bearings) (tandem)	4	124TA8789				
20	Shaft, fork load wheel bracket to chassis	2	124TA8790				
21	Wheel, exit roller	4	124TA8802				

HYDRAULIC UNIT HYSTER PM22 QUICKLIFT




HYDRAULIC UNIT HYSTER PM22 QUICKLIFT

Nr	Description	Qty	REF
1	Cap, control handle pivot return spring	1	124TA8709
2	Spring, control handle return torsion	1	124TA8662
3	Wiper ring (polyurethane with metal outer ring)	1	124TA8660
4	Lip seal	1	124TA8659
5	Body, hydraulic pump unit piston	1	124TA8710
6	O-ring	1	124TA8711
7	Housing, pump	1	124TA8712
8	Screw	4	124TA8713
9	Valve release, hydraulic unit	1	124TA8714
10	Lip seal	2	124TA8649
11	Guide	1	124TA8715
12	Circlip	1	124TA8716
13	Body, hydraulic pump unit piston	1	124TA8717
14	Wiper ring (polyurethane)	1	124TA8718
15	Piston, lift cylinder pallet truck	1	124TA8719
16	Bracket (roller)	1	124TA8720
17	Circlip	1	124TA8721
18	Piston, hydraulic pump unit	1	124TA8722
19	O-ring	1	124TA8723
20	Pipe	1	124TA8724
21	Lever lowering, tiller	1	124TA8725
22	Bushing	1	124TA8726
23	Elastic pin	1	124TA8727
24	Rod complete, lowering	1	124TA8728
25	Spring	1	124TA8729
26	Steel ball	2	124TA8730
28	Washer (thickness: 6 mm)	1	124TA8731
29	Steel ball, lift cylinder piston pallet truck	1	124TA8732
30	Pump assembly (quicklift) (complete with tiller)	1	124TA8733
31	Bushing, handle pivot	2	124TA8734
32	Bracket, tiller arm	1	124TA8735
33	Shaft, handle pivot	1	124TA8736
34	Screw	2	124TA8737
35	Roller, control handle pump	1	124TA8738
36	Pin, control handle pump roller	1	124TA8739
37	Lever lift control	1	124TA8740
38	Ball joint	1	124TA8741
39	Nut	1	124TA8742

Nr	Description	Qty	REF
40	Elastic pin	1	124TA8743
41	Axle	1	124TA8744
42	Spacer, pivot bearing hydraulic pump unit to chassis	1	124TA8745
43	Shaft, steer wheel	1	124TA8746
44	Wheel spacer	2	124TA8747
45	Ball bearing	4	124TA8748
46A	Wheel assembly, steer (rubber)	2	124TA8193
46B	Wheel assembly, steer (polyurethane)	2	124TA8195
46C	Wheel assembly, steer (nylon)	2	124TA8197
47	Circlip	2	124TA8199
48	Bearing, hydraulic unit pivot	1	124TA8201
49	Circlip	1	124TA8203
50	Thrust plate, hydraulic pump unit mounting	1	124TA8205
51	Bushing, torsion tube to thrust plate	2	124TA8207
52	Shaft, torsion tube to thrust plate	2	124TA8209
53	Kit seal, hydraulic unit	1	124TA8211
54	Valve kit	1	124TA8213
55	O-ring	1	124TA8215
56	Plug	1	124TA8217
57	Bracket (roller)	1	124TA8720
58	Circlip	1	124TA6795
59	Piston, hydraulic pump unit	1	124TA6880
60	Washer (steel) (thickness: 2 mm)	1	124TA6870
61	Spring	1	124TA6871
62	Wiper ring (polyurethane with metal outer ring)	1	124TA6778
63	Lip seal	1	124TA6780
64	Body, hydraulic pump unit piston	1	124TA6872
65	O-ring	1	124TA6873
66	Valve release, hydraulic unit	1	124TA6877


MAIN FRAME HYSTER PM22 QUICKLIFT



Nr	Description	Qty	REF
1	Nut	2	<u>124TA8657</u>
2	Bracket	1	<u>124TA8766</u>
3	Lock washer	2	<u>124TA8767</u>
4	Elastic pin	10	<u>124TA8768</u>
6A	Push/pull rod, lift structure (fork length: 950 mm)	2	<u>124TA8769</u>
6B	Push/pull rod, lift structure (fork length: 1120 mm)	2	<u>124TA8770</u>
6C	Push/pull rod, lift structure (fork length: 600 mm)	2	<u>124TA8771</u>
6D	Push/pull rod, lift structure (fork length: 800 mm)	2	<u>124TA8772</u>
6E	Push/pull rod, lift structure (fork length: 1300 mm)	2	<u>124TA8773</u>
6F	Push/pull rod, lift structure (fork length: 1500 mm)	2	<u>124TA8774</u>
6G	Push/pull rod, lift structure (fork length: 1800 mm)	2	<u>124TA8775</u>
6H	Push/pull rod, lift structure (fork length: 2000 mm)	2	<u>124TA8776</u>
6I	Push/pull rod, lift structure (fork length: 2500 mm)	2	<u>124TA8777</u>
7	Bushing, push/pull rod non fork end	4	<u>124TA8734</u>
8	Shaft, push/pull rod non fork end	2	<u>124TA8778</u>
9	Bushing, torsion tube pivot	2	<u>124TA8779</u>
10	Circlip	2	<u>124TA8780</u>
11	Fork, bracket load wheel	2	<u>124TA8781</u>
12	Bushing, push/pull rod non fork end	8	<u>124TA8782</u>
13	Shaft, push/pull rod non fork end	2	<u>124TA8783</u>
14	Bushing, load wheel tandem pivot	4	<u>124TA8784</u>
15	Shaft, center, fork load wheel	2	<u>124TA8478</u>
16	Shaft/bolt load wheel	4	<u>124TA8785</u>
17	Washer (height: 6 mm) (with collar)	4	<u>124TA8786</u>
18	Ball bearing	4	<u>124TA8476</u>
19A	Wheel assembly, load (nylon) (tandem)	4	<u>124TA8787</u>
19B	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA8788</u>
19C	Wheel assembly, load (polyurethane) (without bearings) (tandem)	4	<u>124TA8789</u>
20	Shaft, fork load wheel bracket to chassis	2	<u>124TA8790</u>

[illegible]


HYDRAULIC UNIT HYSTER PM23 EASYLIFT



Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	124TA8648
2	Wiper ring (polyurethane)	1	147TA3683
3	Lip seal	1	124TA8649
4	Plug	1	124TA8650
5	Housing	1	124TA8797
6	Plug	1	124TA8651
7	Valve release, hydraulic unit	1	124TA8652
8	Screw, plug (M14)	1	124TA8653
9	Piston, hydraulic pump unit	1	124TA8798
10	Screw, plug	1	124TA8799
11	Screw	1	124TA8654
12	Lever lift control	1	124TA8655
13	Screw	1	124TA8656
14	Nut	1	124TA8657
15	Shaft, control handle pivot RH	1	124TA8658
16	Lip seal	1	124TA8659
17	Wiper ring (polyurethane with metal outer ring)	1	124TA8660
18	Valve release, hydraulic unit	1	124TA8661
19	Spring, control handle return torsion	1	124TA8662
20	Washer (height: 18,5 mm)	1	124TA8663
21	Bracket	1	124TA8664
22	Screw	1	124TA8665
23	Bearing, hydraulic unit pivot	1	124TA8666
24	Thrust plate, hydraulic pump unit mounting	1	124TA8667
25	Shaft, push/pull rod non fork end	1	124TA8668
26	Spring	4	124TA8669
27A	Wheel assembly, steer (rubber)	2	124TA5690
27B	Wheel assembly, steer (polyurethane)	2	124TA8800
27C	Wheel assembly, steer (nylon)	2	124TA5692
28	Circlip	2	124TA8670
29	Circlip	1	124TA8671
30	Elastic pin	1	124TA8672
31	Backup ring	1	124TA5696
32	O-ring	1	147TA3681
33	Cover	1	124TA8801
34	Bracket, tiller arm	1	124TA8673
35	Lever lowering, tiller	1	124TA8674
36	Bushing	1	124TA8675

[illegible]

MAIN FRAME HYSTER PM23 EASYLIFT




Nr	Description	Qty	REF
2	Nut	2	<u>124TA8682</u>
3	Nut, load wheel	2	<u>124TA8682</u>
4	Lock washer	2	<u>124TA8683</u>
5A	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	<u>147TA3684</u>
5B	Wheel assembly, load (polyurethane) (single)	2	<u>124TA8684</u>
5C	Wheel assembly, load (nylon) (single)	2	<u>124TA5626</u>
6	Bolt, load wheel	2	<u>124TA8685</u>
7	Nut	2	<u>124TA8686</u>
8	Wheel, entry roller	2	<u>124TA8687</u>
9	Shaft/bolt, entry roller	2	<u>124TA8688</u>
10	Bushing, fork load wheel bracket to push/pull rod	4	<u>124TA8689</u>
11	Fork, bracket load wheel (RH side)	2	<u>124TA8690</u>
12A	Carrier complete, load wheel (nylon) (tandem)	2	<u>124TA5633</u>
12B	Carrier complete, load wheel (polyurethane) (tandem)	2	<u>124TA5634</u>
12C	Carrier complete, load wheel (polyurethaan) (tandem)	2	<u>124TA8691</u>
13	Bushing, fork load wheel bracket to push/pull rod	4	<u>124TA8689</u>
14	Wheel, exit roller	2	<u>124TA8692</u>
15	Fork, bracket load wheel (LH side)	2	<u>124TA8693</u>
16	Axle, exit roller	2	<u>124TA8694</u>
17	Nut, load wheel	4	<u>124TA8695</u>
18	Washer (thickness: 1 mm) (ribbed)	4	<u>124TA8696</u>
19A	Wheel assembly, load (nylon) (tandem)	4	<u>124TA5640</u>
19B	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA8697</u>
19C	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA5642</u>
20	Elastic pin	4	<u>124TA8698</u>
21	Fork, load wheel	4	<u>124TA8699</u>
22	Bushing, load wheel tandem pivot	4	<u>124TA8700</u>
23	Bolt, load wheel	4	<u>124TA8701</u>
24	Axle	2	<u>124TA8668</u>
25	Shaft pivot, torsion tube	2	<u>124TA8702</u>
26	Bushing, torsion tube pivot	2	<u>124TA8703</u>
27	Bushing, push/pull rod non fork end	4	<u>124TA8704</u>

[illegible]

USED FOR HYSTER


HYDRAULIC UNIT HYSTER PM23 QUICKLIFT



Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	<u>124TA8648</u>
2	Wiper ring (polyurethane)	1	<u>147TA3683</u>
3	Lip seal	1	<u>124TA8649</u>
4	Fill plug, hydraulic pump	1	<u>124TA8650</u>
5	Housing	1	<u>124TA5667</u>
6	Shaft, control handle pivot LH	1	<u>124TA8651</u>
7	Valve release, hydraulic unit	1	<u>124TA8652</u>
8	Screw, plug (M14)	1	<u>124TA8653</u>
9	Piston, hydraulic pump unit	1	<u>124TA5675</u>
10	Plug	1	<u>147TA3685</u>
11	Screw	1	<u>124TA8654</u>
12	Lever lift control	1	<u>124TA8655</u>
13	Screw	1	<u>124TA8656</u>
14	Nut	1	<u>124TA8657</u>
15	Shaft, control handle pivot RH	1	<u>124TA8658</u>
16	Lip seal	1	<u>124TA8659</u>
17	Wiper ring (polyurethane with metal outer ring)	1	<u>124TA8660</u>
18	Valve release, hydraulic unit	1	<u>124TA8661</u>
19	Spring, control handle return torsion	1	<u>124TA8662</u>
20	Cap, control handle pivot return spring	1	<u>124TA8663</u>
21	Bracket	1	<u>124TA8664</u>
22	Screw	1	<u>124TA8665</u>
23	Bearing, hydraulic unit pivot	1	<u>124TA8666</u>
24	Thrust plate, hydraulic pump unit mounting	1	<u>124TA8667</u>
25	Shaft, torsion tube to thrust plate	1	<u>124TA8668</u>
26	Spring	4	<u>124TA8669</u>
27A	Wheel assembly, steer (rubber)	2	<u>124TA5690</u>
27B	Wheel assembly, steer (polyurethane)	2	<u>124TA8800</u>
27C	Wheel assembly, steer (nylon)	2	<u>124TA5692</u>
28	Circlip	2	<u>124TA8670</u>
29	Circlip	1	<u>124TA8671</u>
30	Axle	1	<u>124TA8672</u>
31	Backup ring	1	<u>124TA5696</u>
32	O-ring	1	<u>147TA3681</u>
33	Cover	1	<u>147TA3687</u>
34	Bracket, tiller arm	1	<u>124TA8673</u>

[illegible]

MAIN FRAME HYSTER PM23 QUICKLIFT




Nr	Description	Qty	REF
2	Nut	2	<u>124TA8682</u>
3	Nut, load wheel	2	<u>124TA8682</u>
4	Lock washer	2	<u>124TA8683</u>
5A	Wheel assembly, load (nylon) (single)	2	<u>124TA5626</u>
5B	Wheel assembly, load (polyurethane) (single)	2	<u>124TA8684</u>
5C	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	<u>147TA3684</u>
6	Bolt, load wheel	2	<u>124TA8685</u>
7	Nut	2	<u>124TA8686</u>
8	Wheel, entry roller	2	<u>124TA8687</u>
9	Shaft/bolt, entry roller	2	<u>124TA8688</u>
10	Bushing, fork load wheel bracket to push/pull rod	4	<u>124TA8689</u>
11	Fork, bracket load wheel (RH side)	2	<u>124TA8690</u>
12A	Carrier complete, load wheel (nylon) (tandem)	2	<u>124TA5633</u>
12B	Carrier complete, load wheel (polyurethane) (tandem)	2	<u>124TA5634</u>
12C	Carrier complete, load wheel (polyurethaan) (tandem)	2	<u>124TA8691</u>
13	Bushing, fork load wheel bracket to push/pull rod	4	<u>124TA8689</u>
14	Wheel, exit roller	2	<u>124TA8692</u>
15	Fork, bracket load wheel (LH side)	2	<u>124TA8693</u>
16	Axle, exit roller	2	<u>124TA8694</u>
17	Nut	4	<u>124TA8695</u>
18	Washer (thickness: 1 mm) (ribbed)	4	<u>124TA8696</u>
19A	Wheel assembly, load (nylon) (tandem)	4	<u>124TA5640</u>
19B	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA8697</u>
19C	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA5642</u>
20	Elastic pin	4	<u>124TA8698</u>
21	Fork, load wheel	4	<u>124TA8699</u>
22	Bushing, load wheel tandem pivot	4	<u>124TA8700</u>
23	Bolt, load wheel	4	<u>124TA8701</u>
24	Shaft, push/pull rod non fork end	2	<u>124TA8668</u>
25	Shaft pivot, torsion tube	2	<u>124TA8702</u>
26	Bushing, torsion tube pivot	2	<u>124TA8703</u>
27	Bushing, push/pull rod non fork end	4	<u>124TA8704</u>

[illegible]

USED FOR JUNGHEINRICH

AM 2000 (-1/03/1999)

HYDRAULIC UNIT JUNGHEINRICH AM 2000 (-1/03/1999)





HYDRAULIC UNIT JUNGHEINRICH AM 2000 (-1/03/1999)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
A	Handle assembly	1	147TA3743	E	Valve release, hydraulic unit	1	147TA3784
1	Spring	1	106TA7031	40	Sealing ring (copper)	1	147TA3786
2	Elastic pin	2	147TA3774	41	O-ring	1	147TA3712
3	Cam, handle grip	1	147TA3759	42	Spring	1	147TA3769
4	Lever lowering, tiller	1	147TA3726	43	Plunger housing	1	147TA3794
5	Elastic pin	1	147TA3775	44	Valve plunger	1	147TA3793
6	Elastic pin	1	147TA3776	45	Plunger, valve	1	147TA3789
7	Elastic pin	1	147TA3719	46	Spring	1	147TA3736
8	Rod complete, lowering	1	147TA3770	47	Sealing ring (copper) (thickness: 1,5 mm)	1	147TA3750
9	Edge protection	1	147TA3781	48	Screw, plug	1	147TA3737
10	Screw	3	147TA3771	49	Bushing (without collar)	1	147TA3764
11	Washer (thickness: 1,7 mm)	3	147TA3773	50	Lip seal	1	147TA3724
B	Pump, hydraulic	1	147TA3787	51	Sealing ring (copper) (thickness: 1,5 mm)	1	147TA3728
12	Housing	1	147TA3767	52	Body, hydraulic pump unit piston	1	147TA3738
12A	Bushing, handle pivot	2	147TA3790	53	Oil seal	1	147TA3717
12B	Spacer, pivot bearing hydraulic pump unit to chassis	1	147TA3788	54	Piston, hydraulic pump unit	1	147TA3739
13	Piston, lift cylinder pallet truck	1	147TA3730	55	Spring, control handle return torsion	1	107TA6831
14	Elastic pin	2	147TA3756	56	Cap, control handle pivot return spring	1	147TA3740
15	Steel ball, lift cylinder piston pallet truck	1	147TA3752	57	Circlip	1	147TA3780
16	Lip seal	1	147TA3713	58	Shaft, handle pivot	1	147TA3741
17	O-ring	1	147TA3731	F	Bracket assembly	1	147TA3766
18	Lift cylinder cover	1	147TA3746	59	Bracket	1	147TA3758
19	Oil seal	1	147TA3714	60	Pin, control handle pump roller	1	147TA3782
20	O-ring	2	147TA3723	61	Circlip	2	147TA3778
21	Cap, filler (rubber)	1	147TA3754	62	Roller, control handle pump	1	147TA3760
22	Tank	1	147TA3791	63	Circlip	1	147TA3779
23	Protection, hydraulic pump unit oil tank	1	147TA3732	64	Elastic pin	1	147TA3756
24	Screw	2	147TA3715	65	Bearing, hydraulic unit pivot	1	147TA3749
25	Cone	1	147TA3721	66	Shaft, steer wheel	1	147TA3745
26	Spring	1	147TA3722	G1	Wheel assembly, steer (rubber)	2	147TA3783
27	Plug	1	147TA3763	G2	Wheel assembly, steer (polyurethane)	2	147TA3744
28	Plug (DIN 9)	1	147TA3747	G3	Wheel assembly, steer (nylon)	2	147TA3761
29	Steel ball	1	147TA3711	G4	Wheel assembly, steer (steel)	2	147TA3720
C	Valve release, hydraulic unit	1	147TA3785	67	Ball bearing	4	147TA3725
30	Sealing ring (copper)	1	147TA3786	69	Circlip	2	147TA3777
31	O-ring	1	147TA3712	70	Elastic pin	2	147TA3748
32	Body, valve	1	147TA3733	71	Bolt	2	147TA3742
33	Spring	1	147TA3734	72	Thrust plate, hydraulic pump unit mounting	1	147TA3765
34	O-ring	1	147TA3716	73	Kit seal, hydraulic unit	1	147TA3718
35	Plunger, valve	1	147TA3735				
D	Lever lift control	1	147TA3768				
36	Lever lift control	1	147TA3762				
37	Screw (adjusting)	1	147TA3727				
38	Nut	2	147TA3772				
39	Elastic pin	1	147TA3756				

USED FOR JUNGHEINRICH

MAIN FRAME JUNGHEINRICH AM 2000 (-1/03/1999)



USED FOR JUNGHEINRICH


MAIN FRAME JUNGHEINRICH AM 2000 (-1/03/1999)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
2	Nut	2	147TA3799	11	Carrier complete, load wheel (polyurethane) (tandem)	2	147TA3814
3	Lock washer	2	147TA3796	12	Carrier complete, load wheel (steel) (tandem)	2	147TA3815
4	Wheel, entry roller	2	147TA3800	13	Carrier complete, load wheel (nylon) (tandem)	2	147TA3813
5	Spacer, entry roller	2	147TA3802	24	Fork, load wheel	2	147TA3804
6	Shaft/bolt, entry roller	2	147TA3798	25	Elastic pin	4	147TA3774
7	Elastic pin	1	147TA3776	26	Shaft/bolt load wheel	4	147TA3803
8	Shaft pivot, torsion tube (frame width 540 mm)	1	147TA3811	27	Ball bearing	8	147TA3725
9	Torsion tube (frame width 540 mm)	1	147TA3807	28A	Wheel assembly, load (polyurethane) (tandem) (without bearings)	4	147TA3809
10A	Push/pull rod assembly, lift structure (fork length 950 mm)	2	107TA6768	28B	Bogie wheel (nylon) (tandem) (without bearings)	4	147TA3806
10B	Push/pull rod assembly, lift structure (fork length 1150 mm)	2	107TA6769	28C	Wheel assembly, load (nylon) (tandem) (with bearings)	4	107TA2924
10C	Push/pull rod assembly, lift structure (fork length 800 mm)	2	147TA3820	28D	Wheel assembly, load (polyurethane) (tandem) (with bearings)	4	147TA4828
11	Elastic pin	2	147TA3816	29	Shaft/bolt load wheel	2	147TA3825
12	Shaft, fork load wheel bracket to chassis	2	147TA3810	30	Bushing	2	147TA3819
13	Wheel, exit roller	2	147TA3817	31	Fork, load wheel	2	147TA3824
14	Shaft, fork load wheel bracket to chassis	2	147TA3818	32	Nut	2	147TA3826
15	Elastic pin	4	147TA3816				
16	Fork, bracket load wheel (single)	2	106TA8063				
17	Elastic pin	2	147TA3774				
18	Shaft/bolt load wheel (single)	2	147TA3801				
H1	Wheel assembly, load (polyurethane) (single)	2	128TA4339				
H2	Wheel assembly, load (steel) (single)	2	147TA3821				
H3	Wheel assembly, load (nylon) (single)	2	147TA3822				
19	Ball bearing	4	147TA3725				
20A	Wheel assembly, load (polyurethane) (single) (without bearings)	2	147TA3795				
20B	Wheel assembly, load (steel) (single) (without bearings)	2	147TA3808				
20C	Wheel assembly, load (nylon) (single) (without bearings)	2	107TA6778				
21	Fork, load wheel	2	106TA8063				
22	Elastic pin	2	147TA3774				
23	Shaft/bolt load wheel (tandem)	2	147TA3801				

AM 2000 (-1/03/1999)

USED FOR JUNGHEINRICH

HYDRAULIC UNIT JUNGHEINRICH AM 2200 (30/04/1999-1/10/2003)



HYDRAULIC UNIT JUNGHEINRICH AM 2200 (30/04/1999–1/10/2003)




Nr	Description	Qty	REF
1A	Cover (grey)	1	152TA2745
1B	Cover (yellow)	1	147TA3873
2	Spring	1	147TA3842
3	Handle	1	147TA3846
4	Dowel pin	1	147TA3844
5	Lever lowering, tiller	1	147TA3843
6A	Cover (grey)	1	152TA2744
6B	Cover (yellow)	1	147TA3859
7	Screw	2	147TA3858
8	Elastic pin	1	147TA3833
9	Bushing	1	147TA3841
10	Rod complete, lowering	1	147TA3845
11	Circlip	1	147TA3778
12	Pin, control handle pump roller	1	147TA3782
13	Roller, control handle pump	1	147TA3760
14	Circlip	1	147TA3778
15	Stud	1	147TA3847
16	Handle assembly	1	147TA3840
17	Piston, lift cylinder pallet truck	1	147TA3856
18	Oil seal	1	147TA3864
19	Circlip	1	147TA3854
20	Piston	1	147TA3879
21	Lip seal	1	147TA3863
22	O-ring	1	147TA3837
23	Plunger, valve	1	147TA3870
24	Spring (without collar)	1	147TA3871
25	O-ring	1	147TA3838
26	O-ring	1	147TA3876
27	O-ring	1	147TA3867
28	Spring	1	147TA3769
29	Valve release, hydraulic unit	1	147TA3832
30A	Roller, control handle pump (diameter: 18 mm)	1	107TA6824
30B	Roller, control handle pump (diameter: 20 mm)	1	128TA4334
31	Elastic pin	1	147TA3748
32	Screw, plug	1	147TA3862
33	Housing, pump	1	147TA3869
34	Screw (adjusting)	1	147TA3834
35	Lever lift control	1	147TA3850
36	Circlip	1	147TA3780
37	Piston, hydraulic pump unit	1	147TA3874
38	Cap, control handle pivot return spring	1	147TA3849

Nr	Description	Qty	REF
39	Spring, control handle return torsion	1	107TA6831
40	Oil seal	1	107TA6832
41	Body, hydraulic pump unit piston	1	147TA3868
42	Lip seal	1	107TA6834
43	Bushing (without collar)	1	147TA3764
44	Sealing ring (copper) (thickness: 1,5 mm)	1	147TA3728
45	Body, hydraulic pump unit piston	1	147TA3848
46	O-ring	1	147TA3872
47	O-ring	1	107TA6837
48	Valve release, hydraulic unit	1	147TA3851
49A	Bushing, handle pivot (for axle diameter: 18 mm)	2	147TA3865
49B	Bushing, handle pivot (for axle diameter: 20 mm)	2	128TA4335
50	Bearing, hydraulic unit pivot	1	147TA3836
51	Bushing	1	147TA3853
52	Thrust plate, hydraulic pump unit mounting	1	147TA3852
53	Circlip	1	147TA3835
54	Clamp	2	147TA3861
55	Shaft, steer wheel	1	147TA3855
56A	Wheel assembly, steer (rubber) (nylon rim)	2	147TA3866
56B	Wheel assembly, steer (polyurethane)	2	147TA3857
56C	Wheel assembly, steer (nylon) (black)	2	147TA3878
56D	Wheel assembly, steer (rubber) (aluminium rim)	2	124TA6946
56E	Wheel assembly, steer (polyurethane) (aluminium rim)	2	128TA4674
57	Circlip	2	147TA3777
58	Cap, front wheel hub	2	147TA3860
59	Valve	1	107TA6852
60	Kit seal, hydraulic unit	1	147TA3839

USED FOR JUNGHEINRICH

AM 2200 (30/04/1999-1/10/2003)

MAIN FRAME JUNGHEINRICH AM 2200 (30/04/1999-1/10/2003)



USED FOR JUNGHEINRICH


MAIN FRAME JUNGHEINRICH AM 2200 (30/04/1999-1/10/2003)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Nut	2	147TA3799	34A	Wheel assembly, load (polyurethane) (tandem)	4	147TA3901
2	Nut	2	147TA3885	34B	Wheel assembly, load (nylon) (black) (tandem)	4	107TA6860
4	Shaft/bolt, entry roller	2	147TA3884	35	Axle sleeve, load wheel	4	147TA3905
5	Wheel, entry roller	2	147TA3886	36	Shaft/bolt load wheel	4	147TA3908
6	Shaft, fork load wheel bracket to chassis	2	147TA3896	37A	Carrier complete, load wheel (polyurethane) (tandem)	2	147TA3900
7	Bushing, fork load wheel bracket to push/pull rod	4	147TA3887	37B	Carrier complete, load wheel (nylon) (black) (tandem)	2	147TA3899
8	Bushing, fork load wheel bracket to chassis	4	147TA3893				
9	Fork, bracket load wheel	2	147TA3892				
10	Axle, exit roller	2	147TA3895				
11	Wheel, exit roller	2	147TA3894				
12	Push/pull rod assembly, lift structure	2	147TA3907				
13	Shaft, push/pull rod non fork end	2	147TA3891				
14	Clamp	2	147TA3861				
15	Cover	1	147TA3890				
16	Guide	1	147TA3888				
17	Spring	1	147TA3912				
18	Shaft, torsion tube to thrust plate	4	147TA3891				
19	Cover	1	147TA3889				
20	Clamp	4	147TA3861				
21A	Bushing, push/pull rod non fork end	2	147TA3882				
21B	Bushing, torsion tube pivot	2	147TA3882				
21C	Bushing, torsion tube to thrust plate	2	147TA3882				
22	Torsion tube (frame width 550 mm)	1	147TA3906				
23	Ball bearing	4	147TA3881				
24A	Wheel assembly, load (polyurethane) (single) (without bearings)	2	147TA3897				
24B	Load wheel (nylon) (single) (without bearings)	2	147TA3909				
25	Shaft/bolt load wheel	2	147TA3898				
27A	Wheel assembly, load (nylon) (single)	2	147TA3910				
27B	Wheel assembly, load (polyurethane) (single)	2	147TA3911				
28	Nut	4	147TA3883				
29	Lock washer	4	147TA3880				
30	Fork, load wheel	4	147TA3903				
31	Bushing	4	147TA3904				
32	Ball bearing	8	147TA3725				

AM 2200 (30/04/1999-1/10/2003)




USED FOR JUNGHEINRICH

HYDRAULIC UNIT JUNGHEINRICH AM 2200 (31/10/2003-1/04/2005)



[illegible]

MAIN FRAME JUNGHEINRICH AM 2200 (31/10/2003-1/04/2005)




Nr	Description	Qty	REF
1	Nut	2	<u>147TA3799</u>
2	Nut	2	<u>147TA3885</u>
4	Shaft/bolt, entry roller	2	<u>147TA3884</u>
5	Wheel, entry roller	2	<u>147TA3886</u>
6	Shaft, fork load wheel bracket to chassis	2	<u>147TA3896</u>
7	Bushing, fork load wheel bracket to push/pull rod	4	<u>147TA3887</u>
8	Bushing, fork load wheel bracket to chassis	4	<u>147TA3893</u>
9	Fork, bracket load wheel	2	<u>147TA3892</u>
10	Axle, exit roller	2	<u>147TA3895</u>
11	Wheel, exit roller	2	<u>147TA3894</u>
12	Push/pull rod assembly, lift structure	2	<u>147TA3907</u>
13	Shaft, push/pull rod non fork end	2	<u>147TA3891</u>
14	Clamp	2	<u>147TA3861</u>
15	Guide	1	<u>147TA3888</u>
16	Spring	1	<u>147TA3912</u>
17	Shaft, torsion tube to thrust plate	4	<u>147TA3891</u>
18	Clamp	4	<u>147TA3861</u>
19A	Bushing, push/pull rod non fork end	2	<u>147TA3882</u>
19B	Bushing, torsion tube pivot	2	<u>147TA3882</u>
19C	Bushing, torsion tube to thrust plate	2	<u>147TA3882</u>
20	Torsion tube	1	<u>147TA3906</u>
21	Ball bearing	4	<u>147TA3881</u>
22A	Wheel assembly, load (polyurethane)	2	<u>147TA3897</u>
22B	Load wheel (nylon)	2	<u>147TA3909</u>
23	Shaft/bolt load wheel	2	<u>147TA3898</u>
24	Wheel assembly, load (nylon) (single)	2	<u>147TA3910</u>
24	Wheel assembly, load (polyurethane) (single)	2	<u>147TA3911</u>
25	Nut	4	<u>147TA3883</u>
26	Fork, load wheel	4	<u>147TA3903</u>
27	Bushing	4	<u>147TA3904</u>
28	Ball bearing	8	<u>147TA3725</u>
29A	Wheel assembly, load	4	<u>147TA3902</u>
29B	Chain, hydraulic unit	4	<u>124TA2245</u>
30	Shaft/bolt load wheel	4	<u>107TA5862</u>
31A	Carrier complete, load wheel (polyurethane)	2	<u>147TA3900</u>

[illegible]

USED FOR KENTRUCK

HYDRAULIC UNIT KENTRUCK SH/SHQ/SHS 2000/2500




HYDRAULIC UNIT KENTRUCK SH/SHQ/SHS 2000/2500

Nr	Description	Qty	REF
1	Shaft, steer wheel	1	124TA5721
2	Piston, hydraulic pump unit	1	124TA5722
3	Lock pin	1	124TA2148
4	Piston, lift cylinder pallet truck	1	124TA2149
5	O-ring	2	124TA2153
6	Circlip	1	124TA2146
7	Bearing, hydraulic unit pivot	1	124TA2147
8	Thrust plate, hydraulic pump unit mounting	1	124TA2142
9	Circlip	1	124TA2154
10	Grease nipple	1	124TA2155
11	Tube bottom	1	124TA2143
12	Lock pin	1	124TA2148
13	Shaft, steer wheel	1	124TA2156
14	Shaft, steer wheel	1	124TA2157
15	Bushing (without collar)	2	124TA2144
16	Tube bottom	1	124TA2158
17	Cap, front wheel hub	2	124TA2159
18	Circlip	2	124TA2160
19	Steel ball, lift cylinder piston pallet truck	1	107TA5939
20	Wiper ring (rubber)	1	124TA2150
21	Body, hydraulic pump unit piston	1	124TA2161
22	Lip seal	1	124TA2162
23	Guide ring	1	124TA2151
24	Guide ring	1	124TA2163
25	Lip seal	1	124TA2164
26	O-ring	1	124TA2165
27	O-ring	1	124TA2166
28	Piston, lift cylinder pallet truck	1	124TA2152
29	Slide ring	1	124TA2167
30	Screw	1	124TA2168
31	Sealing ring (copper) (thickness: 0,5 mm)	1	124TA2169
32	Tank, hydraulic oil	1	124TA2170
33	Bushing, handle pivot	1	124TA2171
34	Bolt (RH thread)	1	124TA2172
35	Bushing, handle pivot	1	124TA2171
36	Bolt (LH thread)	1	124TA2145
37	Piston, hydraulic pump unit	1	124TA2173
38	Wiper ring (rubber)	1	124TA2174
39	Lip seal	1	124TA2175
40	O-ring	1	124TA2176

Nr	Description	Qty	REF
41	Lever lift control	1	124TA2177
42	Screw	1	124TA2178
43	Screw (adjusting)	1	124TA2179
44	O-ring	1	124TA2180
45	Spring	1	124TA5723
46	Cone	1	124TA2181
47	Steel ball	1	124TA9116
48	Spring	1	124TA2182
49	Sealing ring (copper) (thickness: 0,5 mm)	1	124TA2169
50	Screw	1	124TA2168
51	Cone	1	124TA2183
52	Spring	1	124TA2184
53	Sealing ring (copper) (thickness: 0,5 mm)	1	124TA2169
54	Screw	1	124TA2168
55	Shaft, handle pivot	1	124TA2185
56	Roller, control handle pump	1	124TA2186
57	Bracket, tiller arm	1	124TA2187
58	Elastic pin	1	124TA2188
59	Lever lowering, tiller	1	124TA2189
60	Steel ball	1	124TA2190
61	Bushing (without collar)	1	124TA2191
62	Steel ball	1	124TA2190
63	Spring	1	124TA2192
64	Lowering rod	1	124TA2193
65	Chain, hydraulic unit	1	124TA2194
66	Screw	1	124TA2195
67	Screw	1	124TA2196
68	Spring	1	124TA2197
69	Steel ball	1	124TA2198
70	Cone	1	124TA2199
71	Screw	2	124TA5725
72	Screw	4	124TA2200
73	Steel ball	2	124TA5724
74	Steel ball	1	124TA2201
75	Thrust plate, hydraulic pump unit mounting	1	124TA2202
76	Magnet	1	124TA2203
77	Lip seal	2	124TA2204
78	Sealing ring (copper) (thickness: 0,5 mm)	2	124TA2205
79	Bushing (without collar)	2	124TA2206
80	Spring	2	124TA2207
81	Actuator pin	1	124TA2225

USED FOR KENTRUCK


HYDRAULIC UNIT KENTRUCK SH/SHQ/SHS 2000/2500



[illegible][illegible]


USED FOR KENTRUCK

MAIN FRAME KENTRUCK SH/SHQ/SHS 2000/2500



[illegible][illegible]

HYDRAULIC UNIT MIC TM 22 [30/04/1999-1/10/2003]






HYDRAULIC UNIT MIC TM 22 (30/04/1999–1/10/2003)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Cover	1	107TA6785	41	Body, hydraulic pump unit piston	1	107TA6833
2	Spring	1	107TA6786	42	Lip seal	1	147TA3700
3	Bracket, tiller arm	1	107TA6787	43	Bushing (without collar)	1	107TA6733
4	Dowel pin	1	107TA6788	44	Washer (copper) (thickness: 1,5 mm)	1	105TA1306
5	Lowering lever	1	107TA6789	45	Body, hydraulic pump unit piston	1	107TA6835
6	Cover	1	107TA6790	46	O-ring	1	107TA6836
7	Screw	2	107TA6791	47	O-ring	1	107TA6837
8	Elastic pin	1	107TA6792	48	Valve release, hydraulic unit	1	107TA6838
9	Bushing	1	107TA6793	49A	Bushing, handle pivot (diameter: 18 mm)	2	107TA6839
10	Rod complete, lowering	1	106TA6776	49B	Bushing, handle pivot (diameter: 20 mm)	2	128TA4335
11	Circlip	1	107TA6743	50	Bearing, hydraulic unit pivot	1	107TA6840
12	Pin, control handle pump roller	1	107TA6742	51	Spacer, pivot bearing hydraulic pump unit to chassis	1	107TA6841
13	Roller, control handle pump	1	107TA6744	52	Thrust plate, hydraulic pump unit mounting	1	107TA6842
14	Circlip	1	107TA6743	53	Circlip	1	107TA6843
15	Stud	1	107TA6794	54	Clamp	2	107TA6805
17	Piston, lift cylinder pallet truck	1	107TA6812	55	Shaft, steer wheel	1	107TA6844
18	Oil seal	1	107TA6813	56A	Wheel assembly, steer (rubber) (nylon rim)	2	107TA6845
19	Circlip	1	107TA6814	56B	Wheel assembly, steer (polyurethane)	2	107TA6846
20	Piston	1	107TA6815	56C	Wheel assembly, steer (nylon)	2	107TA6847
21	Lip seal	1	107TA6816	56D	Wheel assembly, steer (rubber) (aluminium rim)	2	124TA6946
22	O-ring	1	107TA6817	57	Circlip	2	107TA6757
23	Plunger, valve	1	107TA6818	58	Cap, front wheel hub	2	107TA6848
24	Spring	1	107TA6819	59	Valve	1	107TA6852
25	O-ring	1	107TA6820	60	Kit seal, hydraulic unit	1	127TA2472
26	O-ring	1	107TA6821	61	Hydraulic unit	1	138TA7535
27	O-ring	1	107TA6822				
28	Spring	1	107TA6726				
29	Valve release, hydraulic unit	1	107TA6823				
30A	Shaft, handle pivot (diameter: 18 mm)	1	107TA6824				
30B	Shaft, handle pivot (diameter: 20 mm)	1	128TA4334				
31	Elastic pin	2	107TA6758				
32	Screw, plug	1	107TA6825				
33	Pump housing	1	107TA6826				
34	Screw (adjusting)	1	107TA6827				
35	Lever lift control	1	107TA6828				
36	Circlip	1	107TA6739				
37	Piston, hydraulic pump unit	1	107TA6829				
38	Cap, control handle pivot return spring	1	107TA6830				
39	Spring, control handle return torsion	1	147TA3699				
40	Oil seal	1	147TA3701				

TM 22 (30/04/1999–1/10/2003)

MAIN FRAME MIC TM 22 (30/04/1999–1/10/2003)




MAIN FRAME MIC TM 22 (30/04/1999-1/10/2003)

Nr	Description	Qty	REF
1	Nut	2	107TA6761
2	Lock nut	2	107TA6795
4	Shaft/bolt, entry roller	2	147TA3703
5	Wheel, entry roller	2	107TA2888
6	Shaft, fork load wheel bracket to chassis	2	107TA6797
7	Bushing, fork load wheel bracket to push/pull rod	4	107TA6798
8	Bushing, fork load wheel bracket to chassis	4	107TA6799
9	Fork, bracket load wheel	2	107TA6800
10	Axle, exit roller	2	107TA6801
11	Wheel, exit roller	2	107TA6802
12	Push/pull rod assembly, lift structure	2	107TA6803
13	Shaft, push/pull rod non fork end	2	107TA6804
14	Clamp	2	107TA6805
15	Cover	1	107TA6806
16	Guide	1	107TA6807
17	Spring	1	107TA6808
18	Shaft, torsion tube to thrust plate	4	107TA6804
19	Cover	1	107TA6809
20	Clamp	4	107TA6805
21	Bushing, push/pull rod non fork end	6	107TA6810
22	Torsion tube	1	107TA6811
23	Ball bearing	4	107TA6849
24A	Wheel assembly, load (polyurethane)	2	107TA6850
24B	Load wheel (nylon)	2	147TA3704
25	Shaft/bolt load wheel	2	107TA6851
27A	Wheel assembly, load (polyurethane) (single)	2	107TA2752
27B	Wheel assembly, load (nylon) (single)	2	107TA6853
28	Nut	4	107TA6854
29	Lock washer	4	107TA6855
30	Fork, load wheel	4	107TA6856
31	Bushing	4	107TA6857
32	Ball bearing	8	107TA3176
33A	Wheel assembly, load (polyurethane)	4	107TA6858
33B	Wheel assembly, load (nylon) (black)	4	124TA2245
34A	Wheel assembly, load (polyurethane) (tandem)	4	107TA6859

[illegible]

HYDRAULIC UNIT MIC TM 22 QUICK (30/04/1999–1/10/2003)






* number 37 and 38 not included

HYDRAULIC UNIT MIC TM 22 QUICK (30/04/1999–1/10/2003)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Cover	1	107TA6785	40	Oil seal	1	107TA6736
2	Spring	1	107TA6786	41	O-ring	1	147TA3705
3	Bracket, tiller arm	1	107TA6787	42	Body, hydraulic pump unit piston	1	124TA2249
4	Dowel pin	1	107TA6788	43	Pin	1	124TA2250
5	Lowering lever	1	107TA6789	44	Valve release, hydraulic unit	1	124TA2251
6	Cover	1	107TA6790	45	O-ring	1	147TA3707
7	Screw	2	107TA6791	46	Piston, lift cylinder pallet truck	1	147TA3706
8	Elastic pin	1	107TA6792	47	Spring	1	128TA4345
9	Bushing	1	107TA6793	48	Cap, spring	1	128TA4346
10	Rod complete, lowering	1	106TA6776	49	Steel ball	1	128TA4347
11	Circlip	1	107TA6743	50	Spring	1	128TA4348
12	Pin, control handle pump roller	1	107TA6742	51	Washer	2	128TA4349
13	Roller, control handle pump	1	107TA6744	52	Valve	1	128TA4350
14	Circlip	1	107TA6743	53	Washer (copper) (thickness: 1,5 mm)	1	105TA1306
15	Stud	1	107TA6794	54	O-ring	1	107TA6836
16	Handle assembly (conversion kit)	1	128TA4333	55	Body, hydraulic pump unit piston (with piston and seals)	1	128TA4351
17	Piston, lift cylinder pallet truck	1	107TA6812	56	O-ring	1	107TA6837
18	Oil seal	1	107TA6813	58	Valve release, hydraulic unit	1	107TA6838
19	Circlip	1	107TA6814	59A	Bushing, handle pivot (diameter: 18 mm)	2	107TA6839
20	Piston	1	107TA6815	59B	Bushing, handle pivot (diameter: 20 mm)	2	128TA4335
21	Lip seal	1	107TA6816	60	Bearing, hydraulic unit pivot	1	107TA6840
22	O-ring	1	107TA6817	61	Spacer, pivot bearing hydraulic pump unit to chassis	1	107TA6841
23	Plunger, valve	1	107TA6818	62	Thrust plate, hydraulic pump unit mounting	1	107TA6842
24	Spring	1	107TA6819	63	Circlip	1	107TA6843
25	O-ring	1	107TA6820	64	Clamp	2	107TA6805
26	O-ring	1	107TA6821	65	Shaft, steer wheel	1	107TA6844
27	O-ring	1	107TA6822	66A	Wheel assembly, steer (rubber) (nylon rim)	2	107TA6845
28	Spring	1	107TA6726	66B	Wheel assembly, steer (polyurethane)	2	107TA6846
29	Valve release, hydraulic unit	1	107TA6823	66C	Wheel assembly, steer (nylon)	2	107TA6847
30A	Shaft, handle pivot (diameter: 18 mm)	1	107TA6824	66D	Wheel assembly, steer (rubber) (aluminium rim)	2	124TA6946
30B	Shaft, handle pivot (diameter: 20 mm)	1	128TA4334	67	Circlip	2	107TA6757
31	Elastic pin	1	107TA6758	68	Cap, front wheel hub	2	107TA6848
32	Screw, plug	1	107TA6825	69	Kit seal, hydraulic unit	1	107TA7029
33	Pump housing	1	107TA6826				
34	Screw (adjusting)	1	107TA6827				
35	Lever lift control	1	107TA6828				
36	Circlip	1	107TA6739				
37	Cap, control handle pivot return spring	1	124TA2246				
38	Spring, control handle return torsion	1	107TA6738				

USED FOR MIC

MAIN FRAME MIC TM 22 QUICK (30/04/1999–1/10/2003)




MAIN FRAME MIC TM 22 QUICK (30/04/1999–1/10/2003)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Nut	2	107TA6761	34B	Wheel assembly, load (nylon) (black) (tandem)	4	107TA6860
2	Lock nut	2	107TA6795	35	Axle sleeve, load wheel	4	107TA6861
4	Shaft/bolt, entry roller	2	147TA3703	36	Shaft/bolt load wheel	4	107TA6862
5	Wheel, entry roller	2	107TA2888	37A	Carrier complete, load wheel (polyurethane)	2	107TA6863
6	Shaft, fork load wheel bracket to chassis	2	107TA6797	37B	Carrier complete, load wheel (nylon)	2	107TA6864
7	Bushing, fork load wheel bracket to push/pull rod	4	107TA6798				
8	Bushing, fork load wheel bracket to chassis	4	107TA6799				
9	Fork, bracket load wheel	2	107TA6800				
10	Axle, exit roller	2	107TA6801				
11	Wheel, exit roller	2	107TA6802				
12	Push/pull rod assembly, lift structure	2	107TA6803				
13	Shaft, push/pull rod non fork end	2	107TA6804				
14	Clamp	2	107TA6805				
15	Cover	1	107TA6806				
16	Guide	1	107TA6807				
17	Spring	1	107TA6808				
18	Shaft, torsion tube to thrust plate	4	107TA6804				
19	Cover	1	107TA6809				
20	Clamp	4	107TA6805				
21	Bushing, push/pull rod non fork end	6	107TA6810				
22	Torsion tube	1	107TA6811				
23	Ball bearing	4	107TA6849				
24A	Wheel assembly, load (polyurethane)	2	107TA6850				
24B	Load wheel (nylon)	2	147TA3704				
25	Shaft/bolt load wheel	2	107TA6851				
27A	Wheel assembly, load (polyurethane) (single)	2	147TA3702				
27B	Wheel assembly, load (nylon) (single)	2	107TA6853				
28	Nut	4	107TA6854				
29	Lock washer	4	107TA6855				
30	Fork, load wheel	4	107TA6856				
31	Bushing	4	107TA6857				
32	Ball bearing	8	107TA3176				
33A	Wheel assembly, load (polyurethane)	4	107TA6858				
33B	Wheel assembly, load (nylon) (black)	4	124TA2245				
34A	Wheel assembly, load (polyurethane) (tandem)	4	107TA6859				

TM 22 QUICK (30/04/1999–1/10/2003)

HYDRAULIC UNIT MIC TM 2000 [-1/03/1999]





HYDRAULIC UNIT MIC TM 2000 (-1/03/1999)

Nr	Description	Qty	REF
	Pump, hydraulic	1	107TA6690
A	Bracket, tiller arm	1	107TA6691
1	Spring	1	107TA6692
2	Elastic pin	2	107TA6693
3	Cam, handle grip	1	105TA2168
4	Lever lowering, tiller	1	106TA7042
5	Elastic pin	1	107TA6694
6	Elastic pin	1	107TA6695
7	Elastic pin	1	105TA2607
8	Rod complete, lowering	1	106TA6773
9	Edge protection	1	107TA6696
10	Screw	3	107TA6697
11	Washer (thickness: 1,5 mm)	3	107TA6698
B	Pump, hydraulic	1	105TA4609
12A	Housing	1	107TA6699
12B	Bushing, handle pivot	2	107TA6700
12C	Spacer, pivot bearing hydraulic pump unit to chassis	1	107TA6701
13	Piston, lift cylinder pallet truck	1	107TA6702
14	Elastic pin	2	107TA6703
15	Steel ball, lift cylinder piston pallet truck	1	107TA6704
16	Lip seal	1	107TA6705
17	O-ring	1	107TA6706
18	Body, hydraulic pump unit piston	1	107TA6707
19	Oil seal	1	107TA6708
20	O-ring	2	107TA6709
21	Cap, rubber	1	106TA7032
22	Tank	1	106TA6772
23	Protection, hydraulic pump unit oil tank	1	106TA7034
24	Screw	2	106TA7038
25	Cone	1	107TA6710
26	Spring	1	107TA6711
27	Plug	1	107TA6712
28	Plug (DIN 9)	1	107TA6713
29	Steel ball	1	107TA6714
C	Valve release, hydraulic unit	1	106TA7037
30	Sealing ring (copper)	1	105TA1267
31	O-ring	1	107TA6715
32	Body, valve	1	107TA6716
33	Spring	1	107TA6717
34	O-ring	1	107TA6718
35	Plunger, valve	1	107TA6719
D	Lever lift control	1	107TA6720
36	Lever lift control	1	107TA6721
37	Screw (adjusting)	1	107TA6722
38	Nut	2	107TA6723
39	Cotter pin	1	107TA6724
E	Valve release, hydraulic unit	1	107TA6725
40	Sealing ring (copper)	1	105TA1267
41	O-ring	1	107TA6715

Nr	Description	Qty	REF
42	Spring	1	107TA6726
43	Plunger housing	1	107TA6727
44	Plunger valve	1	107TA6728
45	Plunger, valve	1	107TA6729
46	Spring	1	107TA6730
47	Washer (copper) (thickness: 1,5 mm)	1	107TA6731
48	Screw, plug	1	107TA6732
49	Bushing (without collar)	1	107TA6733
50	Seal	1	107TA6734
51	Washer (copper) (thickness: 1,5 mm)	1	105TA1306
52	Body, hydraulic pump unit piston	1	107TA6735
53	Oil seal	1	107TA6736
54	Piston, hydraulic pump unit	1	107TA6737
55	Spring	1	107TA6738
56	Seat, spring (steel)	1	106TA7046
57	Circlip	1	107TA6739
58	Shaft, handle pivot	1	106TA7035
F	Bracket assembly	1	107TA6740
59	Bracket assembly	1	107TA6741
60	Pin, control handle pump roller	1	107TA6742
61	Circlip	2	107TA6743
62	Roller, control handle pump	1	107TA6744
63	Circlip	1	107TA6745
64	Cotter pin	1	107TA6724
65	Bearing, hydraulic unit pivot	1	107TA6746
66	Shaft, steer wheel	1	107TA6747
G1	Wheel assembly, steer (rubber) (aluminium rim) (with bearings)	2	107TA6748
G2	Wheel assembly, steer (polyurethane) (with bearings)	2	107TA6749
G3	Wheel assembly, steer (nylon) (with bearings)	2	107TA6750
G4	Wheel assembly, steer (steel) (with bearings)	2	107TA6751
67	Ball bearing	4	107TA6753
68A	Wheel assembly, steer (rubber) (aluminium rim) (without bearings)	2	107TA6754
68B	Wheel assembly, steer (polyurethane) (without bearings)	2	107TA6755
68C	Wheel assembly, steer (nylon) (without bearings)	2	107TA3159
68D	Wheel assembly, steer (steel) (without bearings)	2	107TA6756
69	Circlip	2	107TA6757
70	Elastic pin	2	107TA6758
71	Bolt	2	107TA6759
72	Thrust plate, hydraulic pump unit mounting	1	107TA6760
73	Kit seal, hydraulic unit	1	107TA6689

MAIN FRAME MIC TM 2000 [-1/03/1999]




MAIN FRAME MIC TM 2000 (-1/03/1999)

Nr	Description	Qty	REF
1A	Chassis (540 x 800 mm)	1	<u>124TA5731</u>
1B	Chassis (680 x 800 mm)	1	<u>124TA5732</u>
1C	Chassis (540 x 950 mm)	1	<u>124TA5733</u>
1D	Chassis (680 x 950 mm)	1	<u>124TA5734</u>
1E	Chassis (540 x 1150 mm)	1	<u>124TA5735</u>
1F	Chassis (680 x 1150 mm) (30/04/1999-1/10/2003)	1	<u>124TA5736</u>
2	Nut	2	<u>107TA6761</u>
3	Lock washer	2	<u>107TA6762</u>
4	Wheel, entry roller	2	<u>107TA6763</u>
6	Spacer, entry roller	2	<u>105TA1796</u>
6	Shaft/bolt, entry roller	2	<u>107TA6764</u>
7	Elastic pin	1	<u>107TA6695</u>
8	Shaft pivot, torsion tube	1	<u>107TA6765</u>
9	Torsion tube	1	<u>107TA6766</u>
10A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	<u>107TA6767</u>
10B	Push/pull rod assembly, lift structure (fork length: 950 mm)	2	<u>147TA3698</u>
10C	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	<u>147TA3697</u>
11	Elastic pin	2	<u>107TA6770</u>
12	Shaft, fork load wheel bracket to chassis	2	<u>107TA6771</u>
13	Wheel, entry roller	2	<u>107TA6772</u>
14	Axle, exit roller	2	<u>106TA7033</u>
15	Elastic pin	4	<u>107TA6770</u>
16	Bearing, entry roller	2	<u>103TA7872</u>
17	Elastic pin	2	<u>107TA6693</u>
18	Shaft/bolt load wheel	2	<u>107TA6773</u>
H1	Wheel assembly, load (polyurethane) (single)	2	<u>107TA6774</u>
H2	Wheel assembly, load (steel) (single)	2	<u>107TA6775</u>
H3	Wheel assembly, load (nylon) (single)	2	<u>107TA6776</u>
19	Ball bearing	4	<u>107TA6753</u>
20A	Wheel assembly, load (polyurethane)	2	<u>107TA2533</u>
20B	Wheel assembly, load (steel)	2	<u>107TA6777</u>
20C	Wheel assembly, load (nylon)	2	<u>107TA6778</u>
21	Fork, load wheel	2	<u>103TA7872</u>
22	Elastic pin	4	<u>107TA6693</u>
23	Shaft/bolt load wheel	2	<u>107TA6773</u>

[illegible]

USED FOR NIELSEN HOLST

HYDRAULIC UNIT NIELSEN HOLST PL15/25/30 SERIES 33/34/35/36/37




HYDRAULIC UNIT NIELSEN HOLST PL15/25/30 SERIES 33/34/35/36/37

Nr	Description	Qty	REF
1	Lip seal	1	124TA2435
2	Body, hydraulic pump unit piston	1	124TA2452
3	O-ring	1	124TA2387
4	Bushing (steel) (without collar)	1	124TA2388
5	Piston, lift cylinder pallet truck	1	124TA2453
6	Lip seal	1	124TA2454
7	Circlip	1	124TA2436
8	Cap, rubber	1	124TA2455
9	Base plate	1	124TA2456
10	Axle	1	124TA2457
11	Shaft, handle pivot	1	124TA2458
12	Bushing	2	124TA2459
13	Elastic pin	1	124TA2400
14	Washer (copper) (thickness: 0,9 mm)	1	105TA1222
15	O-ring	1	131TA5490
16	O-ring	1	131TA5491
17	Valve release, hydraulic unit	1	124TA2403
18	Spring	1	124TA2404
19	Washer (thickness: 0,8 mm)	1	124TA2405
20	Circlip	1	124TA2406
21	Elastic pin	1	124TA2407
22	Lip seal	1	124TA2408
23	Pin	1	124TA2409
24	Lever lift control	1	124TA2410
25	Nut	1	124TA2411
26	Nut	1	124TA2412
27	Spring	1	124TA2413
28	Washer (nylon) (thickness: 1 mm)	1	124TA5737
29	Chain, hydraulic unit	1	124TA2414
30	Link, chain	2	124TA2415
31	Chain, hydraulic unit	1	124TA2416
32	Chain, hydraulic unit	1	124TA2417
33	Sealing ring (copper) (thickness: 1 mm)	1	124TA2418
34	Body, hydraulic pump unit piston	1	124TA2419
35	Oil seal	1	124TA2420
36	Spring, control handle return torsion	1	124TA2421
37	Lip seal	1	124TA2422
38	Piston, hydraulic pump unit	1	124TA2460
39	Cap, control handle pivot return spring	1	124TA2461
40	Circlip	1	124TA2657
41	Bracket, tiller arm	1	124TA2462
42	Elastic pin	1	124TA2463
43	Spring, release	1	124TA2431
44	Lever lowering, tiller	1	124TA2464
45	Trigger, release	1	124TA2465
46	Elastic pin	1	124TA2466
47	Cross-head	1	124TA2658

Nr	Description	Qty	REF
48	Elastic pin	2	124TA2395
49	Pin, control handle pump roller	1	124TA2467
50	Bushing, control handle pump roller	1	124TA2468
51	Roller, control handle pump	1	124TA2469
52	Bushing, control handle pump roller	1	124TA2470
53	Roller, control handle pump	1	124TA2471
54	Cap, end	1	124TA2472
55	Screw (adjusting)	1	124TA2473
56	O-ring	1	124TA2474
57	Spring	1	124TA2475
58	Cone	1	124TA2476
59	Spring	1	124TA2477
60	Steel ball	1	124TA2478
61	Overload pin	1	124TA2479
62	Kit repair, valve unit	1	124TA2480
63	Handle assembly	1	124TA2481
64	Spacer, pivot bearing hydraulic pump unit to chassis	1	124TA2659
65	Bushing	1	124TA2482
66	Grease nipple	1	124TA2437
67	Hydraulic unit	1	124TA2483
68	Body, hydraulic pump unit piston	1	124TA2484
69	Body, hydraulic pump unit piston	1	124TA2485
70	Cotter pin	2	124TA2392
71	Axle (with lip)	1	124TA2486
72	O-ring	1	124TA2438
73	Bearing, hydraulic unit pivot	1	124TA2439
74	Sealing ring (aluminium) (thickness: 2 mm)	1	124TA2440
75A	Thrust plate, hydraulic pump unit mounting (fork width: 540 mm)	1	124TA2441
75B	Thrust plate, hydraulic pump unit mounting (fork width: 680 mm)	1	124TA2442
76A	Wheel assembly, steer (nylon)	2	124TA2443
76B	Wheel assembly, steer (rubber)	2	124TA2444
76C	Wheel assembly, steer (polyurethane)	2	124TA2445
77	Bushing	2	124TA2446
78	Shaft, steer wheel	1	124TA2447
79	Ball bearing	4	124TA2448
80	Circlip	3	124TA2436
81	Cap, front wheel hub	2	124TA2449
82A	Screw (Vulkollan® wheel)	6	124TA2450
82B	Screw (nylon wheel)	6	124TA2451
83	Elastic pin	1	124TA5738
	Gasket set	1	107TA7030

USED FOR NIELSEN HOLST

MAIN FRAME NIELSEN HOLST PL15/25/30 SERIES 33/34/35/36/37




USED FOR NIELSEN HOLST

MAIN FRAME NIELSEN HOLST PL15/25/30 SERIES 33/34/35/36/37

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Lip seal	1	124TA2435	28	Washer (nylon) (thickness: 1 mm)	1	124TA5737
2A	Torsion tube (fork width: 480 mm)	1	124TA2385	29	Chain, hydraulic unit	1	124TA2414
2B	Torsion tube (fork width: 520 mm)	1	124TA2384	30	Link, chain	2	124TA2415
2C	Torsion tube (fork width: 680 mm)	1	124TA2386	31	Chain, hydraulic unit	1	124TA2416
3	Bushing, torsion tube pivot	2	124TA2387	32	Chain, hydraulic unit	1	124TA2417
4	Bushing, push/pull rod fork end	4	124TA2388	33	Sealing ring (copper) (thickness: 1 mm)	1	124TA2418
5A	Push/pull rod assembly, lift structure (for PL15/25)	2	124TA2389	34	Pump cylinder	1	124TA2419
5B	Push/pull rod assembly, lift structure (for PL30)	2	124TA2390	35	Oil seal	1	124TA2420
6	Shaft, push/pull rod non fork end	2	124TA2391	36	Spring	1	124TA2421
7	Cotter pin	2	124TA2392	37	Lip seal	1	124TA2422
8	Shaft/bolt load wheel	2	124TA2393	38	Cotter pin	1	124TA2423
9	Fork, bracket load wheel	2	124TA2394	39	Shaft/bolt load wheel	2	124TA2424
10	Shaft, push/pull rod fork end	2	124TA2383	40	Shim (nylon) (thickness: 2,5 mm)	8	124TA2425
11	Lock pin	6	124TA2395	41A	Wheel assembly, load (nylon)	4	124TA2426
12A	Wheel assembly, load (nylon) (single) (without bearings)	2	124TA2396	41B	Wheel assembly, load (Vulkollan®)	4	124TA2427
12B	Wheel assembly, load (Vulkollan®) (single) (without bearings)	2	124TA2397	41C	Wheel assembly, load (polyurethane)	4	124TA2428
12C	Wheel assembly, load (polyurethane) (nylon rim) (single) (without bearings)	2	124TA2398	41D	Wheel assembly, load (steel)	4	124TA2429
12D	Wheel assembly, load (steel) (single) (without bearings)	2	124TA2399	42	Fork, load wheel	2	124TA2430
13	Ball bearing	4	128TA4352	43	Spring, release	1	124TA2431
14	Shim (copper) (thickness: 0,9 mm)	4	105TA1222	44	Bearing, sheet	2	124TA5739
15	Shaft/bolt load wheel	2	131TA5492	45A	Bogie assembly (nylon) (tandem)	2	124TA2432
16	Bushing (synthetic) (without collar)	4	131TA5493	45B	Bogie assembly (Vulkollan®) (tandem)	2	124TA2433
17	Valve release, hydraulic unit	1	124TA2403	45C	Bogie assembly (polyurethane) (tandem)	2	124TA2434
18	Spring	1	124TA2404				
19	Washer (thickness: 0,8 mm)	1	124TA2405				
20	Circlip	1	124TA2406				
21	Elastic pin	1	124TA2407				
22	Lip seal	1	124TA2408				
23	Pin	1	124TA2409				
24	Lever lift control	1	124TA2410				
25	Nut	1	124TA2411				
26	Nut	1	124TA2412				
27	Spring	1	124TA2413				

PL15/25/30 SERIES 33/34/35/36/37

HYDRAULIC UNIT PRAMAC LIFTER GS




HYDRAULIC UNIT PRAMAC LIFTER GS

Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	122TA6920
2	Cap, control handle pivot return spring	1	122TA6921
3A	Kit seal, hydraulic unit (31/03/2003) (-657540)	1	107TA7016
3B	Kit seal, hydraulic unit (1/04/2003-) (657541-)	1	122TA6922
4	Spring, control handle return torsion	1	122TA6923
5B	Piston, hydraulic pump unit	1	123TA9533
6A	Body, hydraulic pump unit piston	1	122TA6925
6B	Body, hydraulic pump unit piston (-31/03/2003)	1	123TA9534
7	Shaft, handle pivot	1	122TA6926
8	Sealing ring (copper) (thickness: 1,5 mm)	1	122TA6927
9	Bracket (tiller pivot)	1	122TA6928
10	Roller, control handle pump	1	122TA6929
11	Pin, control handle pump roller	1	122TA6930
12A	Wheel assembly, steer (rubber)	2	124TA2343
12B	Wheel assembly, steer (polyurethane) (aluminium rim)	2	124TA2344
12C	Wheel assembly, steer (nylon)	2	124TA2345
12D	Wheel assembly, steer (polyurethane) (nylon rim)	2	147TA4235
13	Steel ball	1	122TA6934
14	Spring	1	122TA6935
15	Screw	1	122TA6936
16	Shaft, torsion tube to thrust plate	2	122TA6937
17	Washer (plastic) (thickness: 3,8 mm)	2	122TA6938
18	Lever lift control	1	122TA6939
19	Bushing, handle pivot	2	122TA6940
20	Shaft, steer wheel	1	122TA6941
21A	Housing, pump (1/04/2003-)	1	122TA6943
21B	Pump housing (-31/03/2003)	1	122TA6942
22	Tank, hydraulic oil	1	122TA6944
23	Cap, rubber	1	122TA6945
24	Protection, hydraulic pump unit oil tank	1	122TA6946
25A	Thrust plate, hydraulic pump unit mounting (-30/06/1998)	1	122TA6947
25B	Thrust plate, hydraulic pump unit mounting (1/07/1998-)	1	122TA6948
26	Bearing, hydraulic unit pivot	1	122TA6949
27	Body, hydraulic pump unit piston	1	122TA6950

Nr	Description	Qty	REF
28A	Rod complete, lowering (-31/03/2003)	1	122TA6951
28B	Rod complete, lowering (1/04/2003-)	1	122TA6952
29	Bushing (without collar)	1	105TA1804
30	Spring	1	122TA6953
31	Lever lowering, tiller	1	122TA6954
32	Bracket, tiller arm	1	122TA6955
33	Nut	1	122TA6956
34	Steel ball	2	122TA6957
35	Steel ball, lift cylinder piston pallet truck	1	122TA6958
36	Bolt	3	122TA6959
37	Elastic pin	1	122TA6960
38	Circlip	2	122TA6961
39	Lock nut	1	122TA6962
40	Screw	1	122TA6963
41	Bolt	1	122TA6964
42	Bolt	1	122TA6965
43	Circlip	1	122TA6966
44	Elastic pin	1	122TA6967
45	Plug	1	122TA6968
46	Spring	1	122TA6969
47	Axle	1	122TA6970
48	Steel ball	1	122TA6934
49	Valve release, hydraulic unit	1	122TA6971
50	O-ring	1	122TA6972
51	Bonded seal	1	105TA1268
52	Elastic pin	1	122TA6973
53	Sealing ring (aluminium) (thickness: 3 mm)	1	122TA6974
54	Spring	1	122TA6975
55	Valve release, hydraulic unit	1	106TA6784
56	Plunger, valve	1	122TA6976
57	O-ring	2	122TA6977
58	Spring	1	122TA6978
59	Valve release, hydraulic unit	1	122TA6979
60	O-ring	1	122TA6972
61	Steel ball	1	122TA6957
62	Bonded seal	1	105TA1268
63	Valve release, hydraulic unit (-31/03/2003) (-657540)	1	106TA6783
64	Valve release, hydraulic unit (1/04/2003-) (657540-)	1	124TA7533
65	Circlip	1	122TA6980
66	Hydraulic unit	1	123TA9535
67	Bearing	4	107TA3175
68	Handle assembly	1	124TA2381


MAIN FRAME PRAMAC LIFTER GS



Nr	Description	Qty	REF
1	Torsion tube	1	122TA6982
2	Nut	2	122TA6983
3	Cam (-28/02/2003)	2	122TA6984
3	Bushing (1/03/2003-)	2	122TA6985
4	Shaft, push/pull rod non fork end	2	122TA6986
5	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	122TA6987
6	Nut	1	122TA6988
7	Screw	1	122TA6989
8	Wheel, entry roller	2	122TA6990
9	Chassis (fork length: 1150 mm)	1	122TA6991
10	Elastic pin	2	122TA6992
11	Shaft, fork load wheel bracket to chassis	2	122TA6993
12	Shaft pivot, torsion tube	1	122TA6994
15	Wheel, exit roller	2	122TA6998
16	Shaft/bolt load wheel	2	105TA1657
17	Elastic pin	2	122TA6960
18	Axle	2	122TA6999
19	Axle	2	122TA7000
20	Fork, bracket load wheel	2	103TA7894
21	Bolt	4	122TA7001
23	Shaft/bolt load wheel	4	122TA7003
25	Bearing	4 or 8	107TA3175
13A	Wheel assembly, load (nylon) (tandem)	4	122TA6995
13B	Wheel assembly, load (polyurethane) (tandem)	4	122TA6996
14A	Wheel assembly, load (nylon) (single)	2	124TA2502
14B	Wheel assembly, load (polyurethane) (single)	2	122TA6997
22A	Fork, load wheel (-31/08/2001)	4	103TA7718
22B	Fork, load wheel (1/09/2001-)	4	122TA7002
24A	Carrier complete, load wheel (nylon) (tandem)	2	108TA4053
24B	Carrier complete, load wheel (polyurethane) (tandem)	2	108TA4052

[illegible]


HYDRAULIC UNIT PRAMAC LIFTER GS PREMIUM



Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	<u>124TA5740</u>
2	Cap, control handle pivot return spring	1	<u>124TA2333</u>
3	Kit seal, hydraulic unit	1	<u>124TA2334</u>
4	Spring, control handle return torsion	1	<u>124TA2335</u>
5	Piston, hydraulic pump unit	1	<u>124TA2336</u>
6	Body, hydraulic pump unit piston	1	<u>124TA2337</u>
7	Shaft, handle pivot	1	<u>124TA2338</u>
8	Sealing ring (copper) (thickness: 16 mm)	1	<u>124TA2339</u>
9	Bracket (tiller pivot)	1	<u>124TA2340</u>
10	Roller, control handle pump	1	<u>124TA2341</u>
11	Pin, control handle pump roller	1	<u>124TA2342</u>
12A	Wheel assembly, steer (rubber)	2	<u>124TA2343</u>
12B	Wheel assembly, steer (polyurethane) (aluminium rim)	2	<u>124TA2344</u>
12C	Wheel assembly, steer (nylon)	2	<u>124TA2345</u>
13	Cone	1	<u>124TA5743</u>
14	Spring	1	<u>124TA2346</u>
15	Screw	1	<u>124TA2347</u>
16	Shaft, torsion tube to thrust plate	2	<u>124TA2348</u>
17	Washer (plastic) (thickness: 3,8 mm)	4	<u>124TA2349</u>
18	Lever lift control	1	<u>124TA2350</u>
19	Bushing (without collar)	2	<u>124TA2351</u>
20	Shaft, steer wheel	1	<u>124TA2352</u>
21	Pump housing	1	<u>124TA5741</u>
22	Tank, hydraulic oil	1	<u>124TA2353</u>
23	Cap (rubber)	1	<u>124TA2354</u>
24	Protection, hydraulic pump unit oil tank	1	<u>124TA2355</u>
25	Thrust plate, hydraulic pump unit mounting	1	<u>124TA2356</u>
26	Bearing, hydraulic unit pivot	1	<u>124TA5742</u>
27	Body, hydraulic pump unit piston	1	<u>124TA2357</u>
28	Rod complete, lowering	1	<u>124TA2358</u>
29	Bushing (without collar)	1	<u>124TA2359</u>
30	Spring	1	<u>122TA6953</u>
31	Lever lowering, tiller	1	<u>124TA2360</u>

[illegible]


MAIN FRAME PRAMAC LIFTER GS PREMIUM



MAIN FRAME PRAMAC LIFTER GS PREMIUM

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Wheel, entry roller (nylon)	2	124TA2514				
2A	Torsion tube (frame width: 520 mm)	1	124TA2487				
2B	Torsion tube (frame width: 680 mm)	1	124TA2488				
3	Bushing, push/pull rod non fork end	2	124TA6985				
4A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	124TA2489				
4B	Push/pull rod assembly, lift structure (fork length: 950 mm)	2	124TA2490				
4C	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	124TA2491				
6	Shaft, fork load wheel bracket to chassis	2	124TA2492				
7A	Shaft pivot, torsion tube (frame width: 520 mm)	1	124TA2493				
7B	Shaft pivot, torsion tube (frame width: 680 mm)	1	124TA2494				
8	Shaft, push/pull rod non fork end	2	124TA2495				
9	Nut	2	124TA2496				
10	Elastic pin	2	124TA2497				
11	Nut	1	124TA2498				
12	Screw	1	124TA2499				
13A	Wheel assembly, load (nylon) (tandem)	4	124TA2500				
13B	Wheel assembly, load (polyurethane) (tandem)	4	124TA2501				
14A	Wheel assembly, load (nylon) (single)	2	124TA2502				
14B	Wheel assembly, load (polyurethane) (single)	2	124TA2503				
15	Wheel, exit roller	2	124TA2504				
16	Shaft/bolt load wheel	2	124TA2505				
17	Shaft, center, fork load wheel	2	124TA2506				
18	Shaft, push/pull rod fork end	2	124TA2507				
19	Fork, load wheel	4	124TA2509				
20	Fork, bracket load wheel	2	124TA2508				
21	Shaft/bolt load wheel	4	124TA2510				
22A	Carrier complete, load wheel (nylon) (tandem)	2	124TA2511				
22B	Carrier complete, load wheel (polyurethane) (tandem)	2	124TA2512				
23	Bolt	8	124TA2513				
24	Elastic pin	2	124TA2368				

HYDRAULIC UNIT ROCLA H25




HYDRAULIC UNIT ROCLA RH25


Nr	Description	Qty	REF
1	Pump housing	1	120TA9930
2	Cap, rubber	1	120TA9931
3	Circlip	1	147TA3931
4	Lip seal	1	120TA9933
5	Bushing	1	120TA9934
6	Piston, lift cylinder pallet truck	1	120TA9935
7	Steel ball	1	147TA3932
8	Steel ball	1	120TA9937
9	Body, hydraulic pump unit piston	1	147TA3928
10	Hydraulic unit	1	147TA3919
11	O-ring	1	147TA3922
12	Wiper ring (rubber)	1	120TA9940
13	O-ring	1	147TA3923
14	Body, hydraulic pump unit piston	1	105TA4612
15	Body, hydraulic pump unit piston	1	120TA9942
16	Housing, pump	1	120TA9943
17	Lip seal	1	123TA6769
18	Oil seal	1	120TA9945
19	Cap	1	120TA9946
20	Sealing ring (copper) (thickness: 2 mm)	1	147TA3924
21	Spring, control handle return torsion	1	120TA9947
22	Shaft, handle pivot	1	120TA9948
23	Lock pin	1	120TA9949
24	Lever lift control	1	120TA9950
25	Elastic pin	1	120TA9951
26	Bushing (rubber)	1	120TA9952
27	Washer (thickness: 1,3 mm)	1	120TA9953
28	Valve screw	1	120TA9954
29	Lip seal	1	120TA9955
30	Pin, release	1	123TA6772
31	O-ring (4,47 x 1,78 mm)	1	120TA9957
32	Bolt (stepped)	1	120TA9958
33	Bonded seal	2	120TA9959
34	Spring	1	120TA9960
35	Steel ball	1	120TA9961
36	Valve screw	1	120TA9962
37	Steel ball	1	120TA9963
38	Valve release, hydraulic unit	1	147TA3927
39	O-ring	2	147TA3926

Nr	Description	Qty	REF
40	Steel ball	1	120TA9966
41	O-ring	2	120TA9967
42	Seat, spring (with spring)	1	120TA9968
43	Bearing, hydraulic unit pivot	1	120TA9969
44	Thrust plate, hydraulic pump unit mounting	1	120TA9970
45	Circlip	1	147TA3921
46	Axle	2	120TA9972
47	Elastic pin	2	147TA3934
48	Handle assembly	1	120TA9974
49	Bracket, tiller arm	1	123TA6777
50	Bushing, handle pivot	2	147TA3925
51	Roller, control handle pump	1	120TA9977
52	Pin, control handle pump roller	1	120TA9978
53	Lever lowering, tiller	1	120TA9979
54	Elastic pin	1	147TA3933
55	Rod complete, lowering	1	120TA9981
56	Chain, hydraulic unit	1	120TA9982
57	Rod complete, lowering (threaded)	1	120TA9983
58	Rod complete, lowering (threaded)	1	120TA9984
59	Adjustment part	1	147TA3936
60	Nut	1	120TA9986
61	Washer (thickness: 1,6 mm)	1	120TA9987
62A	Wheel assembly, steer (polyurethane) (nylon rim)	2	147TA3929
62B	Wheel assembly, steer (rubber)	2	107TA3136
62C	Wheel assembly, steer (nylon)	2	147TA3920
62D	Wheel assembly, load (Vulkollan®)	2	120TA9989
63	Kit seal, hydraulic unit	1	107TA7035
64	Ball bearing	4	147TA3937
65	Turning (nylon)	1	120TA9991
66	Shaft, steer wheel	1	120TA9992
67	Elastic pin	1	147TA3935
68	Cap, front wheel hub	2	120TA9994
69	Elastic pin	2	147TA3930
70	Bushing	2	105TA2313

MAIN FRAME ROCLA RH25




TANDEM



Nr	Description	Qty	REF
2	Screw	1	<u>147TA3941</u>
3A	Torsion tube (frame width: 480/520 mm)	1	<u>120TA9998</u>
3B	Torsion tube (frame width: 685 mm)	1	<u>120TA9999</u>
4	Shaft/bolt load wheel	4	<u>121TA1027</u>
5A	Bushing, torsion tube pivot (for frame width: 520 mm)	2	<u>121TA1000</u>
5B	Bushing, torsion tube pivot (for frame width: 685 mm)	2	<u>105TA2059</u>
6A	Shaft pivot, torsion tube (frame width: 480/520 mm)	1	<u>121TA1001</u>
6B	Shaft pivot, torsion tube (frame width: 685 mm)	1	<u>121TA1002</u>
7	Elastic pin	3	<u>147TA3945</u>
8A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	<u>121TA1004</u>
8B	Push/pull rod assembly, lift structure (fork length: 950 mm) (fork width: 480 mm)	2	<u>121TA1005</u>
8C	Push/pull rod assembly, lift structure (fork length: 950 mm) (fork width: 520/685 mm)	2	<u>121TA1007</u>
8D	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	<u>121TA1006</u>
9	Elastic pin	8	<u>147TA3948</u>
10	Bushing, push/pull rod non fork end	2	<u>147TA3942</u>
11	Bushing, push/pull rod fork end	2	<u>121TA1009</u>
12	Lock pin	2	<u>121TA1010</u>
13	Shaft, push/pull rod fork end	2	<u>147TA3940</u>
14	Elastic pin	2	<u>147TA3933</u>
15	Shaft, fork load wheel bracket to chassis	2	<u>121TA1012</u>
16	Wheel, exit roller (auxiliary)	4	<u>121TA1013</u>
17	Washer (thickness: 2 mm)	4	<u>147TA3949</u>
18	Fork, bracket load wheel	2	<u>147TA3946</u>
19	Shaft/bolt load wheel	2	<u>121TA1016</u>
20A	Wheel assembly, load (nylon) (single)	2	<u>147TA3918</u>
20B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	<u>147TA3943</u>
23	Wheel, entry roller	2	<u>147TA3947</u>
24	Nut	2	<u>147TA3944</u>

[illegible]


HYDRAULIC UNIT ROCLA RHS25




HYDRAULIC UNIT ROCLA RHS25

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Pump housing	1	123TA8532	41	O-ring	2	120TA9967
2	Plug/screw	1	121TA1066	42	Seat, spring (with spring)	1	120TA9968
3	Circlip	1	147TA3931	43	Bearing, hydraulic unit pivot	1	120TA9969
4	Lip seal	1	120TA9933	44	Thrust plate, hydraulic pump unit mounting	1	121TA1079
5	Bushing	1	120TA9934	45	Circlip	1	147TA3965
6	Piston, lift cylinder pallet truck	1	120TA9935	46	Axle	2	147TA3973
7	Steel ball	1	147TA3932	47	Lock pin	2	147TA3967
8	Steel ball	1	120TA9937	48	Handle assembly	1	147TA3955
9	Body, hydraulic pump unit piston	1	121TA1068	49	Bracket, tiller arm	1	121TA1084
10	Hydraulic unit	5	147TA3961	50	Bushing, handle pivot	2	147TA3957
11	O-ring	1	147TA3922	51	Roller, control handle pump	1	120TA9977
12	Wiper ring (rubber)	1	120TA9940	52	Pin, control handle pump roller	1	121TA1085
13	O-ring	1	147TA3923	53	Lever lowering, tiller	1	147TA3971
14	Body, hydraulic pump unit piston (with pump piston)	1	147TA3954	54	Elastic pin	1	121TA1053
15	Bonded seal (10,7 x 16 x 1,5 mm)	1	121TA1100	55	Rod complete, lowering	1	147TA3969
16	Hydraulic unit	1	147TA3959	56	Chain, hydraulic unit	1	147TA3968
17	Lip seal	1	123TA6769	57	Rod complete, lowering (threaded)	1	121TA1089
18	Oil seal	1	120TA9945	58	Anchor, chain	1	147TA3952
19	Cap	1	120TA9946	59	Nut	1	123TA6778
20	Sealing ring (copper) (thickness: 2 mm)	1	147TA3924	60	Nut, nylon	1	147TA3962
21	Spring, control handle return torsion	1	147TA3970	61	Washer (thickness: 1,5 mm)	1	121TA1093
22	Shaft, handle pivot	1	147TA3951	62A	Wheel assembly, steer (polyurethane) (nylon rim)	2	147TA3929
23	Lock pin	1	120TA9949	62B	Wheel assembly, steer (nylon)	2	147TA3920
24	Lever lift control	1	147TA3960	63	Kit seal, hydraulic unit	1	107TA7035
25	Lock pin	1	147TA3958	64	Ball bearing	4	147TA3953
26	Bushing (rubber)	1	120TA9952	65	Turning (nylon)	1	120TA9991
27	Washer (thickness: 4,5 mm)	1	147TA3956	66	Shaft, steer wheel	1	147TA3972
28	Valve screw	1	120TA9954	67	Lock pin	1	121TA1098
29	Lip seal	1	120TA9955	68	Cap, front wheel hub	2	120TA9994
30	Pin, release	1	123TA6772	69	Lock pin	2	147TA3966
31	O-ring (4,47 x 1,78 mm)	1	120TA9957	70	Bushing	2	105TA2313
32	Bolt (stepped)	1	147TA3963				
33	Bonded seal	2	120TA9959				
34	Spring	1	120TA9960				
35	Steel ball	1	120TA9961				
36	Bolt	1	147TA3964				
37	Steel ball	1	120TA9963				
38	Valve release, hydraulic unit	1	121TA1078				
39	O-ring	2	147TA3926				
40	Steel ball	1	120TA9966				

MAIN FRAME ROCLA RHS25



TANDEM




Nr	Description	Qty	REF
2	Screw	1	121TA1045
3A	Torsion tube (frame width: 520 mm)	1	147TA3982
3B	Torsion tube (frame width: 685 mm) (with bushings)	1	121TA1047
4	Shaft/bolt load wheel	4	147TA3974
5A	Bushing, torsion tube pivot (for frame width: 520 mm)	2	121TA1000
5B	Bushing, torsion tube pivot (for frame width: 685 mm)	2	105TA2059
6	Shaft pivot, torsion tube	1	147TA3979
7	Elastic pin	3	147TA3945
8	Push/pull rod assembly, lift structure	2	147TA3981
9	Lock pin	8	147TA3977
10	Bushing, push/pull rod non fork end	2	147TA3942
11	Bushing, push/pull rod fork end	2	121TA1009
12	Lock pin	2	147TA3976
13	Shaft, push/pull rod fork end	2	147TA3940
14	Elastic pin	2	121TA1053
15	Shaft, fork load wheel bracket to chassis	2	147TA3975
16	Wheel, exit roller (auxiliary)	4	121TA1013
17	Sealing ring (aluminium)	4	121TA1055
18	Fork, bracket load wheel	2	106TA8049
19	Shaft/bolt load wheel	2	147TA3978
20A	Wheel assembly, load (nylon) (single) (with bearings)	2	107TA2932
20B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	121TA1057
21	Washer (plastic) (thickness: 2,55 mm)	8	105TA2322
23	Wheel, entry roller	2	147TA3947
24	Nut	2	121TA1059
25	Spacer, entry roller	2	121TA1060
26	Bushing (nylon)	4	121TA1023
27A	Wheel assembly, load (nylon) (tandem) (stainless steel bearings)	4	121TA1061
27B	Wheel assembly, load (polyurethane) (nylon rim) (tandem) (with bearings)	4	108TA8543
29	Fork, load wheel	2	103TA7742
30	Fork, load wheel	2	103TA7734

[illegible]

USED FOR STEINBOCK

WH20/23 MK IX-A

HYDRAULIC UNIT STEINBOCK WH20/23 MK IX-A



HYDRAULIC UNIT STEINBOCK WH20/23 MK IX-A


Nr	Description	Qty	REF
1	Hydraulic unit	1	124TA5744
2	Thrust plate, hydraulic pump unit mounting	1	124TA2665
3	Bushing, hydraulic unit pivot	1	124TA2515
4	Circlip	2	124TA2666
5	Spacer, pivot bearing hydraulic pump unit to chassis	1	124TA2516
6	Shaft, steer wheel	1	124TA2517
7	Shim (thickness: 0,5 mm)	1	124TA2518
8A	Wheel assembly, steer (nylon)	2	107TA3169
8B	Wheel assembly, steer (polyurethane)	2	107TA3110
8C	Wheel assembly, steer (rubber)	2	107TA3139
9	Circlip	2	124TA2519
10	Decal, fork movement	1	124TA2520
11	Bracket, tiller arm	1	124TA2521
12	Elastic pin	1	124TA2522
13	Bushing, control handle pump roller	1	124TA2523
14	Bushing, control handle pump roller	1	124TA2523
15	Roller kit, control handle pump	1	124TA2524
16	Pin, control handle pump roller	1	124TA2525
17	Rod complete, lowering	1	124TA2526
18	Link, chain	2	124TA2527
19	Rod complete, lowering	1	124TA2528
20	Lever lowering, tiller	1	124TA2529
21	Spring (rubber)	1	124TA2530
22	Circlip	1	124TA2531
23	Cap, control handle pivot return spring	1	124TA2532
24	Spring, control handle return torsion	1	124TA2533
25	Piston, hydraulic pump unit	1	124TA2534
26	Wiper ring (polyurethane)	1	124TA2535
27	Lip seal	1	124TA2536
28	Body, hydraulic pump unit piston	1	124TA2537
29	O-ring	1	124TA2538
30	Screw	1	124TA2539
31	Washer (thickness: 1,6 mm)	1	124TA2540
32	Lever lift control	1	124TA2541

Nr	Description	Qty	REF
33	Lever lift control	1	124TA2542
34	Plug	1	124TA2543
35	Screw (adjusting)	1	124TA2544
36	Housing	1	124TA2545
37	Plug (DIN 9)	1	124TA2546
38	Sealing ring (copper)	1	124TA2547
39	Core plug	1	124TA2548
40	Spring (compression)	1	124TA2549
41	Ball bearing	1	124TA2550
42	Valve housing	1	124TA2551
43	Spring	1	124TA2552
44	Elastic pin	1	124TA2553
45	O-ring	1	124TA2554
46	Spring (compression)	1	124TA2555
47	Steel ball	1	124TA2556
48	O-ring	1	124TA2557
49	Valve housing	1	124TA2558
50	Spring	1	124TA2559
51	Oil seal	1	124TA2560
52	Valve plunger	1	124TA2561
53	Valve release, hydraulic unit	1	124TA2562
54	Lip seal	1	124TA2563
55	Circlip	1	124TA2564
56	Piston, lift cylinder pallet truck	1	124TA2565
57	Dowel pin	1	124TA2566
58	Steel ball, lift cylinder piston pallet truck	1	124TA2567
59	O-ring	1	124TA2568
60	Cover	1	124TA2569
61	Bolt (M6) (total length: 20,2 mm)	1	124TA2570
62	Circlip	1	124TA2571
63	Shim (thickness: 2,5 mm)	1	124TA2572
64	Wiper ring (polyurethane)	1	124TA2573
65	Shaft, handle pivot	1	124TA2574
66	Handle assembly	1	124TA2575
67	Chain, hydraulic unit	1	124TA2576
68	Washer (thickness: 2,8 mm)	1	147TA3709
69	Kit seal, hydraulic unit	1	107TA7032
70	Bearing, hydraulic unit pivot	1	119TA9876

USED FOR STEINBOCK

WH20/23 MK IX-A

MAIN FRAME STEINBOCK WH20/23 MK IX-A



MAIN FRAME STEINBOCK WH20/23 MK IX-A


Nr	Description	Qty	REF
1	Decal horizontal	1	124TA2667
2	Decal horizontal	2	124TA2577
3	Decal, model type (WH 20)	1	124TA2578
4	Screw	2	124TA2579
5	Shaft pivot, torsion tube	2	124TA2580
6	Grease nipple	1	124TA2581
7	Bushing, torsion tube to thrust plate	2	124TA2582
9	Bushing, torsion tube pivot	2	105TA1525
10	Bushing, push/pull rod non fork end	2	124TA2583
11	Shaft, torsion tube to thrust plate	2	124TA2584
12	Elastic pin	2	124TA2585
13	Shaft, push/pull rod non fork end	2	124TA2586
14A	Torsion tube (frame width: 540 mm)	1	124TA2587
14B	Torsion tube (frame width: 456 mm)	1	124TA2588
14C	Torsion tube (frame width: 685 mm)	1	124TA2589
14D	Torsion tube (frame width: 540 mm)	1	124TA2590
15A	Push/pull rod, lift structure (fork length: 600 mm)	2	124TA2591
15B	Push/pull rod, lift structure (fork length: 800 mm)	2	124TA2592
15C	Push/pull rod, lift structure (fork length: 912 mm)	2	124TA2593
15D	Push/pull rod, lift structure (fork length: 960 mm)	2	124TA2594
15E	Push/pull rod, lift structure (fork length: 1000 mm)	2	124TA2595
15F	Push/pull rod, lift structure (fork length: 1060 mm)	2	124TA2596
15G	Push/pull rod, lift structure (fork length: 1150 mm)	2	124TA2597
15H	Push/pull rod, lift structure (fork length: 1200 mm)	2	124TA2598
16A	Push/pull rod, lift structure (fork length: 1377 mm)	2	124TA2599
16B	Push/pull rod, lift structure (fork length: 1550 mm)	2	124TA2600
16C	Push/pull rod, lift structure (fork length: 1830 mm)	2	124TA2601
17	Shaft, fork load wheel bracket to chassis	2	124TA2602
18	Elastic pin	2	124TA2585

Nr	Description	Qty	REF
19	Elastic pin	4	124TA2603
20	Shim (thickness: 1 mm)	1	124TA2604
21	Shaft/bolt load wheel (single)	2	124TA2605
22	Bushing, fork load wheel bracket to push/pull rod	4	105TA1523
23A	Shaft, steer wheel (single) (standard)	2	124TA2606
23B	Shaft, steer wheel (single) (greased)	2	124TA2607
24	Wheel, exit roller	2	124TA2608
25A	Wheel assembly, load (nylon) (single)	2	124TA2609
25B	Wheel assembly, load (polyurethane) (single)	2	124TA2610
25C	Wheel assembly, load (steel) (single)	2	124TA2611
26A	Shaft, steer wheel (single) (standard)	2	103TA7791
26B	Shaft, steer wheel (single) (greased)	2	124TA2612
27	Bushing, fork load wheel bracket to chassis	4	105TA2229
28	Carrier complete, load wheel (single)	2	124TA2613
29	Bushing, fork load wheel bracket to push/pull rod	2	105TA1523
31	Bushing, load wheel tandem pivot	2	124TA2614
32	Bushing, fork load wheel bracket to chassis	2	105TA2229
33	Fork, load wheel	1	124TA2615
34	Shim (thickness: 1,5 mm)	4	124TA2616
35	Bushing, load wheel tandem pivot	2	124TA2614
36	Bushing, fork load wheel bracket to push/pull rod	2	105TA1523
37	Bushing, fork load wheel bracket to chassis	2	105TA2229
38	Elastic pin	8	124TA2603
39	Shaft/bolt load wheel (tandem)	4	124TA2617
40	Wheel assembly, load (polyurethane) (tandem)	4	124TA2618
41	Shaft, steer wheel (tandem)	2	124TA2619
42	Shaft, steer wheel (tandem)	2	124TA2620
43	Carrier complete, load wheel (polyurethane) (tandem)	2	124TA2621

USED FOR TOTALLIFTER

AC STANDARD

HYDRAULIC UNIT TOTALLIFTER AC STANDARD




Nr	Description	Qty	REF
1	Handle assembly	1	<u>128TA4354</u>
2	Lever lowering, tiller	1	<u>128TA4355</u>
3	Rod complete, lowering	1	<u>128TA4356</u>
4	Bushing, handle pivot	2	<u>128TA4357</u>
5	Shaft, handle pivot	1	<u>128TA4358</u>
6	Roller kit, control handle pump	1	<u>128TA4359</u>
7	Elastic pin	2	<u>128TA4360</u>
8	Steel ball, lift cylinder piston pallet truck	1	<u>128TA4361</u>
9	Piston, hydraulic pump unit	1	<u>128TA4362</u>
10	Cap, control handle pivot return spring	1	<u>128TA4363</u>
11	Piston, lift cylinder pallet truck	1	<u>128TA4364</u>
12	Spring, control handle return torsion	1	<u>128TA4365</u>
13	Kit seal, hydraulic unit	1	<u>128TA4463</u>
14	Screw, plug	1	<u>128TA4367</u>
15	Seal	1	<u>128TA4368</u>
16	Head, cylinder	1	<u>128TA4369</u>
17	Cap, front wheel hub	2	<u>128TA4370</u>
18	Circlip	2	<u>128TA4371</u>
19A	Wheel assembly, steer (nylon) (diameter: 180 mm)	2	<u>128TA4372</u>
19B	Wheel assembly, steer (rubber) (diameter: 180 mm)	2	<u>128TA4373</u>
19C	Wheel assembly, steer (polyurethane) (diameter: 180 mm)	2	<u>128TA4374</u>
19D	Wheel assembly, steer (rubber) (diameter: 200 mm)	2	<u>131TA5494</u>
19E	Wheel assembly, steer (polyurethane) (diameter: 200 mm)	2	<u>129TA9712</u>
19F	Wheel assembly, steer (nylon) (diameter: 200 mm)	2	<u>128TA4539</u>
20	Washer (thickness: 2 mm)	1	<u>128TA4375</u>
21	Valve release, hydraulic unit	1	<u>128TA4376</u>
22	Elastic pin	1	<u>128TA4377</u>
23	Cotter pin	1	<u>128TA4378</u>
24	Spacer, pivot bearing hydraulic pump unit to chassis	1	<u>128TA4379</u>
25	Bearing, hydraulic unit pivot	1	<u>128TA4380</u>
26	Shaft, steer wheel	1	<u>128TA4381</u>
27	Lever lift control	1	<u>128TA4382</u>
28	Elastic pin	1	<u>128TA4383</u>

[illegible]

USED FOR TOTALLIFTER

AC STANDARD

MAIN FRAME TOTALLIFTER AC STANDARD




Nr	Description	Qty	REF
1	Washer (thickness: 2 mm)	4	128TA4389
2A	Wheel assembly, load (nylon) (single)	2	128TA4390
2B	Wheel assembly, load (polyurethane) (single)	2	128TA4391
3	Entry roller assembly	2	128TA4392
4A	Wheel assembly, load (polyurethane) (tandem)	4	128TA4394
4B	Wheel assembly, load (nylon) (tandem)	4	128TA4393
5	Shaft, center, fork load wheel	4	128TA4395
6	Fork, load wheel	2	128TA4396
7	Elastic pin	4	128TA4397
8	Circlip	4	128TA4398
9	Fork, load wheel	2	128TA4399
10	Fork, bracket load wheel	2	128TA4400
11	Wheel, exit roller	4	128TA4401
12	Shaft, fork load wheel bracket to chassis	2	128TA4402
13	Elastic pin	4	128TA4403
14	Wheel, exit roller	2	128TA4404
15	Circlip	2	128TA4405
16	Elastic pin	2	128TA4406
17	Shaft, push/pull rod fork end	2	128TA4407
18	Elastic pin	2	128TA4408
19	Washer (thickness: 1,5 mm)	2	128TA4409
20	Bushing, torsion tube pivot	2	128TA4410
21	Grease nipple	1	128TA4411
22A	Torsion tube (frame width: 540 mm)	1	128TA4412
22B	Torsion tube (frame width: 685 mm)	1	128TA4413
23	Shaft pivot, torsion tube	1	128TA4414
24A	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	128TA4415
24B	Push/pull rod assembly, lift structure (fork length: 1500 mm)	2	128TA4416
24C	Push/pull rod assembly, lift structure (fork length: 1800 mm)	2	128TA4417
24D	Push/pull rod assembly, lift structure (fork length: 2000 mm)	2	128TA4418
24E	Push/pull rod assembly, lift structure (fork length: 2500 mm)	2	128TA4419

[illegible]

USED FOR TOTALLIFTER

AC QUICKLIFT

HYDRAULIC UNIT TOTALLIFTER AC QUICKLIFT




Nr	Description	Qty	REF
1	Handle assembly	1	<u>128TA4354</u>
2	Lever lowering, tiller	1	<u>128TA4355</u>
3	Rod complete, lowering	1	<u>128TA4356</u>
4	Bushing, handle pivot	2	<u>128TA4357</u>
5	Shaft, handle pivot	1	<u>128TA4358</u>
6	Roller kit, control handle pump	1	<u>128TA4359</u>
7	Elastic pin	2	<u>128TA4582</u>
8	Steel ball, lift cylinder piston pallet truck	1	<u>128TA4583</u>
9	Cap, control handle pivot return spring	1	<u>128TA4584</u>
10	Piston, lift cylinder pallet truck	1	<u>128TA4585</u>
11	Spring, control handle return torsion	1	<u>128TA4586</u>
12	Kit seal, hydraulic unit	1	<u>128TA4587</u>
13	Screw, plug	1	<u>128TA4588</u>
14	Valve release, hydraulic unit	1	<u>128TA4589</u>
15	Body, hydraulic pump unit piston	1	<u>128TA4590</u>
16	Piston, hydraulic pump unit	1	<u>128TA4591</u>
17	Seal	1	<u>128TA4592</u>
18	Hydraulic unit	1	<u>128TA4593</u>
19	Cap, front wheel hub	2	<u>128TA4594</u>
20	Washer (thickness: 2 mm)	2	<u>128TA4596</u>
21	Circlip	2	<u>128TA4595</u>
22A	Wheel assembly, steer (nylon) (diameter: 180 mm)	2	<u>128TA4597</u>
22B	Wheel assembly, steer (rubber) (diameter: 180 mm)	2	<u>128TA4598</u>
22C	Wheel assembly, steer (polyurethane) (diameter: 180 mm)	2	<u>128TA4599</u>
22D	Wheel assembly, steer (nylon) (diameter: 200 mm)	2	<u>128TA4539</u>
22E	Wheel assembly, steer (rubber) (diameter: 200 mm)	2	<u>131TA5494</u>
22F	Wheel assembly, steer (polyurethane) (diameter: 200 mm)	2	<u>129TA9712</u>
23	Elastic pin	1	<u>128TA4600</u>
24	Valve release, hydraulic unit	1	<u>128TA4601</u>
25	Lever lift control	1	<u>128TA4602</u>
26	Shaft, steer wheel	1	<u>128TA4603</u>
27	Cotter pin	1	<u>128TA4604</u>
28	Spacer, pivot bearing hydraulic pump unit to chassis	1	<u>128TA4605</u>

[illegible]

USED FOR TOTALLIFTER


AC QUICKLIFT

MAIN FRAME TOTALLIFTER AC QUICKLIFT



MAIN FRAME TOTALLIFTER AC QUICKLIFT

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Washer (thickness: 2 mm)	4	128TA4389	25	Shaft, push/pull rod non fork end	2	128TA4420
2A	Wheel assembly, load (polyurethane) (single)	2	128TA4391	26	Circlip	2	128TA4421
2B	Wheel assembly, load (nylon) (single)	2	128TA4390	27	Shaft, torsion tube to thrust plate	2	128TA4422
3	Entry roller assembly	2	128TA4392	28	Bushing, push/pull rod non fork end	4	128TA4423
4A	Wheel assembly, load (nylon) (tandem)	4	128TA4393	29	Shaft/bolt load wheel	2	128TA4424
4B	Wheel assembly, load (polyurethane) (tandem)	4	128TA4394	30A	Carrier complete, load wheel (polyurethane) (tandem)	2	134TA3676
5	Shaft, center, fork load wheel	4	128TA4395	30B	Carrier complete, load wheel (nylon) (tandem)	2	138TA4538
6	Fork, load wheel	2	128TA4396				
7	Elastic pin	4	128TA4397				
8	Circlip	4	128TA4398				
9	Fork, load wheel	2	128TA4399				
10	Fork, bracket load wheel	2	128TA4400				
11	Wheel, exit roller	4	128TA4401				
12	Shaft, fork load wheel bracket to chassis	2	128TA4402				
13	Elastic pin	4	128TA4403				
14	Wheel, exit roller	2	128TA4404				
15	Circlip	2	128TA4405				
16	Elastic pin	2	128TA4406				
17	Shaft, push/pull rod fork end	2	128TA4407				
18	Elastic pin	2	128TA4408				
19	Washer (thickness: 1,5 mm)	2	128TA4409				
20	Bushing, torsion tube pivot	2	128TA4410				
21	Grease nipple	1	128TA4411				
22A	Torsion tube (frame width: 540 mm)	1	128TA4412				
22B	Torsion tube (frame width: 685 mm)	1	128TA4413				
23	Shaft pivot, torsion tube	1	128TA4414				
24A	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	128TA4415				
24B	Push/pull rod assembly, lift structure (fork length: 1500 mm)	2	128TA4416				
24C	Push/pull rod assembly, lift structure (fork length: 1800 mm)	2	128TA4417				
24D	Push/pull rod assembly, lift structure (fork length: 2000 mm)	2	128TA4418				
24E	Push/pull rod assembly, lift structure (fork length: 2500 mm)	2	128TA4419				




Nr	Description	Qty	REF
1A	Handle assembly (type A)	1	<u>128TA4425</u>
1B	Handle assembly (type B)	1	<u>128TA4426</u>
2	Lever lowering, tiller	1	<u>128TA4427</u>
3	Rod complete, lowering	1	<u>128TA4428</u>
4	Bushing, handle pivot	2	<u>128TA4429</u>
5	Shaft, handle pivot	1	<u>128TA4430</u>
6	Roller kit, control handle pump	1	<u>128TA4431</u>
7	Elastic pin	1	<u>128TA4360</u>
8	Steel ball, lift cylinder piston pallet truck	1	<u>128TA4361</u>
9	Pump piston	1	<u>128TA4362</u>
10	Cap, control handle pivot return spring	1	<u>128TA4363</u>
11	Piston, lift cylinder pallet truck	1	<u>128TA4364</u>
12	Spring, control handle return torsion	1	<u>128TA4365</u>
13	Sealkit	1	<u>128TA4366</u>
14	Screw, plug	1	<u>128TA4367</u>
15	Seal	1	<u>128TA4368</u>
16	Head, cylinder	1	<u>128TA4369</u>
17	Cap, front wheel hub	2	<u>128TA4370</u>
18	Circlip	2	<u>128TA4371</u>
19	Wheel assembly, steer (polyurethane)	2	<u>128TA4432</u>
20	Washer (thickness: 2 mm)	2	<u>128TA4375</u>
21	Valve release, hydraulic unit	1	<u>128TA4376</u>
22	Elastic pin	1	<u>128TA4377</u>
23	Cotter pin	1	<u>128TA4378</u>
24	Spacer, pivot bearing hydraulic pump unit to chassis	1	<u>128TA4379</u>
25	Bearing, hydraulic unit pivot	1	<u>128TA4380</u>
26	Shaft, steer wheel	1	<u>128TA4381</u>
27	Lever lift control	1	<u>128TA4382</u>
28	Elastic pin	2	<u>128TA4383</u>
29	Thrust plate, hydraulic pump unit mounting	1	<u>128TA4384</u>
30	Grease nipple	1	<u>128TA4385</u>
31	Circlip	1	<u>128TA4386</u>
32	Valve release, hydraulic unit	1	<u>128TA4387</u>
33	Hydraulic unit	1	<u>128TA4388</u>

[illegible]

USED FOR TOTALLIFTER

AC LOW PROFILE

MAIN FRAME TOTALLIFTER AC LOW PROFILE




[illegible][illegible]

USED FOR TOTALLIFTER

ACZ GALVANISED

HYDRAULIC UNIT TOTALLIFTER ACZ GALVANISED




Nr	Description	Qty	REF
1	Handle assembly	1	<u>128TA4521</u>
2	Lever lowering, tiller	1	<u>128TA4522</u>
3	Rod complete, lowering	1	<u>128TA4523</u>
4	Bushing, handle pivot	2	<u>128TA4524</u>
5	Shaft, handle pivot	1	<u>128TA4525</u>
6	Roller kit, control handle pump	1	<u>128TA4526</u>
7	Elastic pin	2	<u>128TA4527</u>
8	Steel ball, lift cylinder piston pallet truck	1	<u>128TA4528</u>
9	Piston, hydraulic pump unit	1	<u>128TA4529</u>
10	Cap, control handle pivot return spring	1	<u>128TA4530</u>
11	Piston, lift cylinder pallet truck	1	<u>128TA4531</u>
12	Spring, control handle return torsion	1	<u>128TA4532</u>
13	Kit seal, hydraulic unit	1	<u>128TA4533</u>
14	Screw, plug	1	<u>128TA4534</u>
15	Seal	1	<u>128TA4535</u>
16	Head, cylinder	1	<u>128TA4536</u>
17	Cap, front wheel hub	2	<u>128TA4537</u>
18	Circlip	2	<u>128TA4538</u>
19A	Wheel assembly, steer (nylon) (one side closed)	2	<u>128TA4539</u>
19B	Wheel assembly, steer (rubber)	2	<u>128TA4598</u>
19C	Wheel assembly, steer (nylon) (no sides closed)	2	<u>128TA4597</u>
20	Washer (thickness: 1,6 mm)	2	<u>128TA4540</u>
21	Valve release, hydraulic unit	1	<u>128TA4541</u>
22	Elastic pin	1	<u>128TA4542</u>
23	Elastic pin	1	<u>128TA4543</u>
24	Spacer, pivot bearing hydraulic pump unit to chassis	1	<u>128TA4544</u>
25	Bearing, hydraulic unit pivot	1	<u>128TA4545</u>
26	Shaft, steer wheel	1	<u>128TA4546</u>
27	Lever lift control	1	<u>128TA4547</u>
28	Elastic pin	2	<u>128TA4548</u>
29	Thrust plate, hydraulic pump unit mounting	1	<u>128TA4549</u>
30	Grease nipple	1	<u>128TA4550</u>
31	Circlip	1	<u>128TA4551</u>
32	Valve release, hydraulic unit	1	<u>128TA4552</u>
33	Hydraulic unit	1	<u>128TA4553</u>

[illegible]

USED FOR TOTALLIFTER

ACZ GALVANISED

MAIN FRAME TOTALLIFTER ACZ GALVANISED




Nr	Description	Qty	REF
1	Washer (thickness: 1,6 mm)	8	128TA4554
2A	Wheel assembly, load (nylon) (single)	2	128TA4390
2B	Wheel assembly, load (polyurethane) (single)	2	128TA4391
3	Entry roller assembly	2	128TA4555
4	Wheel assembly, load (nylon) (tandem)	4	128TA4556
5	Shaft, center, fork load wheel	4	128TA4557
6	Fork, load wheel	2	128TA4558
7	Elastic pin	8	128TA4559
8	Circlip	4	128TA4560
9	Fork, load wheel	2	128TA4561
10	Fork, bracket load wheel	2	128TA4562
11	Wheel, exit roller	4	128TA4563
12	Shaft, fork load wheel bracket to chassis	2	128TA4564
13	Elastic pin	4	128TA4565
14	Wheel, exit roller	2	128TA4566
15	Circlip	2	128TA4567
16	Bolt	1	128TA4568
17	Shaft, push/pull rod fork end	2	128TA4569
18	Elastic pin	2	128TA4570
19	Shim (thickness: 1,6 mm)	2	128TA4571
20	Bushing, torsion tube pivot	2	128TA4572
21	Grease nipple	1	128TA4573
22	Torsion tube	1	128TA4574
23	Shaft pivot, torsion tube	1	128TA4575
24	Push/pull rod assembly, lift structure	2	128TA4576
25	Shaft, push/pull rod non fork end	2	128TA4577
26	Circlip	2	128TA4578
27	Shaft, torsion tube to thrust plate	2	128TA4579
28	Bushing, torsion tube to thrust plate	4	128TA4580
29	Shaft/bolt load wheel	1	128TA4581
30	Carrier complete, load wheel (nylon) (tandem)	2	138TA4541
31	Bushing, push/pull rod fork end	2	138TA4542

[illegible]

USED FOR TOTALLIFTER

ACS STAINLESS STEEL

HYDRAULIC UNIT TOTALLIFTER ACS STAINLESS STEEL




USED FOR TOTALLIFTER

ACS STAINLESS STEEL

HYDRAULIC UNIT TOTALLIFTER ACS STAINLESS STEEL

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Handle assembly	1	128TA4613				
2	Lever lowering, tiller	1	128TA4614				
3	Rod complete, lowering	1	128TA4615				
4	Bushing, handle pivot	2	128TA4616				
5	Shaft, handle pivot	1	128TA4617				
6	Roller kit, control handle pump	1	128TA4618				
7	Elastic pin	2	128TA4619				
8	Steel ball, lift cylinder piston pallet truck	1	128TA4620				
9	Pump piston	1	128TA4621				
10	Cap, control handle pivot return spring	1	128TA4622				
11	Piston, lift cylinder pallet truck	1	128TA4623				
12	Spring, control handle return torsion	1	128TA4624				
13	Kit seal, hydraulic unit	1	128TA4625				
14	Screw, plug	1	128TA4626				
15	Seal	1	128TA4627				
16	Body, hydraulic pump unit piston	1	128TA4628				
17	Cap, front wheel hub	2	128TA4629				
18	Circlip	2	128TA4630				
19	Wheel assembly, steer (nylon) (stainless steel bearings)	2	128TA4631				
20	Washer (plastic) (thickness: 1,5 mm)	2	128TA4632				
21	Valve release, hydraulic unit	1	128TA4633				
22	Elastic pin	1	128TA4634				
23	Elastic pin	1	128TA4635				
24	Spacer, pivot bearing hydraulic pump unit to chassis	1	128TA4636				
25	Bearing, hydraulic unit pivot	1	128TA4637				
26	Shaft, steer wheel	1	128TA4638				
27	Lever lift control	1	128TA4639				
28	Elastic pin	2	128TA4640				
29	Thrust plate, hydraulic pump unit mounting	1	128TA4641				
30	Grease nipple	1	128TA4642				
31	Circlip	1	128TA4643				
32	Valve release, hydraulic unit	1	128TA4644				
33	Hydraulic unit	1	128TA4645				


MAIN FRAME TOTALLIFTER ACS STAINLESS STEEL



MAIN FRAME TOTALLIFTER ACS STAINLESS STEEL

[illegible][illegible]


HYDRAULIC UNIT TOTALLIFTER CBGIII STANDARD



HYDRAULIC UNIT TOTALLIFTER CBGIII STANDARD

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Handle assembly	1	128TA4454	29	Tank, hydraulic oil	1	128TA4481
2	Lever lowering, tiller	1	128TA4455	30	Body, hydraulic pump unit piston	1	128TA4482
3	Rod complete, lowering	1	128TA4456	31	Shaft, handle pivot	1	128TA4483
4	Screw	3	128TA4457	32	Elastic pin	1	128TA4484
5	Lock washer (M10)	3	128TA4458	33	Hydraulic unit (for wheels diameter: 180 mm)	1	128TA4485
6	Roller kit, control handle pump	1	128TA4459	33	Hydraulic unit (for wheels diameter: 200 mm)	1	138TA4543
7	Piston, hydraulic pump unit	1	128TA4460	34	Steel ball, lift cylinder piston pallet truck	1	128TA4486
8	Spring, control handle return torsion	1	128TA4461	35	Piston, lift cylinder pallet truck	1	128TA4487
9	Cap, control handle pivot return spring	1	128TA4462	36	Washer (nylon) (thickness: 1,6 mm)	1	128TA4488
10	Kit seal, hydraulic unit	1	128TA4463	37	Body, hydraulic pump unit piston	1	134TA3675
11	Bushing, handle pivot	2	128TA4464				
12	Cap, front wheel hub	2	128TA4465				
13	Circlip	2	128TA4466				
14A	Wheel assembly, steer (nylon) (diameter: 180 mm)	2	128TA4372				
14B	Wheel assembly, steer (rubber) (diameter: 180 mm)	2	128TA4373				
14C	Wheel assembly, steer (polyurethane) (diameter: 180 mm)	2	128TA4374				
14D	Wheel assembly, steer (polyurethane) (diameter: 200 mm)	2	131TA5495				
14E	Wheel assembly, steer (rubber) (diameter: 200 mm)	2	131TA5494				
14F	Wheel assembly, steer (nylon) (diameter: 200 mm)	2	128TA4539				
15	Elastic pin	1	128TA4467				
16	Elastic pin	1	128TA4468				
17	Spacer, pivot bearing hydraulic pump unit to chassis	1	128TA4469				
18	Elastic pin	2	128TA4470				
19	Thrust plate, hydraulic pump unit mounting	1	128TA4471				
20	Grease nipple	1	128TA4472				
21	Circlip	1	128TA4473				
22	Bearing, hydraulic unit pivot	1	128TA4474				
23	Shaft, steer wheel	1	128TA4475				
24	Valve release, hydraulic unit	1	128TA4476				
25	Lever lift control	1	128TA4477				
26	Valve release, hydraulic unit	1	128TA4478				
27	Screw	2	128TA4479				
28	Protection, hydraulic pump unit oil tank	1	128TA4480				

MAIN FRAME TOTALLIFTER CBGIII STANDARD



Nr	Description	Qty	REF
1	Elastic pin	2	128TA4489
2	Shaft, fork load wheel bracket to chassis	2	128TA4490
3	Washer (thickness: 2 mm)	4	128TA4491
4	Fork, bracket load wheel	2	128TA4492
5	Bolt	1	128TA4493
7	Torsion tube (frame width: 520 mm)	1	128TA4494
7	Torsion tube (frame width: 685 mm)	1	128TA4495
8	Grease nipple	1	128TA4496
9	Shaft, torsion tube to thrust plate	2	128TA4497
10	Bushing, torsion tube to thrust plate	4	128TA4498
11	Bushing, torsion tube pivot	2	128TA4499
12	Circlip	2	128TA4500
13	Shaft, push/pull rod non fork end	2	128TA4501
14A	Push/pull rod assembly, lift structure (fork length: 800 mm)	1	128TA4502
14B	Push/pull rod assembly, lift structure (fork length: 900 mm)	1	128TA4503
14C	Push/pull rod assembly, lift structure (fork length: 1000 mm)	1	128TA4504
14D	Push/pull rod assembly, lift structure (fork length: 1100 mm)	1	128TA4505
14E	Push/pull rod assembly, lift structure (fork length: 1150 mm)	1	128TA4506
15	Shaft pivot, torsion tube	1	128TA4507
17	Shaft/bolt load wheel (tandem)	4	128TA4508
18	Fork, load wheel	4	128TA4509
19	Elastic pin	1	128TA4510
20	Elastic pin	8	128TA4511
21	Washer (thickness: 2 mm)	8	128TA4512
22A	Wheel assembly, load (nylon) (tandem)	4	128TA4513
22B	Wheel assembly, load (polyurethane) (tandem)	4	128TA4514
23	Elastic pin	2	128TA4511
24	Shaft, push/pull rod fork end	2	128TA4515
25	Entry roller assembly	2	128TA4516
26A	Wheel assembly, load (nylon) (single)	2	128TA4517

[illegible]


This exploded view diagram illustrates the assembly of a mechanical device. The central component is a rectangular block (20) featuring a complex internal mechanism. Key sub-assemblies include:

- Top Assembly:** Consists of a long vertical rod (1), a spring (3), and a series of O-rings (25) and washers (2) leading to a cap (24).
- Left Wheel Assembly:** A wheel (8) mounted on an axle with bearings (5, 6, 7) and a hub (10).
- Right Wheel Assembly:** A similar wheel (8) with bearings (5, 6, 7) and a hub (11).
- Bottom Mounting:** A base plate (14) with mounting holes (13) and a fastener (15). A circular component (16) is shown at the very bottom.
- Internal Components:** Various small parts like pins (9), a lever (18), and a rod (17) are shown in their relative positions.

A small inset in the upper right corner shows a bag of O-rings, labeled 25, indicating the quantity or source of these seals.


[illegible][illegible]

HANDLE TOTALLIFTER TRP0003




[illegible][illegible]

MAIN FRAME TOTALLIFTER TRP0003



TYPE A


TYPE B



Nr	Description	Qty	REF
1	Bolt	1	<u>144TA2665</u>
2	Washer (thickness: 1,5 mm)	2	<u>144TA2696</u>
3	Bushing, torsion tube pivot	2	<u>144TA2667</u>
4A	Torsion tube (type A)	1	<u>144TA2666</u>
4B	Torsion tube (type B)	1	<u>144TA7495</u>
5	Shaft, torsion tube to thrust plate	2	<u>144TA2668</u>
6	Bushing, torsion tube to thrust plate	2	<u>144TA2669</u>
7	Circlip	2	<u>144TA2670</u>
8	Shaft, push/pull rod non fork end	2	<u>144TA2672</u>
9A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	<u>144TA2699</u>
9B	Push/pull rod assembly, lift structure (fork length: 900 mm)	2	<u>144TA2700</u>
9C	Push/pull rod assembly, lift structure (fork length: 1000 mm)	2	<u>144TA2701</u>
9D	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	<u>144TA2702</u>
9E	Push/pull rod assembly, lift structure (fork length: 1300 mm)	2	<u>144TA2703</u>
9F	Push/pull rod assembly, lift structure (fork length: 1500 mm)	2	<u>144TA2704</u>
9G	Push/pull rod assembly, lift structure (fork length: 1800 mm)	2	<u>144TA2705</u>
9H	Push/pull rod assembly, lift structure (fork length: 2000 mm)	2	<u>144TA2706</u>
10	Elastic pin	2	<u>144TA2675</u>
11A	Shaft pivot, torsion tube (type A)	2	<u>144TA2676</u>
11B	Shaft pivot, torsion tube (type B)	1	<u>144TA7496</u>
12	Shaft, push/pull rod fork end	2	<u>144TA2677</u>
13	Elastic pin	2	<u>144TA2680</u>
14	Elastic pin	4	<u>144TA2681</u>
15	Axle, exit roller	2	<u>144TA2682</u>
16	Wheel, exit roller (intermediate)	4	<u>144TA2678</u>
17	Wheel, exit roller	2	<u>144TA2679</u>
18	Fork, bracket load wheel	2	<u>144TA2683</u>
19	Fork, load wheel (for double wheel)	4	<u>144TA2685</u>


[illegible]

HYDRAULIC UNIT TOTALLIFTER TRP0004



[illegible][illegible]


HANDLE TOTALLIFTER TRP0004



LRP0004


[illegible][illegible]

MAIN FRAME TOTALLIFTER TRP0004



TYPE A


TYPE B



Nr	Description	Qty	REF
1	Bolt	1	<u>144TA2665</u>
2	Washer (thickness: 1,5 mm)	2	<u>144TA2696</u>
3	Bushing, torsion tube pivot	2	<u>144TA2667</u>
4A	Torsion tube (type A)	1	<u>144TA2666</u>
4B	Torsion tube (type B)	1	<u>144TA7495</u>
5	Shaft, torsion tube to thrust plate	2	<u>144TA2668</u>
6	Bushing, torsion tube to thrust plate	2	<u>144TA2669</u>
7	Circlip	2	<u>144TA2670</u>
8	Shaft, push/pull rod non fork end	2	<u>144TA2672</u>
9A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	<u>144TA2699</u>
9B	Push/pull rod assembly, lift structure (fork length: 900 mm)	2	<u>144TA2700</u>
9C	Push/pull rod assembly, lift structure (fork length: 1000 mm)	2	<u>144TA2701</u>
9D	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	<u>144TA2702</u>
9E	Push/pull rod assembly, lift structure (fork length: 1300 mm)	2	<u>144TA2703</u>
9F	Push/pull rod assembly, lift structure (fork length: 1500 mm)	2	<u>144TA2704</u>
9G	Push/pull rod assembly, lift structure (fork length: 1800 mm)	2	<u>144TA2705</u>
9H	Push/pull rod assembly, lift structure (fork length: 2000 mm)	2	<u>144TA2706</u>
10	Elastic pin	2	<u>144TA2675</u>
11A	Shaft pivot, torsion tube (type A)	2	<u>144TA2676</u>
11B	Shaft pivot, torsion tube (type B)	1	<u>144TA7496</u>
12	Shaft, push/pull rod fork end	2	<u>144TA2677</u>
13	Elastic pin	2	<u>144TA2680</u>
14	Elastic pin	4	<u>144TA2681</u>
15	Axle, exit roller	2	<u>144TA2682</u>
16	Wheel, exit roller (intermediate)	4	<u>144TA2678</u>
17	Wheel, exit roller	2	<u>144TA2679</u>
18	Fork, bracket load wheel	2	<u>144TA2683</u>
19	Fork, load wheel (for double wheel)	4	<u>144TA2685</u>

[illegible]


HYDRAULIC UNIT TOTALLIFTER TRP0005



Nr	Description	Qty	REF
	Hydraulic unit	1	144TA2985
1	Elastic pin	1	144TA2911
2	Shaft, handle pivot	1	144TA2909
3	Bracket (tiller complete)	1	144TA2982
4	Piston, hydraulic pump unit	1	144TA2860
5	Cap, control handle pivot return spring	1	144TA2861
6	Spring, control handle return torsion	1	144TA2862
7	Valve release, hydraulic unit	1	144TA2983
8	Lever lift control	1	144TA6580
9	Elastic pin	1	144TA2901
10	Shaft, steer wheel	1	144TA2875
11	Elastic pin	1	144TA2873
12	Spacer	1	144TA2917
13	Spacer, pivot bearing hydraulic pump unit to chassis	1	144TA2879
14	Bearing, hydraulic unit pivot	1	144TA2880
15	Elastic pin	2	144TA2881
16	Thrust plate, hydraulic pump unit mounting	1	144TA2876
17	Oil holder	1	144TA2877
18	Circlip	1	144TA2878
19	Cap, front wheel hub	2	144TA2882
20	Circlip	2	144TA2883
21	Washer (thickness: 1,5 mm)	2	144TA2884
22A	Wheel assembly, steer (rubber)	2	144TA7484
22B	Wheel assembly, steer (nylon)	2	144TA2979
22C	Wheel assembly, steer (polyurethane)	2	144TA2978
23	Base of pump	1	144TA2872
24	Valve release, hydraulic unit	1	144TA2980
25	Valve release, hydraulic unit	1	144TA2981
26	Bushing, handle pivot	2	144TA2914
27	Screw	1	144TA2905
28	Piston, lift cylinder pallet truck	1	144TA2903
29	Steel ball, lift cylinder piston pallet truck	1	144TA2902
30	Kit seal, hydraulic unit	1	144TA2984


[illegible]

HANDLE TOTALLIFTER TRP0005




[illegible][illegible]

MAIN FRAME TOTALLIFTER TRP0005



TYPE A

TYPE B




Nr	Description	Qty	REF
1	Bolt	1	144TA2665
2	Washer (thickness: 1,5 mm)	2	144TA2696
3	Bushing, torsion tube pivot	2	144TA2667
4A	Torsion tube (type A)	1	144TA2666
4B	Torsion tube (type B)	1	144TA7495
5	Shaft, torsion tube to thrust plate	2	144TA2668
6	Bushing, torsion tube to thrust plate	2	144TA2669
7	Circlip	2	144TA2670
8	Shaft, push/pull rod non fork end	2	144TA2672
9A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	144TA2699
9B	Push/pull rod assembly, lift structure (fork length: 900 mm)	2	144TA2700
9C	Push/pull rod assembly, lift structure (fork length: 1000 mm)	2	144TA2701
9D	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	144TA2702
9E	Push/pull rod assembly, lift structure (fork length: 1300 mm)	2	144TA2703
9F	Push/pull rod assembly, lift structure (fork length: 1500 mm)	2	144TA2704
9G	Push/pull rod assembly, lift structure (fork length: 1800 mm)	2	144TA2705
9H	Push/pull rod assembly, lift structure (fork length: 2000 mm)	2	144TA2706
10	Elastic pin	2	144TA2675
11A	Shaft pivot, torsion tube (type A)	2	144TA2676
11B	Shaft pivot, torsion tube (type B)	1	144TA7496
12	Shaft, push/pull rod fork end	2	144TA2677
13	Elastic pin	2	144TA2680
14	Elastic pin	4	144TA2681
15	Axle, exit roller	2	144TA2682
16	Wheel, exit roller (intermediate)	4	144TA2678
17	Wheel, exit roller	2	144TA2679
18	Fork, bracket load wheel	2	144TA2683
19	Fork, load wheel (for double wheel)	4	144TA2685

[illegible]

USED FOR TOTALLIFTER


TRP0006

HYDRAULIC UNIT TOTALLIFTER TRP0006




Nr	Description	Qty	REF
	Hydraulic unit	1	<u>144TA2977</u>
1	Elastic pin	1	<u>144TA2851</u>
2	Shaft, handle pivot	1	<u>144TA2852</u>
3	Bracket (tiller complete)	1	<u>144TA2975</u>
4	Elastic pin	1	<u>144TA2857</u>
5	Piston, hydraulic pump unit	1	<u>144TA2807</u>
6	Cap, control handle pivot return spring	1	<u>144TA2808</u>
7	Spring, control handle return torsion	1	<u>144TA2809</u>
8	Bushing, handle pivot	2	<u>144TA2858</u>
9	Body, hydraulic pump unit piston	1	<u>144TA2812</u>
10	Cap, front wheel hub	2	<u>144TA2816</u>
11	Circlip	2	<u>144TA2815</u>
12	Washer (nylon) (thickness: 1,6 mm)	2	<u>144TA2814</u>
13A	Wheel assembly, steer (rubber)	2	<u>144TA7484</u>
13B	Wheel assembly, steer (nylon)	2	<u>144TA2973</u>
13C	Wheel assembly, steer (polyurethane)	2	<u>144TA2972</u>
14	Elastic pin	1	<u>144TA2818</u>
15	Elastic pin	1	<u>144TA2819</u>
16	Spacer, pivot bearing hydraulic pump unit to chassis	1	<u>144TA2820</u>
17	Bearing, hydraulic unit pivot	1	<u>144TA2821</u>
18	Elastic pin	2	<u>144TA2822</u>
19	Thrust plate, hydraulic pump unit mounting	1	<u>144TA2823</u>
20	Grease nipple	1	<u>144TA2824</u>
21	Circlip	1	<u>144TA2825</u>
22	Shaft, steer wheel	1	<u>144TA2826</u>
23	Lever lift control	1	<u>144TA6578</u>
24	Valve release, hydraulic unit	1	<u>144TA2827</u>
25	Housing, pump	1	<u>144TA2828</u>
26	Valve release, hydraulic unit	1	<u>144TA2974</u>
27	Screw	2	<u>144TA2837</u>
28	Protection, hydraulic pump unit oil tank	1	<u>144TA2838</u>
29	Tank, hydraulic oil	1	<u>144TA6579</u>
30	Body, hydraulic pump unit piston	1	<u>144TA2846</u>
31	Wiper ring	1	<u>144TA2848</u>
32	Piston, lift cylinder pallet truck	1	<u>144TA2849</u>

HANDLE TOTALLIFTER TRP0006




[illegible][illegible]

MAIN FRAME TOTALLIFTER TRP0006




TYPE A

TYPE B




Nr	Description	Qty	REF
1	Seat (rubber)	1	<u>144TA2707</u>
2	Seat, bearing	1	<u>144TA2708</u>
3	Circlip	1	<u>144TA2709</u>
4	Washer (thickness: 1,5 mm)	2	<u>144TA2696</u>
6A	Torsion tube (type A)	1	<u>144TA2666</u>
6B	Torsion tube (type B)	1	<u>144TA7495</u>
5	Bushing, torsion tube pivot	2	<u>144TA2667</u>
7	Shaft, torsion tube to thrust plate	2	<u>144TA2668</u>
8	Bushing, torsion tube to thrust plate	2	<u>144TA2669</u>
9	Circlip	2	<u>144TA2670</u>
10	Shaft, push/pull rod non fork end	2	<u>144TA2672</u>
11A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	<u>144TA2699</u>
11B	Push/pull rod assembly, lift structure (fork length: 900 mm)	2	<u>144TA2700</u>
11C	Push/pull rod assembly, lift structure (fork length: 1000 mm)	2	<u>144TA2701</u>
11D	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	<u>144TA2702</u>
11E	Push/pull rod assembly, lift structure (fork length: 1300 mm)	2	<u>144TA2703</u>
11F	Push/pull rod assembly, lift structure (fork length: 1500 mm)	2	<u>144TA2704</u>
11G	Push/pull rod assembly, lift structure (fork length: 1800 mm)	2	<u>144TA2705</u>
11H	Push/pull rod assembly, lift structure (fork length: 2000 mm)	2	<u>144TA2706</u>
12	Elastic pin	2	<u>144TA2675</u>
13A	Shaft pivot, torsion tube (type A)	2	<u>144TA2676</u>
13B	Shaft pivot, torsion tube (type B)	1	<u>144TA7496</u>
14	Shaft, push/pull rod fork end	2	<u>144TA2677</u>
15	Elastic pin	2	<u>144TA2680</u>
16	Elastic pin	4	<u>144TA2681</u>
17	Shaft, fork load wheel bracket to chassis	2	<u>144TA2682</u>
18	Wheel, exit roller (intermediate)	4	<u>144TA2678</u>
19	Wheel, exit roller	2	<u>144TA2679</u>

HYDRAULIC UNIT TOTALLIFTER TRP0007




[illegible][illegible]

HANDLE TOTALLIFTER TRP0007



[illegible][illegible]

MAIN FRAME TOTALLIFTER TRP0007




[illegible][illegible]

USED FOR TOTALLIFTER

TRPI0001 (-31/12/2015)

HYDRAULIC UNIT TOTALLIFTER TRPI0001 (-31/12/2015)




HYDRAULIC UNIT TOTALLIFTER TRPI0001 (-31/12/2015)


Nr	Description	Qty	REF	Nr	Description	Qty	REF
2	Plug/screw	1	121TA1066	42	Seat, spring (with spring)	1	120TA9968
3	Circlip	1	120TA9932	43	Bearing, hydraulic unit pivot	1	120TA9969
4	Lip seal	1	120TA9933	44	Thrust plate, hydraulic pump unit mounting	1	121TA1079
5	Bushing	1	120TA9934	45	Circlip	1	121TA1080
6	Piston, lift cylinder pallet truck	1	121TA1067	46	Axle	2	121TA1081
7	Steel ball	1	120TA9936	47	Elastic pin	2	121TA1082
8	Steel ball	1	120TA9937	48	Handle assembly	1	121TA1083
9	Body, hydraulic pump unit piston	1	121TA1068	50	Bushing, handle pivot	2	105TA1847
10	Grease nipple	5	121TA1064	51	Roller, control handle pump	1	120TA9977
11	O-ring	1	120TA9939	52	Pin, control handle pump roller	1	121TA1085
12	Wiper ring (rubber)	1	120TA9940	53	Lever lowering, tiller	1	121TA1086
13	O-ring	1	120TA9941	54	Elastic pin	1	121TA1053
14	Cylinder, pump (complete with pump piston)	1	121TA1069	55	Rod complete, lowering	1	121TA1087
15	Bonded seal	1	121TA1100	59	Nut, special	1	121TA1091
16	Hydraulic unit	1	121TA1101	60	Nut	1	121TA1092
17	Lip seal	1	120TA9944	61	Washer (thickness: 1,5 mm)	1	121TA1093
18	Oil seal	1	120TA9945	62A	Wheel assembly, steer (polyurethane) (nylon rim)	2	121TA1094
19	Cap	1	120TA9946	62B	Wheel assembly, steer (nylon)	2	121TA1095
20	Washer (copper) (thickness: 2 mm)	1	105TA1245	63	Kit seal, hydraulic unit	1	107TA7001
21	Spring, control handle return torsion	1	121TA1070	64	Ball bearing	4	107TA3181
22	Shaft, handle pivot	1	121TA1071	65	Spacer, pivot bearing hydraulic pump unit to chassis	1	120TA9991
23	Elastic pin	1	121TA1072	66	Shaft, steer wheel	1	121TA1097
24	Lever lift control	1	121TA1073	67	Elastic pin	1	121TA1098
25	Elastic pin	1	121TA1074	68	Cap, front wheel hub	2	120TA9994
26	Bushing (rubber)	1	120TA9952	69	Elastic pin	2	121TA1099
27	Washer (thickness: 4,5 mm)	1	121TA1075	70	Bushing (without collar)	2	105TA2313
28	Valve screw	1	120TA9954				
29	Lip seal	1	120TA9955				
30	Pin, release	1	120TA9956				
31	O-ring	1	120TA9957				
32	Collar screw (long)	1	121TA1076				
33	Bonded seal (steel) (thickness: 1,5 mm)	2	120TA9959				
34	Spring (valve)	1	120TA9960				
35	Steel ball	1	120TA9961				
36	Collar screw (long)	1	121TA1077				
37	Steel ball	1	120TA9963				
38	Valve release, hydraulic unit	1	121TA1078				
39	O-ring	2	120TA9965				
40	Steel ball	1	120TA9966				
41	O-ring	2	120TA9967				

TRPI0001 (-31/12/2015)

MAIN FRAME TOTALLIFTER TRPI0001 (-31/12/2015)



TANDEM



USED FOR TOTALLIFTER

MAIN FRAME TOTALLIFTER TRPI0001 (-31/12/2015)


Nr	Description	Qty	REF	Nr	Description	Qty	REF
2	Bolt	1	121TA1045	29	Fork, load wheel	2	103TA7742
3A	Torsion tube (fork width: 520 mm)	1	121TA1046	30	Fork, load wheel	2	103TA7734
3B	Torsion tube (fork width: 685 mm)	1	121TA1047				
4	Shaft, center, fork load wheel	4	121TA1062				
5A	Bushing, torsion tube pivot (fork width: 520 mm)	2	121TA1000				
5B	Bushing, torsion tube pivot (fork width: 685 mm)	2	105TA2059				
6	Shaft pivot, torsion tube	1	121TA1048				
7	Elastic pin	3	121TA1049				
8	Push/pull rod assembly, lift structure	2	121TA1050				
9	Elastic pin	8	121TA1063				
10	Shaft, push/pull rod non fork end	2	121TA1008				
11	Bushing, push/pull rod fork end	2	121TA1009				
12	Elastic pin	2	121TA1051				
13	Shaft, push/pull rod fork end	2	121TA1052				
14	Elastic pin	2	121TA1053				
15	Shaft, fork load wheel bracket to chassis	2	121TA1054				
16	Wheel, exit roller (auxiliary)	4	121TA1013				
17	Sealing ring (aluminium) (thickness: 1 mm)	4	121TA1055				
18	Fork, bracket load wheel	2	103TA7884				
19	Shaft/bolt load wheel	2	121TA1056				
20A	Wheel assembly, load (nylon) (single) (with bearings)	2	107TA2932				
20B	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	121TA1057				
21	Shim (plastic) (thickness: 2,55 mm)	8	105TA2322				
22	Ball bearing	4	121TA1058				
23	Wheel, entry roller	2	121TA1020				
24	Nut, nylon	2	121TA1059				
25	Shaft/bolt, entry roller	2	121TA1060				
26	Bushing	4	121TA1023				
27A	Wheel assembly, load (nylon) (tandem) (stainless steel bearings)	4	121TA1061				
27B	Wheel assembly, load (polyurethane) (nylon rim) (tandem) (with bearings)	4	108TA8543				
28	Grease nipple	5	121TA1064				

TRPI0001 (-31/12/2015)

USED FOR TOTALLIFTER

TRPI0001 (01/01/2016-)

HYDRAULIC UNIT TOTALLIFTER TRPI0001 (01/01/2016-)



USED FOR TOTALLIFTER


HYDRAULIC UNIT TOTALLIFTER TRPI0001 (01/01/2016-)

Nr	Description	Qty	REF
1	Hydraulic unit	1	151TA3223
2A	Screw (slotted)	1	145TA8899
2B	Lock washer (special) (305/M10)	1	145TA8900
3	Circlip	1	144TA9106
4	Lip seal	1	145TA8902
5	Bushing	1	144TA9109
6	Piston, lift cylinder pallet truck	1	145TA8903
7	Steel ball (diameter: 120 mm)	1	144TA9460
8	Steel ball (diameter: 2,54 mm)	1	144TA9112
9	Body, hydraulic pump unit piston	1	151TA3224
11	O-ring	1	144TA9115
12	Wiper ring (rubber)	1	144TA9116
13	O-ring	1	144TA9117
14	Body, hydraulic pump unit piston (with pump piston)	1	151TA3253
15	Body, hydraulic pump unit piston (with seals)	1	151TA3254
16	Cap, control handle pivot return spring	1	145TA8911
17	Lip seal	1	144TA9466
18	Oil seal	1	144TA9465
19	Cap, end	1	144TA9132
20	Sealing ring (copper) (thickness: 2 mm)	1	144TA9133
21	Spring, control handle return torsion	1	145TA8912
22	Shaft, handle pivot	1	145TA8913
23	Elastic pin	1	145TA8914
24	Lever lift control	1	151TA3225
25	Elastic pin	1	144TA9138
26	Bushing (rubber)	1	144TA9139
27	Washer (thickness: 4,5 mm)	1	145TA8917
28	Valve screw	1	144TA9141
29	Lip seal	1	144TA9142
30	Actuator pin	1	144TA9143
31	Seal	1	144TA9144
32	Collar screw	1	145TA8918
33	Bonded seal	2	144TA9146
34	Spring (valve)	1	144TA9147
35	Steel ball (diameter: 80 mm)	1	144TA9148
36	Collar screw	1	145TA8920
37	Steel ball (diameter: 90 mm)	2	144TA9150

Nr	Description	Qty	REF
38	Valve release, hydraulic unit	1	151TA3226
39	O-ring	2	144TA9152
41	O-ring	2	144TA9153
42	Chamber and spring	1	144TA9154
43	Bearing, hydraulic unit pivot	1	145TA8922
44	Thrust plate, hydraulic pump unit mounting	1	151TA3227
45	Circlip	1	151TA3228
46	Axle neck	2	151TA3229
47	Elastic pin	2	145TA8926
48	Handle assembly	1	151TA3216
50	Bushing, handle pivot	2	151TA3217
51	Roller, control handle pump	1	151TA3218
52	Pin, control handle pump roller	1	145TA8930
53	Lever lowering, tiller	1	151TA3219
54	Elastic pin	1	151TA3220
55	Rod complete, lowering	1	151TA3221
59	Tube	1	151TA3222
60	Nut	1	145TA8937
61	Washer (thickness: 1,5 mm)	1	145TA8938
62A	Wheel assembly, load (polyurethane)	2	151TA3014
62B	Wheel assembly, load (rubber)	2	151TA3230
62C	Wheel assembly, load (nylon)	2	145TA8940
62D	Wheel assembly, load (Vulkollan®)	2	151TA3231
64	Bearing	4	145TA8941
65	Spacer, pivot bearing hydraulic pump unit to chassis	1	145TA8942
66	Shaft, steer wheel	1	145TA8943
67	Elastic pin	1	145TA8916
68	Cap, front wheel hub	2	144TA9172
69	Elastic pin	2	151TA3232
70	Bushing (without collar)	2	145TA8945
71	Kit seal, hydraulic unit	1	151TA3233

TRPI0001 (01/01/2016-)

MAIN FRAME TOTALLIFTER TRPI0001 (01/01/2016-)



MAIN FRAME TOTALLIFTER TRPI0001 (01/01/2016-)


Nr	Description	Qty	REF
2	Screw	1	145TA8949
3A	Torsion tube (fork width: 520 mm)	1	151TA3251
3B	Torsion tube (fork width: 685 mm)	2	151TA3255
5A	Bushing, torsion tube pivot (fork width: 520 mm)	2	151TA3234
5B	Bushing, torsion tube pivot (fork width: 685 mm)	2	151TA3235
6A	Shaft pivot, torsion tube (fork width: 520 mm)	1	145TA8952
6B	Shaft pivot, torsion tube (fork width: 685 mm)	1	145TA8953
7	Elastic pin	3	145TA8954
8	Push/pull rod assembly, lift structure	2	151TA3256
10	Shaft, push/pull rod non fork end	2	151TA3236
11	Bushing, push/pull rod fork end	2	151TA3237
12	Elastic pin	2	151TA3238
13	Shaft, push/pull rod fork end	2	151TA3239
14	Elastic pin	2	145TA8932
15	Axle	2	151TA3240
16	Wheel, exit roller (auxiliary)	4	151TA3241
17	Washer (thickness: 1 mm)	4	144TA9186
18	Fork, bracket load wheel	2	151TA3242
19	Axle	2	151TA3257
20A	Wheel assembly, load (nylon)	2	151TA3243
20B	Wheel assembly, load (polyurethane)	2	151TA3244
20C	Wheel assembly, load (Vulkollan®)	2	151TA3258
22	Ball bearing (single)	4 or 8	151TA3259
23	Wheel, entry roller	2	145TA8965
24	Lock nut	2	145TA8966
25	Shaft/bolt, entry roller	2	145TA8967
26	Shim (plastic) (thickness: 2,55 mm)	4	151TA3245
27A	Wheel assembly, load (nylon)	4	147TA4707
27B	Wheel assembly, load (polyurethane)	4	151TA3246
27C	Wheel assembly, load (Vulkollan®)	4	151TA3260
29	Fork, load wheel	2	151TA3247
30	Fork, load wheel	2	151TA3248
31	Elastic pin	4	145TA8972

[illegible]

USED FOR TOTALLIFTER

TRPI0003 (-31/12/2015)

HYDRAULIC UNIT TOTALLIFTER TRPI0003 (-31/12/2015)




HYDRAULIC UNIT TOTALLIFTER TRPI0003 (-31/12/2015)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
2	Plug/screw	1	121TA1066	42	Seat, spring (with spring)	1	120TA9968
3	Circlip	1	120TA9932	43	Bearing, hydraulic unit pivot	1	120TA9969
4	Lip seal	1	120TA9933	44	Thrust plate, hydraulic pump unit mounting	1	121TA1079
5	Bushing	1	120TA9934	45	Circlip	1	121TA1080
6	Piston, lift cylinder pallet truck	1	121TA1067	46	Axle	2	121TA1081
7	Steel ball	1	120TA9936	47	Lock pin	2	121TA1082
8	Steel ball	1	120TA9937	48	Handle assembly	1	121TA1083
9	Body, hydraulic pump unit piston	1	121TA1068	50	Bushing, handle pivot	2	105TA1847
10	Grease nipple	1	121TA1064	51	Roller, control handle pump	1	120TA9977
11	O-ring	1	120TA9939	52	Lock pin	1	121TA1085
12	Wiper ring (rubber)	1	120TA9940	53	Lever lowering, tiller	1	121TA1086
13	O-ring	1	120TA9941	54	Elastic pin	1	121TA1053
14	Cylinder, pump (complete with pump piston)	1	121TA1069	55	Rod complete, lowering	1	121TA1087
15	Bonded seal	1	121TA1100	59	Nut	1	121TA1091
16	Hydraulic unit	1	121TA1101	60	Nut	1	123TA8535
17	Lip seal	1	120TA9944	61	Washer (thickness: 1,5 mm)	1	121TA1093
18	Oil seal	1	120TA9945	62A	Wheel assembly, steer (polyurethane) (nylon rim)	2	121TA1094
19	Shaft, steer wheel	1	120TA9946	62B	Wheel assembly, steer (nylon)	2	121TA1095
20	Washer (copper) (thickness: 2 mm)	1	105TA1245	63	Kit seal, hydraulic unit	1	107TA7001
21	Spring, control handle return torsion	1	121TA1070	64	Ball bearing	4	107TA3181
22	Shaft, handle pivot	1	121TA1071	65	Turning	1	120TA9991
23	Lock pin	1	121TA1072	66	Front axle	1	121TA1097
24	Lever lift control	1	121TA1073	67	Elastic pin	1	121TA1098
25	Lock pin	1	121TA1074	68	Stop (collar)	2	120TA9994
26	Bushing (rubber)	1	120TA9952	69	Elastic pin	2	121TA1099
27	Washer (thickness: 4,5 mm)	1	121TA1075	70	Bushing (without collar)	2	105TA2313
28	Valve screw	1	120TA9954				
29	Lip seal	1	120TA9955				
30	Pin, release	1	120TA9956				
31	O-ring (4,47 x 1,78 mm)	1	120TA9957				
32	Bolt (stepped)	1	121TA1076				
33	Bonded seal	2	120TA9959				
34	Spring	1	120TA9960				
35	Steel ball	1	120TA9961				
36	Bolt	1	121TA1077				
37	Steel ball	1	120TA9963				
38	Valve release, hydraulic unit	1	121TA1078				
39	O-ring	2	120TA9965				
40	Steel ball	1	120TA9966				
41	O-ring	2	120TA9967				

TRPI0003 (-31/12/2015)

MAIN FRAME TOTALLIFTER TRPI0003 (-31/12/2015)




[illegible][illegible]

USED FOR TOTALLIFTER

TRPI0003 (01/01/2016-)

HYDRAULIC UNIT TOTALLIFTER TRPI0003 (01/01/2016-)




USED FOR TOTALLIFTER

HYDRAULIC UNIT TOTALLIFTER TRPI0003 (01/01/2016-)

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Hydraulic unit	1	151TA3223	38	Valve release, hydraulic unit	1	151TA3226
2	Screw (slotted)	1	145TA8899	39	O-ring	2	144TA9152
2	Lock washer (special) (305/M10)	1	145TA8900	41	O-ring	2	144TA9153
3	Circlip	1	144TA9106	42	Chamber and spring	1	144TA9154
4	Lip seal	1	145TA8902	43	Bearing, hydraulic unit pivot	1	145TA8922
5	Bushing	1	144TA9109	44	Thrust plate, hydraulic pump unit mounting	1	151TA3227
6	Piston, lift cylinder pallet truck	1	145TA8903	45	Circlip	1	151TA3228
7	Steel ball (diameter: 120 mm)	1	144TA9460	46	Axle neck	2	151TA3229
8	Steel ball (diameter: 2,54 mm)	1	144TA9112	47	Elastic pin	2	145TA8926
9	Body, hydraulic pump unit piston	1	151TA3224	48	Handle assembly	1	151TA3216
11	O-ring	1	144TA9115	50	Bushing, handle pivot	2	151TA3217
12	Wiper ring (rubber)	1	144TA9116	51	Roller, control handle pump	1	151TA3218
13	O-ring	1	144TA9117	52	Pin, control handle pump roller	1	145TA8930
14	Body, hydraulic pump unit piston (with pump piston)	1	151TA3253	53	Lever, release	1	151TA3219
15	Body, hydraulic pump unit piston (with seals)	1	151TA3254	54	Elastic pin	1	151TA3220
16	Hydraulic unit	1	145TA8911	55	Rod complete, lowering	1	151TA3221
17	Lip seal	1	144TA9466	59	Tube	1	151TA3222
18	Oil seal	1	144TA9465	60	Nut	1	145TA8937
19	Cap, end	1	144TA9132	61	Washer (thickness: 1,5 mm)	1	145TA8938
20	Sealing ring (copper) (thickness: 2 mm)	1	144TA9133	62A	Wheel assembly, steer (polyurethane)	2	151TA3014
21	Spring, control handle return torsion	1	145TA8912	62B	Wheel assembly, steer (rubber)	2	151TA3230
22	Shaft, handle pivot	1	145TA8913	62C	Wheel assembly, steer (nylon)	2	145TA8940
23	Elastic pin	1	145TA8914	62D	Wheel assembly, steer (Vulkollan®)	2	151TA3231
24	Lever lift control	1	151TA3225	64	Bearing	4	145TA8941
25	Elastic pin	1	144TA9138	65	Spacer, pivot bearing hydraulic pump unit to chassis	1	145TA8942
26	Bushing (rubber)	1	144TA9139	66	Shaft, steer wheel	1	145TA8943
27	Washer (thickness: 4,5 mm)	1	145TA8917	67	Elastic pin	1	145TA8916
28	Valve screw	1	144TA9141	68	Cap, front wheel hub	2	144TA9172
29	Lip seal	1	144TA9142	69	Elastic pin	2	151TA3232
30	Actuator pin	1	144TA9143	70	Bushing (without collar)	2	145TA8945
31	Seal	1	144TA9144	71	Kit seal, hydraulic unit	1	151TA3233
32	Collar screw	1	145TA8918				
33	Bonded seal	2	144TA9146				
34	Spring (valve)	1	144TA9147				
35	Steel ball (diameter: 80 mm)	1	144TA9148				
36	Collar screw	1	145TA8920				
37	Steel ball (diameter: 90 mm)	2	144TA9150				

TRPI0003 (01/01/2016-)


MAIN FRAME TOTALLIFTER TRPI0003 (01/01/2016-)



MAIN FRAME TOTALLIFTER TRPI0003 (01/01/2016-)

[illegible]

HYDRAULIC UNIT TOYOTA HT20




HYDRAULIC UNIT TOYOTA HT20

Nr	Description	Qty	REF
1	Circlip	1	124TA9117
2	Cap, control handle pivot return spring	1	124TA9118
3	Spring, control handle return torsion	1	124TA9119
4	Insert	1	107TA6582
5	Housing, bearing	1	107TA6583
6	Circlip	1	123TA5401
7	Ball bearing	1	124TA9120
8	Washer (nylon) (thickness: 3 mm)	1	107TA6586
9	Circlip	1	124TA9121
10	Lock pin	1	124TA9122
11	Lock pin	1	124TA9123
12	Lever lift control	1	107TA6590
13	Lock pin	1	124TA9123
14	Bearing, hydraulic unit pivot	1	106TA6779
15	Lock pin	1	124TA9124
16	Thrust plate, hydraulic pump unit mounting	1	106TA6781
17	Grease nipple	1	107TA5542
18	Circlip	1	124TA9125
20	Shaft, steer wheel	1	107TA6596
23	Bushing	2	123TA6139
25	Circlip	2	124TA9126
26A	Wheel assembly, steer (Vulkollan®)	2	107TA3102
26B	Wheel assembly, steer (rubber)	2	107TA6601
26C	Wheel assembly, steer (nylon)	2	107TA6605
26D	Wheel assembly, steer (polyurethane) (nylon rim)	2	107TA6606
26E	Wheel assembly, steer (steel)	2	123TA6140
27	Cap, front wheel hub	2	122TA7004
31	Lever lowering, tiller	1	106TA6780
33	Lock pin	1	119TA9854
34	Steel ball	2	107TA5970
36	Spring	1	107TA6614
37	Bushing (without collar)	1	105TA1799
38	Bracket, tiller arm	1	124TA9127
39	Handle assembly	1	124TA9128
40	Bushing, handle pivot	2	124TA9129
41	Axle	2	107TA6618
42	Pin, control handle pump roller	1	107TA6619

Nr	Description	Qty	REF
43	Lock pin	1	123TA6144
44	Roller, control handle pump	1	107TA6621
45	Rod complete, lowering	1	107TA6622
46	Spring	1	107TA6623
47	Nut	1	124TA9130
48	Bushing, control handle pump roller	1	107TA6625
49	Hydraulic unit	1	107TA6626
50	Piston, lift cylinder pallet truck	1	107TA6627
51	Oil seal	1	124TA9131
52	O-ring	1	124TA9132
53	Washer (synthetic) (thickness: 4 mm)	1	107TA6630
54	Screw	1	107TA6631
55	Body, hydraulic pump unit piston	1	107TA6628
56	Piston, hydraulic pump unit	1	124TA9133
57	Screw	1	107TA6635
58	Washer (copper) (thickness: 2,5 mm)	1	105TA1188
59	Spring	1	107TA6636
60	Plunger valve	1	107TA6637
61	Oil seal	1	107TA6638
62	Lip seal	1	107TA6640
63	Steel ball	1	107TA5970
64	Circlip	1	124TA9134
65	Turning (bronze)	1	124TA9135
66	Lip seal	1	124TA9136
68	Steel ball	1	107TA5970
69	Washer (copper) (thickness: 1,4 mm)	1	105TA1358
70	O-ring	1	107TA6649
71	Valve housing	1	107TA6650
72	Spring	1	107TA6651
73	Lip seal	1	124TA9137
74	Guide, spring	1	107TA6653
75	Plunger, valve	1	106TA7043
76	Kit seal, hydraulic unit	1	107TA6576

MAIN FRAME TOYOTA HT20




MAIN FRAME TOYOTA HT20

Nr	Description	Qty	REF	Nr	Description	Qty	REF
2	Lock pin	1	124TA9124	23	Fork, bracket load wheel	2	106TA7393
3	Lock pin	4	124TA9138	24	Lock pin	4	124TA9124
4	Ear	2	107TA6657	27	Shaft/bolt load wheel	2	107TA6677
5	Bracket	2	107TA6658	28	Shaft, fork load wheel bracket to chassis	4	107TA6679
6	Shaft/bolt, entry roller	2	124TA9139	29	Wheel, exit roller	4	105TA2175
7	Spacer, entry roller	2	107TA6660	30	Shaft, push/pull rod fork end	2	107TA6681
8	Wheel, entry roller	2	107TA2891	31A	Wheel assembly, load (steel) (tandem)	4	123TA6149
9	Nut	2	119TA9868	31B	Wheel assembly, load (Vulkollan®) (tandem)	4	107TA2788
10	Shaft pivot, torsion tube	1	107TA6662	31C	Wheel assembly, load (nylon) (tandem)	4	107TA2936
11	Bushing, torsion tube to thrust plate	2	105TA1924	31D	Wheel assembly, load (polyurethane) (nylon rim) (tandem)	4	107TA6683
12	Bushing, torsion tube pivot	2	105TA2177	32	Fork, load wheel	2	103TA7692
13	Grease nipple	5	107TA5542	34	Shaft/bolt load wheel	4	106TA7044
14	Torsion tube	1	107TA6663	35	Wheel, exit roller	4	106TA7045
15A	Wheel assembly, load (Vulkollan®) (single)	2	107TA6668	36	Ear	2	124TA9144
15B	Wheel assembly, load (steel) (single)	2	107TA6666				
15C	Wheel assembly, load (nylon) (single)	2	107TA2928				
15D	Wheel assembly, load (polyurethane) (nylon rim) (single)	2	107TA6667				
16	Lock pin	2	124TA9140				
17	Shaft, torsion tube to thrust plate	2	123TA6148				
18	Washer (thickness: 4,2 mm)	2	122TA9074				
19	Bushing, push/pull rod non fork end	4	107TA6671				
20	Grease nipple	8	107TA5542				
21A	Push/pull rod assembly, lift structure (fork length: 800 mm)	2	124TA9141				
21B	Push/pull rod assembly, lift structure (fork length: 910 mm)	2	124TA9142				
21C	Push/pull rod assembly, lift structure (fork length: 1000 mm)	2	107TA6672				
21D	Push/pull rod assembly, lift structure (fork length: 1070 mm)	2	107TA6673				
21E	Push/pull rod assembly, lift structure (fork length: 1150 mm)	2	105TA4604				
21F	Push/pull rod assembly, lift structure (fork length: 1220 mm)	2	107TA6674				
22	Bushing, push/pull rod fork end	4	124TA9143				

USED FOR YALE


HYDRAULIC UNIT YALE HP22 EASYLIFT



Nr	Description	Qty	REF
1	Cap, control handle pivot return spring	1	124TA6774
2	Spring, control handle return torsion	1	124TA6776
3	Wiper ring (polyurethane with metal outer ring)	1	124TA6778
4	Lip seal	1	124TA6780
5	Housing, pump	1	124TA6894
6	Body, hydraulic pump unit piston	1	124TA6783
7	Valve release, hydraulic unit	2	124TA6785
8	Seal	1	124TA6787
9	Guide	1	124TA6789
10	Circlip	1	124TA6790
11	Cap, pump body	1	124TA6791
12	Wiper ring (polyurethane)	1	124TA6792
13	Piston, lift cylinder pallet truck	1	124TA6793
14	Bracket (roller)	1	124TA6794
15	Circlip	1	124TA6795
16	Piston, hydraulic pump unit	1	124TA6796
17	O-ring	1	124TA6797
18	Pipe	1	124TA6798
19	Lever lowering, tiller	1	124TA6799
20	Bushing	1	124TA6800
21	Rod complete, lowering	1	124TA6801
22	Elastic pin	1	124TA6802
23	Spring	1	124TA6803
24	Steel ball	2	124TA6804
26	Washer (thickness: 6 mm)	1	124TA6805
27	Steel ball, lift cylinder piston pallet truck	1	124TA6806
28	Hydraulic unit	1	124TA6807
29	Bushing, handle pivot	2	124TA6808
30	Bracket, tiller arm	1	124TA6809
31	Shaft, handle pivot	1	124TA6810
32	Screw	2	124TA6811
33	Roller, control handle pump	1	124TA6812
34	Pin, control handle pump roller	1	124TA6813
35	Lever lift control	1	124TA6814
36	Ball joint	1	124TA6815
37	Nut	1	124TA6816
38	Elastic pin	1	124TA6817
39	Elastic pin	1	124TA6818

[illegible]

MAIN FRAME YALE HP22 EASYLIFT








Nr	Description	Qty	REF
1	Nut	2	<u>124TA6825</u>
2	Bracket	1	<u>124TA6827</u>
3	Lock washer	2	<u>124TA6829</u>
4	Elastic pin	10	<u>124TA6831</u>
6A	Push/pull rod, lift structure (fork length: 950 mm)	2	<u>124TA6842</u>
6B	Push/pull rod, lift structure (fork length: 1200 mm)	2	<u>124TA6843</u>
6C	Push/pull rod, lift structure (fork length: 600 mm)	2	<u>124TA6844</u>
6D	Push/pull rod, lift structure (fork length: 800 mm)	2	<u>124TA6845</u>
6E	Push/pull rod, lift structure (fork length: 1300 mm)	2	<u>124TA6846</u>
6F	Push/pull rod, lift structure (fork length: 1500 mm)	2	<u>124TA6847</u>
6G	Push/pull rod, lift structure (fork length: 1800 mm)	2	<u>124TA6848</u>
6H	Push/pull rod, lift structure (fork length: 2000 mm)	2	<u>124TA6849</u>
6I	Push/pull rod, lift structure (fork length: 2500 mm)	2	<u>124TA6850</u>
7	Valve release, hydraulic unit	4	<u>124TA6808</u>
8	Shaft, push/pull rod non fork end	2	<u>124TA6851</u>
9	Bushing	2	<u>124TA6852</u>
10	Circlip	2	<u>124TA6853</u>
11	Fork, bracket load wheel	2	<u>124TA6854</u>
12	Bushing, fork load wheel bracket to push/pull rod	8	<u>124TA6855</u>
13	Shaft, push/pull rod fork end	2	<u>124TA6856</u>
14	Bushing, load wheel tandem pivot	4	<u>124TA6857</u>
15	Shaft, center, fork load wheel	2	<u>124TA6830</u>
16	Shaft/bolt load wheel (tandem)	4	<u>124TA6858</u>
17	Washer (thickness: 6 mm)	4	<u>124TA6859</u>
18	Ball bearing	4	<u>124TA6860</u>
19A	Wheel assembly, load (nylon) (tandem)	4	<u>124TA6861</u>
19B	Shaft/bolt load wheel (polyuerthane) (tandem)	4	<u>124TA6862</u>
19C	Wheel assembly, load (polyurethane) (tandem) (without bearings)	4	<u>124TA6863</u>
20	Shaft, fork load wheel bracket to chassis	2	<u>124TA6864</u>
21	Bushing	4	<u>124TA6865</u>

[illegible]

USED FOR YALE

HYDRAULIC UNIT YALE HP22 QUICKLIFT




HYDRAULIC UNIT YALE HP22 QUICKLIFT

Nr	Description	Qty	REF
1	Cap, control handle pivot return spring	1	124TA6870
2	Spring, control handle return torsion	1	124TA6871
3	Wiper ring (polyurethane with metal outer ring)	1	124TA6778
4	Lip seal	1	124TA6780
5	Body, hydraulic pump unit piston	1	124TA6872
6	O-ring	1	124TA6873
7	Housing, pump	1	124TA6874
8	Screw	4	124TA6875
9	Valve release, hydraulic unit	1	124TA6876
10	Seal	2	124TA6787
11	Guide	1	124TA6789
12	Circlip	1	124TA6790
13	Cap, pump body	1	124TA6791
14	Wiper ring (polyurethane)	1	124TA6792
15	Piston, lift cylinder pallet truck	1	124TA6793
16	Bracket (roller)	1	124TA6794
17	Circlip	1	124TA6795
18	Piston, hydraulic pump unit	1	124TA6880
19	O-ring	1	124TA6797
20	Pipe	1	124TA6798
21	Lever lowering, tiller	1	124TA6799
22	Bushing	1	124TA6800
23	Elastic pin	1	124TA6802
24	Rod complete, lowering	1	124TA6801
25	Spring	1	124TA6803
26	Steel ball	2	124TA6804
28	Washer (thickness: 6 mm)	1	124TA6805
29	Steel ball, lift cylinder piston pallet truck	1	124TA6806
30	Hydraulic unit	1	124TA6881
31	Bushing, handle pivot	2	124TA6808
32	Bracket, tiller arm	1	124TA6809
33	Shaft, handle pivot	1	124TA6810
34	Screw	2	124TA6811
35	Roller, control handle pump	1	124TA6812
36	Pin, control handle pump roller	1	124TA6813
37	Lever lift control	1	124TA6814
38	Ball joint	1	124TA6815
39	Nut	1	124TA6816
40	Elastic pin	1	124TA6817

Nr	Description	Qty	REF
41	Axle	1	124TA6882
42	Spacer, pivot bearing hydraulic pump unit to chassis	1	124TA6819
43	Shaft, steer wheel	1	124TA6883
44	Wheel spacer	2	124TA6821
45	Ball bearing	4	124TA6822
46A	Wheel assembly, steer (rubber)	2	124TA6823
46B	Wheel assembly, steer (polyurethane)	2	124TA6824
46C	Wheel assembly, steer (nylon)	2	124TA6775
47	Circlip	2	124TA6777
48	Bearing, hydraulic unit pivot	1	124TA6779
49	Circlip	1	124TA6781
50	Thrust plate, hydraulic pump unit mounting	1	124TA6782
51	Bushing, torsion tube to thrust plate	2	124TA6784
52	Shaft, torsion tube to thrust plate	2	124TA6786
53	Kit seal, hydraulic unit	1	107TA7044
54	Valve release, hydraulic unit	1	124TA6877
55	O-ring	1	124TA6878
56	Capscrew	1	124TA6879
57	Bracket (roller)	1	124TA8720
58	Circlip	1	124TA6795
59	Piston, hydraulic pump unit	1	124TA6880
60	Washer (steel) (thickness: 2 mm)	1	124TA6870
61	Spring	1	124TA6871
62	Wiper ring (polyurethane with metal outer ring)	1	124TA6778
63	Lip seal	1	124TA6780
64	Body, hydraulic pump unit piston	1	124TA6872
65	O-ring	1	124TA6873
66	Valve release, hydraulic unit	1	124TA6877

USED FOR YALE

MAIN FRAME YALE HP22 QUICKLIFT




TANDEM

Nr	Description	Qty	REF
1	Nut	2	<u>124TA6825</u>
2	Bracket	1	<u>124TA6827</u>
3	Lock washer	2	<u>124TA6829</u>
4	Elastic pin	10	<u>124TA6831</u>
6A	Push/pull rod, lift structure (fork length: 950 mm)	2	<u>124TA6842</u>
6B	Push/pull rod, lift structure (fork length: 1120 mm)	2	<u>124TA6843</u>
6C	Push/pull rod, lift structure (fork length: 600 mm)	2	<u>124TA6844</u>
6D	Push/pull rod, lift structure (fork length: 800 mm)	2	<u>124TA6845</u>
6E	Push/pull rod, lift structure (fork length: 1300 mm)	2	<u>124TA6846</u>
6F	Push/pull rod, lift structure (fork length: 1500 mm)	2	<u>124TA6847</u>
6G	Push/pull rod, lift structure (fork length: 1800 mm)	2	<u>124TA6848</u>
6H	Push/pull rod, lift structure (fork length: 2000 mm)	2	<u>124TA6849</u>
6I	Push/pull rod, lift structure (fork length: 2500 mm)	2	<u>124TA6850</u>
7	Bushing, push/pull rod non fork end	4	<u>124TA6808</u>
8	Shaft, push/pull rod non fork end	2	<u>124TA6851</u>
9	Bushing, torsion tube pivot	2	<u>124TA6852</u>
10	Circlip	2	<u>124TA6853</u>
11	Fork, bracket load wheel	2	<u>106TA8053</u>
12	Bushing, fork load wheel bracket to push/pull rod	8	<u>124TA6855</u>
13	Shaft, push/pull rod fork end	2	<u>124TA6856</u>
14	Bushing, load wheel tandem pivot	4	<u>124TA6857</u>
15	Shaft, center, fork load wheel	2	<u>124TA6830</u>
16	Shaft/bolt load wheel (tandem)	4	<u>124TA6858</u>
17	Washer (thickness: 6 mm)	4	<u>124TA6859</u>
18	Ball bearing	4	<u>124TA6860</u>
19A	Wheel assembly, load (nylon) (tandem)	4	<u>124TA6861</u>
19B	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA6862</u>
19C	Wheel assembly, load (polyurethane) (tandem) (without bearings)	4	<u>124TA6863</u>
20	Shaft, fork load wheel bracket to chassis	2	<u>124TA6864</u>

[illegible]


HYDRAULIC UNIT YALE HP23 EASYLIFT



HYDRAULIC UNIT YALE HP23 EASYLIFT

Nr	Description	Qty	REF	Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	124TA8584	35	Lever lowering, tiller	1	124TA8756
2	Wiper ring (polyurethane)	1	147TA3692	36	Bushing	1	124TA8608
3	Seal	1	124TA6787	37	Spring	1	124TA8609
4	Fill plug, hydraulic pump	1	124TA8585	38	Ball bearing	2	124TA8610
5	Housing	1	124TA8749	39	Screw	1	124TA8611
6	Shaft, control handle pivot LH	1	124TA8587	40	Cover	1	124TA8612
7	Valve release, hydraulic unit	1	124TA8588	41	Screw	1	124TA8613
8	Screw, plug (M14)	1	124TA8589	42	Elastic pin	1	124TA8614
9	Piston, hydraulic pump unit	1	124TA8750	43	Rod complete, lowering	1	124TA8036
10	Plug	1	124TA8751	44	Pin, control handle pump roller	1	124TA8037
11	Screw	1	124TA8592	45	Elastic pin	1	124TA8038
12	Lever lift control	1	124TA8593	46	Pin, control handle pump roller	1	124TA8040
13	Screw	1	124TA8594	47	Lever lift control	1	124TA8042
14	Nut	1	124TA8595	48	Elastic pin	1	124TA8044
15	Shaft, control handle pivot RH	1	124TA8596	49	Bushing, handle pivot	2	124TA8046
16	Lip seal	1	124TA6780	50	O-ring	1	124TA5704
17	Wiper ring (polyurethane with metal outer ring)	1	124TA6778	51	O-ring	1	124TA5705
18	Valve release, hydraulic unit	1	124TA8597	52	O-ring	1	124TA5706
19	Spring, control handle return torsion	1	124TA6871	53	O-ring	1	124TA5707
20	Cap, control handle pivot return spring	1	124TA8598	54	O-ring	1	124TA5708
21	Bracket	1	124TA8599	55	Hydraulic unit	1	124TA8342
22	Screw	1	124TA8600	56	Handle assembly	1	124TA8344
23	Bearing, hydraulic unit pivot	1	124TA8601	57	Kit seal, hydraulic unit	1	124TA8346
24	Thrust plate, hydraulic pump unit mounting	1	124TA8602				
25	Shaft, torsion tube to thrust plate	1	124TA8603				
26	Spring	4	124TA8604				
27A	Wheel assembly, steer (rubber)	2	124TA8752				
27B	Wheel assembly, steer (polyurethane)	2	124TA8753				
27C	Wheel assembly, steer (nylon)	2	124TA8754				
28	Circlip	2	147TA3693				
29	Circlip	1	124TA8605				
30	Shaft, steer wheel	1	124TA8606				
31	Backup ring	1	124TA5696				
32	O-ring	1	147TA3691				
33	Cover	1	124TA8755				
34	Bracket, tiller arm	1	124TA8607				

MAIN FRAME YALE HP23 EASYLIFT




MAIN FRAME YALE HP23 EASYLIFT

Nr	Description	Qty	REF	Nr	Description	Qty	REF
2	Nut	2	124TA8615	28	Torsion tube	1	124TA8644
3	Nut	2	124TA8615	29	Shaft pivot, torsion tube	2	124TA8645
4	Lock washer	2	124TA8616	30	Spring	4	124TA8604
5A	Wheel assembly, load (polyurethane) (single)	2	124TA8618	31	Spring	1	124TA8646
5B	Wheel assembly, load (polyurethane) (single)	2	147TA3694	32	Lock washer	2	124TA8616
5C	Wheel assembly, load (nylon) (single)	2	124TA8619	33	Shaft, fork load wheel bracket to chassis	2	124TA8647
6	Bolt, load wheel	2	124TA8620	34A	Push/pull rod, lift structure (fork length: 800 mm)	2	124TA8075
7	Nut	2	124TA8621	34B	Push/pull rod, lift structure (fork length: 950 mm)	2	124TA8076
8	Wheel, entry roller	2	124TA8622	34C	Push/pull rod, lift structure (fork length: 1150 mm)	2	124TA8077
9	Shaft/bolt, entry roller	2	124TA8623	35	Bushing, fork load wheel bracket to chassis	4	124TA8078
10	Bushing, fork load wheel bracket to push/pull rod	4	124TA8624				
11	Fork, bracket load wheel (RH side)	2	124TA8625				
12A	Carrier complete, load wheel (nylon) (tandem)	2	124TA8626				
12B	Carrier complete, load wheel (polyurethane) (tandem)	2	124TA8627				
12C	Carrier complete, load wheel (polyurethane) (tandem)	2	124TA8628				
13	Bushing, fork load wheel bracket to push/pull rod	4	124TA8624				
14	Wheel, exit roller	2	124TA8629				
15	Fork, bracket load wheel (LR side)	2	124TA8630				
16	Axle, exit roller	2	124TA8631				
17	Nut	4	124TA8632				
18	Washer (thickness: 1 mm) (ribbed)	4	124TA8633				
19A	Wheel assembly, load (nylon) (tandem)	4	124TA8634				
19B	Wheel assembly, load (polyurethane) (tandem)	4	124TA8635				
19C	Wheel assembly, load (polyurethane) (tandem)	4	124TA8636				
20	Shaft/bolt load wheel	4	124TA8637				
21	Fork, load wheel	4	124TA8638				
22	Bushing, load wheel tandem pivot	4	124TA8639				
23	Bolt, load wheel	4	124TA8640				
24	Shaft, push/pull rod non fork end	2	124TA8603				
25	Spring	2	124TA8641				
26	Bushing, torsion tube pivot	2	124TA8642				
27	Bushing, push/pull rod non fork end	4	124TA8643				

USED FOR YALE


HYDRAULIC UNIT YALE HP23 QUICKLIFT



Nr	Description	Qty	REF
1	Piston, lift cylinder pallet truck	1	<u>124TA8584</u>
2	Wiper ring (polyurethane)	1	<u>147TA3692</u>
3	Seal	1	<u>124TA6787</u>
4	Fill plug, hydraulic pump	1	<u>124TA8585</u>
5	Housing	1	<u>124TA8586</u>
6	Shaft, control handle pivot LH	1	<u>124TA8587</u>
7	Valve release, hydraulic unit	1	<u>124TA8588</u>
8	Screw, plug (M14)	1	<u>124TA8589</u>
9	Piston, hydraulic pump unit	1	<u>124TA8590</u>
10	Plug	1	<u>124TA8591</u>
11	Screw	1	<u>124TA8592</u>
12	Lever lift control	1	<u>124TA8593</u>
13	Screw	1	<u>124TA8594</u>
14	Nut	1	<u>124TA8595</u>
15	Shaft, control handle pivot RH	1	<u>124TA8596</u>
16	Lip seal	1	<u>124TA6780</u>
17	Wiper ring (polyurethane with metal outer ring)	1	<u>124TA6778</u>
18	Valve release, hydraulic unit	1	<u>124TA8597</u>
19	Spring, control handle return torsion	1	<u>124TA6871</u>
20	Cap, control handle pivot return spring	1	<u>124TA8598</u>
21	Bracket	1	<u>124TA8599</u>
22	Screw	1	<u>124TA8600</u>
23	Bearing, hydraulic unit pivot	1	<u>124TA8601</u>
24	Thrust plate, hydraulic pump unit mounting	1	<u>124TA8602</u>
25	Shaft, torsion tube to thrust plate	1	<u>124TA8603</u>
26	Spring	4	<u>124TA8604</u>
27A	Wheel assembly, steer (rubber)	2	<u>124TA8752</u>
27B	Wheel assembly, steer (polyurethane)	2	<u>124TA8753</u>
27C	Wheel assembly, steer (nylon)	2	<u>124TA8754</u>
28	Circlip	2	<u>147TA3693</u>
29	Circlip	1	<u>124TA8605</u>
30	Shaft, steer wheel	1	<u>124TA8606</u>
31	Backup ring	1	<u>124TA5696</u>
32	O-ring	1	<u>147TA3681</u>
33	Cover	1	<u>124TA6887</u>
34	Bracket, tiller arm	1	<u>124TA8607</u>

[illegible]

MAIN FRAME YALE HP23 QUICKLIFT



Nr	Description	Qty	REF
2	Nut	2	<u>124TA8615</u>
3	Nut	2	<u>124TA8615</u>
4	Lock washer	2	<u>124TA8616</u>
5A	Wheel assembly, load (polyurethane) (single)	2	<u>124TA8617</u>
5B	Wheel assembly, load (nylon) (single)	2	<u>124TA8619</u>
6	Bolt, load wheel	2	<u>124TA8620</u>
7	Nut	2	<u>124TA8621</u>
8	Wheel, entry roller	2	<u>124TA8622</u>
9	Shaft/bolt, entry roller	2	<u>124TA8623</u>
10	Bushing, fork load wheel bracket to push/pull rod	4	<u>124TA8624</u>
11	Fork, bracket load wheel (RH side)	2	<u>124TA8625</u>
12A	Carrier complete, load wheel (nylon) (tandem)	2	<u>124TA8626</u>
12B	Carrier complete, load wheel (polyurethane) (tandem)	2	<u>124TA8627</u>
12C	Carrier complete, load wheel (polyurethane) (tandem)	2	<u>124TA8628</u>
13	Bushing, fork load wheel bracket to push/pull rod	4	<u>124TA8624</u>
14	Wheel, exit roller	2	<u>124TA8629</u>
15	Fork, bracket load wheel (LH side)	2	<u>124TA8630</u>
16	Axle, exit roller	2	<u>124TA8631</u>
17	Nut	4	<u>124TA8632</u>
18	Washer (thickness: 1 mm) (ribbed)	4	<u>124TA8633</u>
19A	Wheel assembly, load (nylon) (tandem)	4	<u>124TA8634</u>
19B	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA8635</u>
19C	Wheel assembly, load (polyurethane) (tandem)	4	<u>124TA8636</u>
20	Shaft/bolt load wheel	4	<u>124TA8637</u>
21	Fork, load wheel	4	<u>124TA8638</u>
22	Bushing, load wheel tandem pivot	2	<u>124TA8639</u>
23	Bolt, load wheel	4	<u>124TA8640</u>
24	Shaft, push/pull rod non fork end	2	<u>124TA8603</u>
25	Spring	2	<u>124TA8641</u>
26	Bushing, torsion tube to thrust plate	2	<u>124TA8642</u>
27	Bushing, push/pull rod non fork end	4	<u>124TA8643</u>
28	Torsion tube	1	<u>124TA8644</u>

[illegible]

SEAL KITS FOR HYDRAULIC UNIT

Used for	REF	Used for	REF
Bolzoni TSM Easylift	119TA9900	Jungheinrich AM2200 Quick lift (from 04/2005)	128TA4730
Bolzoni TSM Quicklift	107TA6988	Kentruck SH/SHQ/SHS 2000/2500	107TA7012
Bolzoni TSM 1 Easylift	124TA5718	Linde M20 '93	107TA7020
Bolzoni TSM 1 Quicklift	124TA5710	Linde M25 '93	107TA7022
BT LHM230 (up to SN 3299999)	107TA6576	Linde M30 '93	107TA7023
BT LHM230 (from SN 3300000)	128TA4709	Little Mule (Yale) LMP Lift	124TA9070
BT LHM230 Quick (up to SN 3299999)	107TA6990	Little Mule (Yale) LMP Pump	124TA9071
BT LHM230 Quick (from SN 3300000)	128TA4721	Logitrans GL2500/3000	107TA7024
BT Lifter L23	107TA6576	Logitrans PV75/2000	107TA7024
BT Lifter L23 Quick	107TA6990	Kinglift II	107TA7011
BT Lifter L2000 7/9/10/11 (up to series 9)	107TA6575	Lansing DH18/POHP18	107TA7014
BT Lifter L2000 7/9/10/11 (from series 10)	107TA6576	MIC TM 2000	107TA6689
BT Lifter L2000 Quick 10/11	107TA6990	MIC TM 22	127TA2472
BT Lifter 3000	107TA6991	MIC TM 22 Quick	107TA7029
BT Lifter 5000	107TA6992	MIC TMX 1000	107TA7027
BT Lifter L3000	107TA6993	MIC TMXE 1000	107TA7028
BT Lifter L3000 11/12	107TA6994	MIC HPS	107TA7026
Bulli FK 2000 03/89	107TA7020	Nielsen Holst PL15/25/30 Series 33/34/35/36/37	107TA7030
Bulli FK 2500 03/89	107TA7022	Pimespo TSM	124TA9064
Bulli FK 3000 03/89	107TA7023	Pramac Lifter GS (up to 04/03)	107TA7016
Bulli FK 2000 09/92	107TA7020	Pramac Lifter GS (from 04/03)	122TA6922
Bulli FK 2500 09/92	107TA7022	Pramac Lifter GS Premium	124TA2334
Bulli FK 3000 09/92	107TA7023	Pramac Lifter GS Galva/Inox	107TA7016
Bulli FK 2300	124TA5606	Pramac Lifter GS Quicklift	107TA7017
Bulli FK 3000	124TA5606	Pramac Lifter HL10/E	107TA7018
Bulli FK 2300 (from 11/2004 on)	124TA5606	Pramac Lifter HL10/M	107TA7019
Bulli FK 2300 Quick lift (from 11/2004 on)	124TA5607	Rocla RH25	107TA7001
Bulli FK 3000 (from 11/2004 on)	124TA9067	Rocla RHS25	107TA7001
BV Vestergaard 115	107TA7000	Steinbock WH20/23 MK IX-A	107TA7032
BV Vestergaard 115R	107TA7001	Steinbock HU2/2,3	107TA7031
BV Vestergaard PV25	107TA7001	Steinbock WH22	107TA7034
BV Vestergaard PV25R	107TA7001	Still Wagner HP11-22	107TA7038
BV Vestergaard HPV-8	107TA7002	Still Wagner HP20	107TA7039
Crown PTH (from series 3-118400 until 3-183849)	107TA7003	Still Wagner HP30	107TA7040
Crown PTH (from series 3-183850)	107TA7004	Still Wagner HP22 (2000)	107TA7041
Crown PTH 50	107TA7005	Still Wagner HP22 Quicklift (2000)	107TA7042
Ecolift	123TA6863	TotalLifter AC Standard	124TA9072
Ecolift Quick	124TA9167	TotalLifter AC Quicklift	128TA4587
Eurolifter	107TA6865	TotalLifter AC Lowprofile	128TA4366
Eurolifter Junior	124TA9063	TotalLifter ACZ Galvanised	128TA4533
HU-Lift	124TA9068	TotalLifter ACS Stainless steel	128TA4625
HU-Pump	124TA9069	TotalLifter CBGIII Standard	128TA4463
HU-Lift HP20S	134TA9122	Toyota HT20 (up to series 9)	107TA6575
Hyster PM22 Easylift	124TA8414	Toyota HT20 (from series 10)	107TA6576
Hyster PM22 Quicklift	124TA8211	Toyota HT20i / HT20k	107TA7043
Hyster PM23 Easylift	124TA8526	Yale HP22 Easylift	124TA6788
Hyster PM23 Quicklift	124TA5710	Yale HP22 Quicklift	107TA7044
Jungheinrich AM2000	107TA6689	Yale HP23 Easylift	124TA8346
Jungheinrich AM2200 (up to 04/2005)	107TA7010	Yale HP23 Quicklift	124TA8056
Jungheinrich AM2200 (from 01/2007)	159TA9765		
Jungheinrich AM2200 Quick lift (up to 10/2003)	107TA7029		

BRAKE PROFILE



REF 116TA6120

- Rubber
- Dimensions 350 x 350 x 30 mm

MAGNETIC CADDY



REF 107TA7865

- Length: 142 mm
- Width: 102 mm
- Height: 84,5 mm (without foot)
140 mm (foot included)
- Diameter of magnetic foot: 85,7 mm



HIGH VISCOSITY INDEX ANTIWEAR HYDRAULIC OILS

REF **107TA7211** – 1 l, ISO VG 15
 REF **107TA7212** – 5 l, ISO VG 15
 REF **141TA5202** – 20 l, ISO VG 22
 REF **141TA2734** – 20 l, ISO VG 32

Product description:

- Recommended for all kind of hydraulic systems operating under high pressure (limit as indicated by the pump manufacturer) and high temperature (up to 100 °C in hot points)
- Lubricants especially suitable for hydraulic systems working under extreme temperature variations and equipment operating outside: easy start-up at low temperature (-30 °C) and regular operating in all seasons: civil engineering, agriculture, marine, transport and other industrial applications



International specifications:

- AFNOR NF E 48-603 HV
- ISO 6743/4 HV
- DIN 51524 P3 HVLP
- CINCINNATI MILACRON P68, P69, P70
- VICKERS M-2950S, -I-286

Advantages:

- Very high viscosity index
- Excellent shear stability
- Superior thermal stability avoiding the formation of sludge even at high temperatures
- Very good oxidation stability ensuring a long service life of the fluid
- High protection against wear ensuring maximum equipment life
- Excellent hydrolytic stability avoiding filter blocking.
- Remarkable filterability even in the presence of water
- Excellent protection against rust and corrosion
- Good antifoam and air release properties by using silicon-free components
- Very low pour point
- Good demulsibility ensuring rapid water separation

Powered by TOTAL

ASHLESS MINERAL HYDRAULIC FLUID

REF **140TA8776** – 20 l, ISO VG 15

Product description:

- A hydraulic fluid designed for outdoor equipments operating under extremely low temperatures
- The very high viscosity index extends the temperature operating window of the hydraulic systems

International specifications:

- ISO 11158 HV
- DIN 51524-3 HVLP

Advantages:

- The low cold-temperature viscosity is limiting the cavitation issues during the start-up operations. With this low viscosity level the hydraulic system can be fully operable immediately after the start-up
- Good shear stability ensuring the high temperature lubricating film thickness and the hydraulic pump efficiency during all the fluid life
- Ashless formulation offering a very high oxidation stability, reducing deposits and varnishes formation and allowing extended drain intervals
- Good wear, rust and corrosion protection of the material
- Excellent air release behaviour



Powered by TOTAL

HIGH VISCOSITY INDEX ANTIWEAR HYDRAULIC OILS

REF **107TA7211** – 1 l, ISO VG 15
 REF **107TA7212** – 5 l, ISO VG 15
 REF **141TA5202** – 20 l, ISO VG 22
 REF **141TA2734** – 20 l, ISO VG 32

Product description:

- Recommended for all kind of hydraulic systems operating under high pressure (limit as indicated by the pump manufacturer) and high temperature (up to 100 °C in hot points)
- Lubricants especially suitable for hydraulic systems working under extreme temperature variations and equipment operating outside: easy start-up at low temperature (-30 °C) and regular operating in all seasons: civil engineering, agriculture, marine, transport and other industrial applications



International specifications:

- | | |
|------------------------|---------------------------------|
| · AFNOR NF E 48-603 HV | · CINCINNATI MILACRON P68, P69, |
| · ISO 6743/4 HV | · P70 |
| · DIN 51524 P3 HVLP | · VICKERS M-2950S, -I-286 |

Advantages:

- Very high viscosity index
- Excellent shear stability
- Superior thermal stability avoiding the formation of sludge even at high temperatures
- Very good oxidation stability ensuring a long service life of the fluid
- High protection against wear ensuring maximum equipment life
- Excellent hydrolytic stability avoiding filter blocking.
- Remarkable filterability even in the presence of water
- Excellent protection against rust and corrosion
- Good antifoam and air release properties by using silicon-free components
- Very low pour point
- Good demulsibility ensuring rapid water separation

Powered by TOTAL

BIODEGRADABLE HYDRAULIC FLUIDS SUITABLE FOR INCIDENTAL FOOD CONTACT

REF **138TA3967** – 20 l
 REF **141TA2742** – 208 l

Product description:

- Oil for hydraulic systems presenting risks of leaks of fluid into the environment and incidental contact with foodstuffs: grape harvests, crop harvests ...
- Operating temperatures: -20 °C to 70 °C

Specifications:

- NSF H1
- ISO 15380 HETG
- Poclairn Hydraulics 11-06
- ISO 6743-4



Advantages:

- Reinforced protection and efficiency of equipment due to a very high viscosity index
- Excellent anti-wear properties



Powered by TOTAL

STANDARD OILER

REF 107TA7253

- Capacity: 500 ml
- Steel container and brass pump
- Robust pump provides trickle feed supply
- Ball valve type
- Delivered with rigid spout (135 mm) and superflex spout (210 mm)



ABSORBING TOWELS

REF 107TA7236

- 410 x 510 mm
- 100 pieces/box
- Absorbs about everything (oil, liquids, acids ...)



MULTIPURPOSE EXTREME-PRESSURE LITHIUM/CALCIUM GREASE

REF 107TA7220 – 400 g**REF 141TA3233** – 18 kg**REF 140TA8781** – 50 kg**Product description:**

- A multipurpose extreme-pressure grease, formulated for the lubrication of all kinds of industrial applications, operating in wet and dusty and/or dry conditions
- Also suitable as EP multipurpose grease, in "off-road" applications where water is in frequent contact with the grease, e.g. pin-bushings, Crown and Caterpillar wheels on excavators
- Always avoid contamination of the grease by dust and/or dirt when applying. Preferably use a pneumatic pump system or cartridges

Specifications:

- ISO 6743-9 L-XBDHB 2
- DIN 51 502 KP2K -25

Advantages:

- Because of its true multipurpose character it may replace a wide range of greases, allowing stock rationalization and simplification of maintenance
- Forms a durable lubrication film, resulting in reduction of maintenance and down-time costs
- Miscible with most other conventional soap greases
- Excellent mechanical stability avoiding ejection or loss of consistency during operation
- Excellent adhesion to metal
- Good thermal stability, leading to high resistance to temperature variations
- This grease does not contain lead, or other heavy metals considered harmful to human health and the environment

 Powered by  **TO AL**

SPECIAL GREASE

REF 152TA1875

Extreme-pressure water-resistant high-temperature calcium sulfonate complex grease for food and food related industry

- Approved by NSF-H 1 as a lubricant for in incidental food contact
- Heavy-duty
- NLGI grade 2
- 400 g



COMPRESSED AIR GREASE GUN

REF 138TA8343

- Capacity: 500 ml
- Connection: M10 x 1
- Includes 1 high-pressure hose (11 x 300 mm) & 1 coupler, in a cardboard box
- Operates with greases up to NLGI grade 2
- Load/charge with 400 gr grease cartridge or bulk grease



INDUSTRIAL GREASE GUN

REF 138TA6594

- Capacity: 500 cc
- Connection: M10 x 1
- With 1 high-pressure hose: 11 x 300 mm
- With 1 angled spout, 2 precision machined hydraulic couplers, 4 jaws
- Operates with grease
- Sealing system: o-ring and ball valve prevent grease compressed in the grease gun head from feeding back
- Designed to be utilized under rough conditions with variable stroke system



GREASE PUMP WITH TUBE



REF 107TA7232



FOOD GREASE FPS

REF 143TA6908

- Multipurpose grease with long-term lubrication on food processing equipment, where incidental food contact may occur
- Registered NSF H1 for use in the food industry
- This aluminium complex grease has a good thermal stability with an operating temperature till 140 °C and protects against corrosion
- Can be applied on all metal constructions used in the food industry: hinges, valves, chains, gears, joints ...
- 500 ml



INOX KLEEN FPS

REF 143TA6896

- Water-based, foaming cleaner for degreasing and cleaning shiny metal surfaces
- The product combines a high cleaning power with the application of a durable protective coating, in one step
- NSF C1 registered for use in the food industry
- 500 ml



5-56 + PTFE UNIVERSAL OIL SPRAY

REF 143TA6901

- Multifunctional service fluid for use in the professional mechanic maintenance
- Repulses moisture and prevents electrical failure
- Provides a good protection against corrosion
- Cleans and protects surfaces contaminated by machining or handling
- 500 ml



RETAINING COMPOUND MEDIUM

REF 143TA3501

- Medium strength, if disassembly is required
- Service temperature range: -55 to 150 °C
- Viscosity: 400–800 mPa·s
- Tensile shear strength: >6,5 N/mm²
- Fixture time: 25 min
- Max diametrical clearance: 0,1 mm
- 50 ml

Loctite 641 is designed for the bonding of cylindrical fitting parts, particularly where disassembly is required for service operations. The product cures when confined in the absence of air between close fitting metal surfaces and prevents loosening and leakage from shock and vibration. Typical applications include retention of bearings onto shafts and into housings.



LOCTITE

RETAINING COMPOUND HIGH

REF 143TA3500

- High strength, general purpose
- Service temperature range: -55 to 150 °C
- Viscosity: 2000–3000 mPa·s
- Tensile shear strength: >25 N/mm²
- Fixture time: 4 min
- Max diametrical clearance: 0,25 mm
- P1 NSF
- 50 ml

Loctite 638:

- Best resistance to dynamic, axial and radial loads
- Ideal for shafts, gears, pulleys and similar cylindrical parts



LOCTITE



GROOVED BALL-BEARING EXTRACTOR SET



	Pieces			REF
ISO 6000–6013 ISO 6200–6212 ISO 6300–6311 ISO 6403–6408	60	L-box	1	143TA6031

BEARING FITTING TOOL KIT



Bearing fitting tool kit, light, out on field model

								REF
10–50 mm	26–110 mm	3 pcs	19 – 32 – 50 mm	220 mm	33 pcs	L-box	1	143TA6032



3-DRAWER CABINET WITH 116 PIECES OF TOOLS

1/4" 1/2"



REF 141TA5745

Dimensions (L x W x H): 570 x 230 x 305 mm

Contents:

Socket wrenches and accessories:

1/4"

- 5 slotted bits: 4 – 5 – 5,5 – 6 – 7 mm
- 4 Phillips bits: PH0 – PH1 – PH2 – PH3
- 4 Pozidriv bits: PZ0 – PZ1 – PZ2 – PZ3
- 5 star bits: T10 – T15 – T20 – T30 – T40
- 8 hex bits: 2 – 3 – 4 – 5 – 6 – 7 – 8 – 10 mm
- 12 surface 1/4" drive sockets: 4 – 4,5 – 5 – 5,5 – 6 – 7 – 8 – 9 – 10 – 11 – 12 – 13 mm
- 3 surface drive 1/4" deep sockets: 8 – 10 – 13 mm
- 1 sliding 1/4" T-handle
- 1 x 1/4" extension: 50 mm
- 1 x 20-teeth 1/4" ratchet
- 1 universal 1/4" joint
- 1 x 1/4" bit holder
- 1 magnetic 1/4" bit holder
- 1 x 1/4" spinner handle

1/2"

- 13 surface drive sockets 1/2": 14 – 15 – 16 – 17 – 18 – 19 – 20 – 21 – 22 – 24 – 27 – 30 – 32 mm
- 3 x 1/2" hexagon sockets: 17 – 19 – 21 mm
- 2 x 1/2" extensions: 75 – 250 mm
- 1 wobble 1/2" extension: 250 mm
- 1 universal 1/2" joint
- 1 adaptor for extensions 3/8" – 1/2"

Combination wrench & L-key set:

- 16 combination wrenches: 6 – 7 – 8 – 9 – 10 – 11 – 12 – 13 – 14 – 15 – 16 – 17 – 18 – 19 – 22 – 24 mm
- 9 hex ball point long keys: 1,25 – 2 – 2,5 – 3 – 4 – 5 – 6 – 8 – 10 mm

Screwdriver set:

- 3 Phillips screwdrivers
- 1 stubby Phillips screwdrivers
- 4 slotted screwdrivers
- 1 stubby slotted screwdrivers

Utility set:

- 1 chisel: 12 mm
- 1 cape chisel
- 2 pin punches: 3 – 4 mm
- 1 center punch: 100 mm – 4"
- 1 long nose pliers: 200 mm – 8"
- 1 combination pliers: 175 mm – 7"
- 1 diagonal pliers: 175 mm – 7"
- 1 water pump pliers: 250 mm – 10"
- 1 engineer's hammer: 200 g





COLOUR SPRAY



REF 136TA1295

- Yellow
- Spray 400 ml

COLOUR SPRAY



REF 107TA9659

- Black
- Spray 400 ml

COLOUR SPRAY



REF 107TA7340

- Red
- Spray 400 ml

COLOUR SPRAY



REF 136TA2957

- Grey
- Spray 400 ml



