



# SCHALTER

**DES**   
Fördertechnik

Matthias Manzeit  
Mühlenstraße 26, 53347 Alfter  
Tel. +49 (0) 228 243 666 88  
[info@des-foerdertechnik.de](mailto:info@des-foerdertechnik.de)  
[www.des-foerdertechnik.de](http://www.des-foerdertechnik.de)

## Table of contents ..... A

· English .....	A
· Nederlands .....	B
· Français .....	C
· Deutsch .....	D
· Español .....	E
· Italiano .....	F
· Português .....	G
· Polski .....	H
· Русский .....	I
· Complete range .....	J

## Nice to know ..... 1

· Nice to know .....	1
----------------------	---

## Microswitches ..... 7

· Technical sheet .....	8
· Complete range .....	19

## Limit switches ..... 203

· Technical sheet .....	204
· Complete range .....	215

## Battery switches ..... 375




## Miscellaneous ..... 381

## Maintenance, repair & operations ..... 389

· Contact cleaner .....	390
· 2-26 Electro .....	390
· Minus 50 .....	390
· Contact cleaner .....	390
· Electronic component cleaner .....	391
· Low strength threadlocker .....	391
· Instant adhesive .....	391
· Conical cutter .....	392
· 3-Piece step drill set .....	392
· 40-Piece tap and die set – metric .....	392
· Insulating tape .....	392
· Heat-shrink tubing 3/1 .....	393
· Heat gun .....	393

· 9-Piece long hexagon ball head key set–inch .....	394
· 39-Piece 1/4" combination set .....	394
· 3-Piece pliers set .....	395
· Diagonal insulation stripper .....	395
· Crimping pliers .....	395
· 12-Piece insulated (1000 V) slotted and phillips screwdriver set .....	396
· Slotted 230 V tester .....	396
· Digital multimeter .....	396
· Fluke® 175 – digital multimeter .....	397
· Vernier caliper .....	398
· Measuring tapes with magnet .....	398
· Workeasy black .....	398






2

## MICROSWITCHES

## TECHNICAL SHEET

### TYPE OF CONNECTION


**Type A**




**Type B**




**Type C**




**Type D**



**Type E**



**Type F**




**Type G**



**Type H**



**Type I**



**Type J**





TECHNICAL SHEET

TYPE OF LEVER


Type A




Type B




Type C



Type D




Type E




Type F



Type G



Type H



Type I




Type J




## TECHNICAL SHEET

### POSITION OF THE ROLLER

Type S



Type G



## TECHNICAL SHEET

### TECHNISCHES DATENBLATT MICROSCHALTER

Gruppe  
**02-03-05-00**

Beispiel



Kundendaten

Maschinentyp: ..... ☐ Preisanfrage  
Serien-Nr. Maschine: ..... ☐ Bestellung

CODE: AT-AS x TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x MAT2 x POS-ROL x D x I x L x AT-SCH

AT-AS ..... Anzahl der Anschlüsse.

TY-AS ..... Art der Anschlüsse:

*A = Lötverbindung*

*B = Schraubanschluss*

*C = verdeckter Schraubanschluss*

*D = 2,80 mm FASTON*

*E = 4,75mm FASTON*

*F = 6,35 mm FASTON*

*G = Kabel*

*H = Kabel mit Steckverbindung*

*I = PCB Kontaktstift*

*J = Kontaktstift*

*S = Spezial*

Wenn verschiedene Typen kombiniert sind, sortieren Sie alphabetisch

AT-NO ..... Anzahl der normal offenen Kontakten (NO).

AT-NC ..... Anzahl der normal geschlossenen Kontakten (NC).

AT-CO ..... Anzahl der CO kontakte (CO).

AT-BG ..... Anzahl Befestigungslöcher (Wenn die Befestigungslöcher schon belegt sind: AT-BG = 0).





## TECHNICAL SHEET

C..... Mittenabstand der Befestigungslöcher:

<i>A = 4,8 mm</i>	<i>I = 22,2 mm</i>
<i>B = 7,0 mm</i>	<i>J = 25,4 mm</i>
<i>C = 9,5 mm</i>	<i>K = 26,6 mm</i>
<i>D = 13,2 mm</i>	<i>L = 28,0 mm</i>
<i>E = 15,9 mm</i>	<i>M = 30,0 mm</i>
<i>F = 17,0 mm</i>	<i>N = 32,8 mm</i>
<i>G = 17,45 mm</i>	<i>O = 54,0 mm</i>
<i>H = 19,0 mm</i>	<i>S = speciaal</i>

(Kombinationen möglich, bitte geben Sie die Kombination steigend an  
Bei Nutbefestigung, geben Sie bitte die größte Länge an)

MAT1 ..... Material vom Gehäuse:

*KS = Kunststoff*  
*M = Metall*  
*RB = Gummi*

TY-HB ..... Art der Handhabung:

*A = Pin Plugner*  
*B = Panel Plunger*  
*C = Hebel*  
*D = langer Hebel*  
*E = simulierter Hebel*  
*F = langer simulierter Hebel*  
*G = Rollhebel*  
*H = langer Rollhebel*  
*I = Roll plunger*  
*J = flexibler Hebel*  
*S = Spezial*

MAT2 ..... Material of roller:

*KS = Kunststoff*  
*M = Metall*

POS-ROL ..... Position der Rolle:

*S = Standard*  
*G = 90° gedreht*

D..... Rollendurchmesser.


I..... Stromstärke.


L..... Länge des kabels falls vorhanden.


AT-SCH..... Anzahl Schalter.





Center distance: 4,8 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	PCB pin	0	1	0	0	0	<a href="#">146TA1482</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Pin	0	1	0	7	0	<a href="#">161TA7521</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Pin	0	1	0	7	0	<a href="#">145TA9921</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Pin	0	1	0	7	0	<a href="#">161TA7119</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">151TA1512</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">146TA3764</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Solder connection	0	1	0	0	0	<a href="#">145TA9646</a>





## Center distance: 7,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	10	315	<a href="#">146TA1488</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	3	70	<a href="#">161TA7748</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	<a href="#">145TA9463</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	<a href="#">161TA7877</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	1	0	1	5	0	<a href="#">146TA7195</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	1	0	1	5	0	<a href="#">161TA7527</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	1	0	1	5	0	<a href="#">161TA7144</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	PCB pin	1	0	1	5	0	<a href="#">161TA7637</a>

Center distance: 7,0 + 15,9 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	1	0	1	6	540	<a href="#"><u>161TA7635</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	1	6	195	<a href="#"><u>161TA7431</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	1	5	500	<a href="#"><u>146TA1141</u></a>




Center distance: 7,0 mm + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	0	300	<a href="#"><u>145TA9580</u></a>








## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	2,8 mm faston	0	1	0	5	0	<a href="#">161TA7814</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	2,8 mm faston	0	1	0	5	0	<a href="#">161TA7202</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	2,8 mm faston	0	1	0	10	0	<a href="#">146TA1499</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	2,8 mm faston	1	0	0	6	0	<a href="#">146TA6415</a>









	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">146TA1468</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	5	510	<a href="#">146TA1256</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	6	500	<a href="#">146TA1486</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	6	500	<a href="#">146TA1130</a>





Center distance: 9,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	6	505	<a href="#">146TA1126</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	6	510	<a href="#">161TA7810</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	10	110	<a href="#">161TA7775</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	6	1300	<a href="#">161TA7343</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	10	215	<a href="#">146TA1375</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	10	217	<a href="#">146TA1374</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	10	310	<a href="#">146TA1619</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	10	320	<a href="#">146TA1540</a>


## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	PCB pin	0	1	0	5	0	<a href="#">146TA1131</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	PCB pin	0	1	0	5	0	<a href="#">145TA9589</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	PCB pin	0	1	0	5	0	<a href="#">161TA7121</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Pin	0	1	0	5	0	<a href="#">161TA7469</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	0	0	<a href="#">146TA3664</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	3	0	<a href="#">146TA1068</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	5	0	<a href="#">146TA1347</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	5	0	<a href="#">146TA1415</a>





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	<a href="#">146TA1473</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	<a href="#">146TA1501</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	6	0	<a href="#">146TA1421</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	10	0	<a href="#">161TA7588</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	10	0	<a href="#">145TA9991</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	10	0	<a href="#">146TA1140</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	0	500	<a href="#">151TA1546</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	310	<a href="#">146TA3797</a>


## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	500	<a href="#">146TA1531</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	510	<a href="#">146TA1077</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	6	500	<a href="#">146TA1275</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	6	500	<a href="#">145TA9734</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	6	500	<a href="#">146TA6576</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	6	2000	<a href="#">146TA3798</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	1	0	0	0	840	<a href="#">146TA1474</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	1	0	0	6	500	<a href="#">145TA9709</a>








## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	1	0	0	290	<a href="#">161TA7786</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	1	0	5	160	<a href="#">161TA7257</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	1	0	5	420	<a href="#">161TA7383</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	1	0	0	5	665	<a href="#">145TA9399</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Solder connection	0	1	0	0	0	<a href="#">146TA3802</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Solder connection	0	1	0	1	0	<a href="#">161TA7787</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Solder connection	0	1	0	6	0	<a href="#">161TA7196</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	1	0	0	5	0	<a href="#">161TA7263</a>


## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	6	510	<a href="#">145TA9680</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	6	510	<a href="#">161TA7476</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	145	<a href="#">161TA7340</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	215	<a href="#">161TA7158</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	225	<a href="#">161TA7631</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	240	<a href="#">161TA7170</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	6	350	<a href="#">161TA7351</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	3	230	<a href="#">145TA9942</a>





## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	5	510	<a href="#">161TA7337</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	1	6	315	<a href="#">146TA1542</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Solder connection	0	1	0	3	0	<a href="#">161TA7275</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Solder connection	0	1	0	10	0	<a href="#">146TA1487</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	0	1	0	5	0	<a href="#">145TA9392</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	0	1	0	5	0	<a href="#">145TA9754</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	0	300	<a href="#">161TA7765</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	5	535	<a href="#">145TA9603</a>



## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	310	<a href="#">161TA7457</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	0	1	0	3	0	<a href="#">161TA7284</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	0	1	0	5	0	<a href="#">146TA1431</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	0	5	0	<a href="#">161TA7442</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	0	10	0	<a href="#">161TA7422</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	0	125	<a href="#">161TA7393</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	0	510	<a href="#">161TA7133</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	100	<a href="#">161TA7513</a>





Center distance: 9,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	500	<a href="#">146TA1178</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	510	<a href="#">161TA7214</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	535	<a href="#">145TA9561</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	1900	<a href="#">161TA7239</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	6	500	<a href="#">146TA1432</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	6	2000	<a href="#">146TA1461</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	650	<a href="#">161TA7728</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	650	<a href="#">145TA9946</a>





## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	650	<a href="#">145TA9956</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	5	1500	<a href="#">161TA7733</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	6	360	<a href="#">145TA9421</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	83	<a href="#">145TA9783</a>









	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	6	305	<a href="#">161TA7777</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	6	990	<a href="#">146TA1447</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	5	350	<a href="#">161TA7677</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	48	<a href="#">161TA7825</a>





Center distance: 9,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	240	<a href="#">146TA1094</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	242	<a href="#">161TA7667</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	755	<a href="#">161TA7794</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	6	300	<a href="#">146TA1373</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	6	305	<a href="#">146TA1381</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	170	<a href="#">146TA1549</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	280	<a href="#">161TA7269</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	310	<a href="#">146TA1615</a>


Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	1	5	390	<a href="#">146TA1638</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	1	5	395	<a href="#">161TA7793</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	1	5	410	<a href="#">118TA2217</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	3	0	0	5	275	<a href="#">161TA7392</a>









	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	3	0	0	5	395	<a href="#">161TA7261</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	3	0	1	6	400	<a href="#">161TA7330</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	4	0	0	6	735	<a href="#">146TA1647</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	5	0	0	6	280	<a href="#">146TA1665</a>





Center distance: 9,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	5	0	0	6	330	<a href="#">161TA7779</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	5	0	0	10	340	<a href="#">146TA1666</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	0	1	0	5	0	<a href="#">146TA1509</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	0	1	0	5	0	<a href="#">161TA7175</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	0	1	0	10	0	<a href="#">161TA7873</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Pin	0	1	0	5	0	<a href="#">146TA1526</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Pin	0	1	0	5	0	<a href="#">161TA7649</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	0	0	<a href="#">161TA7618</a>





Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	0	0	<a href="#">161TA7622</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">146TA2108</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">145TA9654</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">161TA7546</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">161TA7858</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">146TA6556</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">146TA1170</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">161TA7859</a>





## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">146TA1299</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	6	0	<a href="#">161TA7781</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	6	0	<a href="#">161TA7739</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	6	0	<a href="#">161TA7634</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	1	5	0	<a href="#">151TA1535</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	0	10	0	<a href="#">161TA7764</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	1	0	<a href="#">145TA9984</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	5	0	<a href="#">146TA1222</a>



## Center distance: 9,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	10	0	<a href="#">161TA7763</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	0	514	<a href="#">161TA7879</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	1	1170	<a href="#">146TA1469</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	190	<a href="#">161TA7597</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	510	<a href="#">161TA7127</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	690	<a href="#">145TA9995</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	0	300	<a href="#">146TA1100</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	3	540	<a href="#">146TA1435</a>





## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	2	0	0	0	180	<a href="#">161TA7137</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	2	5	535	<a href="#">146TA1641</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	200	<a href="#">161TA7747</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	270	<a href="#">145TA9708</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	325	<a href="#">161TA7712</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	270	<a href="#">161TA7654</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	530	<a href="#">161TA7241</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	3	390	<a href="#">146TA1567</a>





## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	3	600	<a href="#">118TA3586</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	3	625	<a href="#">161TA7496</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	5	230	<a href="#">161TA7384</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	5	415	<a href="#">161TA7663</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	0	0	400	<a href="#">161TA7743</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	0	1	0	5	0	<a href="#">161TA7348</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	0	1	0	5	0	<a href="#">161TA7184</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	0	1	0	5	0	<a href="#">145TA9556</a>





## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Pin	0	1	0	1	0	<a href="#">146TA2718</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Pin	0	1	0	5	0	<a href="#">161TA7303</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	5	0	<a href="#">145TA9456</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	5	0	<a href="#">151TA1438</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	5	0	<a href="#">161TA7606</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	6	0	<a href="#">146TA7670</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	6	0	<a href="#">145TA9592</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	1	0	0	0	0	<a href="#">161TA7847</a>


## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	2,8 mm faston	0	0	1	6	0	<a href="#">161TA7504</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	1	0	6	500	<a href="#">161TA7344</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	1	0	6	505	<a href="#">161TA7684</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	1	0	6	1005	<a href="#">161TA7752</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	1	0	0	6	305	<a href="#">161TA7607</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	0	0	1	0	270	<a href="#">161TA7802</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	0	1	0	6	190	<a href="#">161TA7161</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	1	0	0	6	380	<a href="#">161TA7287</a>





## Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	2	1	0	6	207	<a href="#">161TA7661</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	PCB pin	0	1	0	6	0	<a href="#">161TA7190</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	6	0	<a href="#">161TA7871</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	6	0	<a href="#">161TA7129</a>



	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	6	0	<a href="#">161TA7277</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	6	0	<a href="#">161TA7118</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Solder connection	0	1	0	15	0	<a href="#">161TA7124</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	<a href="#">146TA1317</a>





Center distance: 9,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	<a href="#">145TA9992</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	<a href="#">146TA1303</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	<a href="#">146TA3823</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	5	785	<a href="#">161TA7302</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	1	0	3	540	<a href="#">161TA7725</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	1	0	5	170	<a href="#">146TA3821</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	0	500	<a href="#">161TA7163</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	3	365	<a href="#">146TA1576</a>








Center distance: 9,5 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	3	370	<a href="#">161TA7567</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	0	1	5	520	<a href="#">161TA7416</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	2	0	10	520	<a href="#">146TA1534</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	PCB pin	0	1	0	6	0	<a href="#">161TA7375</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Pin	0	1	0	5	0	<a href="#">146TA1171</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Solder connection	0	1	0	6	0	<a href="#">161TA7671</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Solder connection	0	1	0	10	0	<a href="#">146TA1023</a>





Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	1	0	1	5	0	<a href="#">146TA1416</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	1	0	1	5	0	<a href="#">145TA9724</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	0	300	<a href="#">146TA1135</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	1	0	1	5	0	<a href="#">146TA1354</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	0	2	25	880	<a href="#">145TA9412</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	0	6	0	<a href="#">161TA7836</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	0	15	0	<a href="#">161TA7645</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	0	0	<a href="#">146TA1418</a>





## Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	<a href="#">161TA7281</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	<a href="#">146TA4620</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	5	0	<a href="#">161TA7497</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	10	0	<a href="#">161TA7169</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	2	0	2	8	0	<a href="#">146TA2021</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	2	0	2	10	0	<a href="#">161TA7703</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	<a href="#">161TA7474</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	<a href="#">161TA7217</a>


## Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	<a href="#">161TA7756</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	<a href="#">145TA9453</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	2	0	2	10	0	<a href="#">161TA7518</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	0	1000	<a href="#">146TA1471</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	0	370	<a href="#">145TA9696</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	5	135	<a href="#">161TA7470</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	0	495	<a href="#">146TA1553</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	0	800	<a href="#">146TA1624</a>





Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	0	755	<a href="#"><u>146TA1622</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	95	<a href="#"><u>161TA7656</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	0	1	5	0	<a href="#"><u>146TA1507</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	0	10	0	<a href="#"><u>136TA2916</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	0	10	0	<a href="#"><u>161TA7509</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	5	0	<a href="#"><u>161TA7418</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	5	0	<a href="#"><u>146TA1457</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	10	0	<a href="#"><u>161TA7233</u></a>


## Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	1	10	0	<a href="#">161TA7448</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	1	10	0	<a href="#">161TA7400</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	1	10	0	<a href="#">161TA7259</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	2	0	2	10	0	<a href="#">161TA7350</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	5	0	<a href="#">161TA7226</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	5	362	<a href="#">161TA7679</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	5	0	<a href="#">161TA7594</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	5	0	<a href="#">146TA5584</a>








Center distance: 13,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	5	0	<a href="#">146TA1506</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	5	0	<a href="#">145TA9716</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	2	0	2	10	0	<a href="#">146TA6124</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	2	0	2	10	0	<a href="#">145TA9989</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	2	0	0	6	0	<a href="#">161TA7543</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	1	0	1	5	0	<a href="#">161TA7624</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Screw connection	1	0	1	5	0	<a href="#">146TA1103</a>





Center distance: 15,9 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	2	0	8	0	<a href="#">161TA7619</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	0	1	10	700	<a href="#">161TA7516</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	0	1	10	1025	<a href="#">146TA1102</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	0	1	10	1830	<a href="#">161TA7579</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	10	155	<a href="#">145TA9962</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	10	1000	<a href="#">161TA7549</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	10	157	<a href="#">161TA7359</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	10	260	<a href="#">161TA7360</a>





Center distance: 15,9 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	10	700	<a href="#">161TA7738</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	10	2080	<a href="#">161TA7785</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	5	0	<a href="#">161TA7551</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	0	1	0	10	0	<a href="#">161TA7136</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	0	1	0	10	0	<a href="#">145TA9842</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	10	0	<a href="#">161TA7172</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	10	1000	<a href="#">146TA1212</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	10	250	<a href="#">161TA7223</a>


Center distance: 15,9 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	10	98	<a href="#">161TA7501</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	10	305	<a href="#">161TA7714</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	95	<a href="#">161TA7717</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	115	<a href="#">161TA7388</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	142	<a href="#">161TA7571</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	0	1	10	0	<a href="#">146TA1123</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7523</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7424</a>





Center distance: 15,9 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	6	0	<a href="#">161TA7432</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	3	0	<a href="#">146TA1040</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	4	0	<a href="#">146TA6808</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	5	0	<a href="#">146TA1305</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	10	1120	<a href="#">161TA7674</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	380	<a href="#">161TA7412</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	10	0	<a href="#">161TA7675</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	10	0	<a href="#">161TA7364</a>

Center distance: 15,9 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	<a href="#"><u>161TA7687</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	0	2	0	5	2015	<a href="#"><u>146TA1494</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	0	490	<a href="#"><u>161TA7820</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Screw connection	0	1	0	10	0	<a href="#"><u>161TA7313</u></a>



Center distance: 15,9 + 19,0 + 22,2 + 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	<a href="#"><u>161TA7572</u></a>

Center distance: 15,9 + 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	5	0	<a href="#">161TA7376</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">146TA4165</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	5	0	<a href="#">161TA7599</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7506</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	1	0	0	16	0	<a href="#">161TA7251</a>







Center distance: 15,9 + 26,6 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	0	1	5	0	<a href="#"><u>145TA9388</u></a>





Center distance: 17,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	6	0	<a href="#">161TA7200</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	8	0	<a href="#">161TA7292</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7741</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Screw connection	0	1	0	8	0	<a href="#">145TA9544</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	0	1	0	8	0	<a href="#">146TA1323</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	10	0	<a href="#">161TA7678</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	8	1100	<a href="#">161TA7735</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	3	1700	<a href="#">161TA7638</a>



Center distance: 17,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">145TA9609</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	0	1	5	950	<a href="#">146TA1819</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	2	0	<a href="#">161TA7708</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	5	0	<a href="#">161TA7440</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	5	0	<a href="#">161TA7865</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	0	315	<a href="#">161TA7107</a>


Center distance: 17,45 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">145TA9642</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	10	735	<a href="#">161TA7253</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	10	765	<a href="#">161TA7589</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	<a href="#">146TA1044</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	1	0	<a href="#">161TA7813</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	1	0	<a href="#">145TA9492</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	1	0	<a href="#">161TA7361</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	5	0	<a href="#">145TA9409</a>




Center distance: 17,45 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	10	1005	<a href="#">146TA1034</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	8	0	<a href="#">116TA4718</a>





Center distance: 19,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	0	1	6	370	<a href="#">161TA7451</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	0	1	6	1425	<a href="#">161TA7700</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	4	5000	<a href="#">161TA7647</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">146TA1493</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	<a href="#">146TA1132</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	10	0	<a href="#">146TA1108</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	300	<a href="#">146TA1491</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	0	80	<a href="#">161TA7149</a>


Center distance: 19,0 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	0	0	<a href="#">151TA1542</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	<a href="#">161TA7862</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	4	3000	<a href="#">161TA7529</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	315	<a href="#">161TA7842</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	1	0	0	10	430	<a href="#">161TA7576</a>






Center distance: 19,0 + 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	<a href="#"><u>145TA9645</u></a>





Center distance: 19,0 mm + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	20	0	<a href="#"><u>145TA9932</u></a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	0	0	<a href="#">161TA7710</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	0	0	<a href="#">146TA1475</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	5	0	<a href="#">161TA7322</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	10	0	<a href="#">146TA1478</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	10	0	<a href="#">161TA7413</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	10	0	<a href="#">161TA7316</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7238</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7199</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	15	0	<a href="#">146TA1022</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	0	1	10	0	<a href="#">161TA7368</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7276</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7232</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7209</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7229</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">146TA2649</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">146TA7646</a>

Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7399</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7318</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7499</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7507</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7641</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7564</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">145TA9679</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	0	295	<a href="#">146TA6735</a>





Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	0	1115	<a href="#">161TA7797</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	5	530	<a href="#">161TA7156</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	5	1000	<a href="#">161TA7134</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	5	2000	<a href="#">146TA1490</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	1	0	0	3	580	<a href="#">161TA7823</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	1	0	0	5	145	<a href="#">161TA7665</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable + cable with connector	0	1	0	15	95	<a href="#">161TA7632</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	0	90	<a href="#">145TA9419</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	5	150	<a href="#">161TA7461</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	5	150	<a href="#">161TA7533</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	15	110	<a href="#">161TA7398</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	16	695	<a href="#">109TA4008</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	2	5	260	<a href="#">161TA7272</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	4	10	215	<a href="#">161TA7353</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	3	250	<a href="#">145TA9912</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	115	<a href="#">161TA7271</a>








Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	250	<a href="#">161TA7555</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	265	<a href="#">161TA7355</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	525	<a href="#">161TA7347</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	530	<a href="#">161TA7510</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	530	<a href="#">161TA7515</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	5	545	<a href="#">146TA1453</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	1	0	21	200	<a href="#">161TA7592</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	4	0	5	450	<a href="#">161TA7450</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	0	120	<a href="#">161TA7662</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	0	125	<a href="#">161TA7630</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	3	194	<a href="#">161TA7776</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	3	195	<a href="#">145TA9402</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	15	120	<a href="#">145TA9537</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	15	655	<a href="#">109TA4078</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	5	145	<a href="#">161TA7298</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	5	158	<a href="#">161TA7587</a>



Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	3	0	0	0	170	<a href="#">161TA7250</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	3	0	1	5	450	<a href="#">161TA7304</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	4	0	0	0	365	<a href="#">161TA7590</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	4	0	0	3	275	<a href="#">146TA1656</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	4	0	0	5	140	<a href="#">146TA1662</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	13	0	<a href="#">161TA7644</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	16	0	<a href="#">161TA7799</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	15	0	<a href="#">161TA7323</a>

Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	0	1	0	5	0	<a href="#">161TA7575</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	0	1	0	10	0	<a href="#">161TA7598</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	0	1	0	15	0	<a href="#">145TA9790</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	1	0	0	16	0	<a href="#">161TA7331</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	6,35 mm faston	0	0	1	16	0	<a href="#">161TA7617</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	0	295	<a href="#">145TA9638</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	1	0	0	5	1060	<a href="#">161TA7505</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	1	0	0	1220	<a href="#">161TA7740</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	0	2	0	0	240	<a href="#">146TA1620</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable with connector	2	0	1	0	240	<a href="#">161TA7409</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	0	0	<a href="#">161TA7522</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	0	0	<a href="#">146TA1766</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	3	0	<a href="#">161TA7652</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	3	0	<a href="#">161TA7237</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	4	0	<a href="#">146TA1456</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	5	0	<a href="#">161TA7300</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	5	0	<a href="#">151TA1498</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	10	0	<a href="#">161TA7554</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	11	0	<a href="#">161TA7490</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	11	0	<a href="#">161TA7593</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	11	0	<a href="#">161TA7812</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	12	0	<a href="#">161TA7697</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	12	0	<a href="#">161TA7464</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7282</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7838</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	15	0	<a href="#">145TA9408</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7852</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	2	0	<a href="#">161TA7758</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	6	0	<a href="#">161TA7498</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7177</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">146TA1227</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7370</a>








Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7296</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">146TA1389</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7198</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7648</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7538</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	13	0	<a href="#">161TA7629</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7246</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7577</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9774</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7320</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7800</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7796</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7869</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	2	0	6	0	<a href="#">161TA7299</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	1	0	0	15	0	<a href="#">146TA9912</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	5	0	<a href="#">161TA7224</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	5	300	<a href="#">145TA9528</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	5	520	<a href="#">161TA7212</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	5	520	<a href="#">146TA3785</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	0	1	0	10	540	<a href="#">151TA1532</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	2	1100	<a href="#">145TA9655</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	3	270	<a href="#">146TA1406</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	5	140	<a href="#">146TA1211</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	2	3	0	<a href="#">146TA1533</a>





Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	0	0	<a href="#">146TA2717</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	0	<a href="#">161TA7430</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	250	<a href="#">161TA7550</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	265	<a href="#">146TA1045</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	530	<a href="#">161TA7455</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	1	0	5	545	<a href="#">146TA1228</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	1	150	<a href="#">146TA1904</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	5	175	<a href="#">145TA9613</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	1	5	177	<a href="#">146TA1599</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	1	5	325	<a href="#">146TA1594</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	2	0	0	3	120	<a href="#">161TA7467</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	2	0	0	3	520	<a href="#">146TA1585</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	6	0	<a href="#">145TA9914</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7178</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7310</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7578</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">146TA1053</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	13	0	<a href="#">145TA9856</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	<a href="#">145TA9913</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7342</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	<a href="#">145TA9933</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	<a href="#">146TA1393</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	5	600	<a href="#">161TA7187</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	8	530	<a href="#">146TA1179</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	8	540	<a href="#">161TA7453</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	5	130	<a href="#">161TA7408</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	2	3	1930	<a href="#">146TA1532</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	2	5	245	<a href="#">161TA7625</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	123	<a href="#">146TA1060</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	8	190	<a href="#">161TA7570</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	8	240	<a href="#">145TA9737</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	130	<a href="#">161TA7373</a>








Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	155	<a href="#">145TA9916</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	165	<a href="#">145TA9637</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	0	1	15	0	<a href="#">161TA7531</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	3	0	<a href="#">146TA8057</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	5	0	<a href="#">161TA7429</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	10	0	<a href="#">145TA9795</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	10	0	<a href="#">145TA9454</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	11	0	<a href="#">145TA9994</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	12	0	<a href="#">161TA7514</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	15	0	<a href="#">146TA1164</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7206</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	16	0	<a href="#">146TA1318</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	1	0	0	10	0	<a href="#">161TA7778</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	10	0	<a href="#">161TA7218</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	12	0	<a href="#">146TA3478</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	16	0	<a href="#">145TA9707</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	0	0	<a href="#">161TA7512</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	2	0	<a href="#">146TA1105</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	2	0	<a href="#">145TA9965</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	6	0	<a href="#">145TA9951</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	6	0	<a href="#">145TA9628</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	8	0	<a href="#">146TA1833</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7191</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7721</a>



Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7248</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7495</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7478</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9987</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">146TA2119</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7365</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7183</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9939</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7181</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9413</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7420</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	<a href="#">146TA1107</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	<a href="#">145TA9443</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7746</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	10	0	<a href="#">161TA7182</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	10	0	<a href="#">146TA6553</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	10	0	<a href="#">161TA7377</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	16	0	<a href="#">146TA1021</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	16	0	<a href="#">161TA7319</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	16	0	<a href="#">146TA1518</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	0	0	<a href="#">161TA7854</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	16	0	<a href="#">161TA7317</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	2	260	<a href="#">161TA7394</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	5	250	<a href="#">161TA7537</a>








Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	2	15	435	<a href="#">146TA1613</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	0	445	<a href="#">161TA7267</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	0	445	<a href="#">161TA7676</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	2	500	<a href="#">161TA7357</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	210	<a href="#">161TA7782</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	300	<a href="#">145TA9483</a>




	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	505	<a href="#">146TA1163</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	525	<a href="#">161TA7581</a>




Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	530	<a href="#">161TA7573</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	660	<a href="#">146TA3783</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	10	520	<a href="#">145TA9806</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	2	0	15	275	<a href="#">161TA7761</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	12	0	5	525	<a href="#">161TA7542</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	0	145	<a href="#">145TA9797</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	145	<a href="#">161TA7458</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	325	<a href="#">161TA7539</a>





Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	500	<a href="#">146TA2397</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	11	620	<a href="#">146TA1616</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	15	515	<a href="#">146TA1612</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	15	980	<a href="#">139TA5074</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	16	840	<a href="#">161TA7562</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable + cable with connector	1	0	0	0	150	<a href="#">161TA7642</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	2	85	<a href="#">161TA7561</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	80	<a href="#">146TA1508</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	2540	<a href="#">145TA9440</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	5	310	<a href="#">161TA7673</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	3	180	<a href="#">146TA1609</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	3	237	<a href="#">151TA1558</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	5	245	<a href="#">146TA3234</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	5	320	<a href="#">161TA7608</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	5	320	<a href="#">161TA7547</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	3	3	320	<a href="#">146TA1640</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	0	0	<a href="#">161TA7279</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	0	45	<a href="#">146TA1324</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	1	460	<a href="#">146TA1341</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	190	<a href="#">146TA1272</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	310	<a href="#">161TA7875</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	97	<a href="#">161TA7569</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	100	<a href="#">146TA1138</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	125	<a href="#">161TA7612</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	183	<a href="#">146TA1062</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	185	<a href="#">146TA1210</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	225	<a href="#">161TA7449</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	255	<a href="#">161TA7123</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	325	<a href="#">146TA1194</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	600	<a href="#">109TA4745</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	160	<a href="#">161TA7698</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	260	<a href="#">161TA7646</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	15	675	<a href="#">151TA1559</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	16	175	<a href="#">161TA7289</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	0	460	<a href="#">161TA7609</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	0	460	<a href="#">161TA7731</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	0	632	<a href="#">161TA7664</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	5	408	<a href="#">146TA1588</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	10	430	<a href="#">161TA7485</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	10	460	<a href="#">161TA7818</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	10	650	<a href="#">161TA7745</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	15	475	<a href="#">161TA7655</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	15	655	<a href="#">161TA7626</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	2	0	16	435	<a href="#">146TA1604</a>









	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	467	<a href="#">161TA7692</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	500	<a href="#">146TA1630</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	15	675	<a href="#">161TA7283</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	3	325	<a href="#">146TA1535</a>





Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	3	455	<a href="#">146TA1605</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	3	470	<a href="#">146TA1538</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	230	<a href="#">136TA2918</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	5	520	<a href="#">161TA7466</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	0	15	435	<a href="#">146TA1552</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	0	460	<a href="#">161TA7386</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	1	435	<a href="#">146TA1569</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	0	1	0	10	0	<a href="#">161TA7122</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	0	1	5	0	<a href="#">161TA7397</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	11	0	<a href="#">146TA2560</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	13	0	<a href="#">146TA4349</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7210</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	3	0	<a href="#">146TA9522</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	8	0	<a href="#">161TA7553</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection + 6,35 mm faston	0	1	0	15	0	<a href="#">161TA7295</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	1	0	<a href="#">146TA1738</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	1	0	<a href="#">161TA7815</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	8	0	<a href="#">161TA7583</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	10	0	<a href="#">161TA7472</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	10	0	<a href="#">146TA1214</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	10	0	<a href="#">161TA7366</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	10	0	<a href="#">145TA9755</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	10	0	<a href="#">146TA1504</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	11	0	<a href="#">161TA7595</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	<a href="#">146TA6787</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	<a href="#">161TA7855</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	<a href="#">161TA7208</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	16	0	<a href="#">151TA1439</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	16	0	<a href="#">161TA7808</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	2	0	15	290	<a href="#">146TA1618</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	0	10	0	<a href="#">146TA6550</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	0	10	0	<a href="#">145TA9423</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	0	10	0	<a href="#">146TA6551</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	0	10	0	<a href="#">145TA9424</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	0	10	0	<a href="#">161TA7660</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	0	15	0	<a href="#">146TA1169</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	1	0	<a href="#">145TA9438</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	0	1	15	0	<a href="#">161TA7395</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	0	0	<a href="#">161TA7586</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	<a href="#">161TA7436</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	<a href="#">161TA7428</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	<a href="#">161TA7231</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	10	0	<a href="#">145TA9938</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	10	0	<a href="#">146TA7447</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	11	0	<a href="#">161TA7484</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7211</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	16	0	<a href="#">146TA1498</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	0	1	10	0	<a href="#">146TA1083</a>








Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	0	1	10	0	<a href="#">161TA7834</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	0	1	10	0	<a href="#">161TA7835</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	1	0	<a href="#">161TA7520</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	6	0	<a href="#">161TA7387</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	6	0	<a href="#">146TA3867</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	8	0	<a href="#">161TA7690</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7345</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7315</a>



Center distance: 22,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7307</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7194</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7280</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	12	0	<a href="#">161TA7216</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9811</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7197</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9631</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7225</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">146TA1151</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7443</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">146TA4722</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7804</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7791</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7880</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	22	0	<a href="#">161TA7846</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	0	21	0	<a href="#">161TA7378</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	0	1	15	345	<a href="#">146TA1288</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	0	1000	<a href="#">145TA9404</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	3	300	<a href="#">146TA1797</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	240	<a href="#">161TA7704</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	255	<a href="#">146TA1037</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	295	<a href="#">161TA7227</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	310	<a href="#">161TA7536</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	520	<a href="#">146TA1836</a>





Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	525	<a href="#">161TA7401</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	535	<a href="#">161TA7336</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	655	<a href="#">145TA9997</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	6	200	<a href="#">146TA1400</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	3	300	<a href="#">146TA1365</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	5	600	<a href="#">146TA1987</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	0	315	<a href="#">146TA1796</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	3	865	<a href="#">145TA9917</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	3	870	<a href="#">146TA1307</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	3	875	<a href="#">145TA9819</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	5	110	<a href="#">161TA7249</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	12	115	<a href="#">145TA9835</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	0	<a href="#">161TA7252</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	170	<a href="#">146TA2621</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	185	<a href="#">146TA1063</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	420	<a href="#">146TA1311</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	65	<a href="#">146TA1434</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	115	<a href="#">161TA7483</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	200	<a href="#">161TA7850</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	295	<a href="#">161TA7848</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	127	<a href="#">161TA7732</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	130	<a href="#">161TA7508</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	138	<a href="#">161TA7265</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	140	<a href="#">161TA7491</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	200	<a href="#">161TA7503</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	200	<a href="#">146TA1254</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	220	<a href="#">146TA1088</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	225	<a href="#">161TA7730</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	245	<a href="#">146TA8167</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	325	<a href="#">161TA7742</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	335	<a href="#">145TA9688</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	350	<a href="#">161TA7806</a>








Center distance: 22,2 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	16	170	<a href="#">145TA9691</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	3	300	<a href="#">146TA1537</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	3	310	<a href="#">161TA7856</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	5	250	<a href="#">161TA7683</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	5	280	<a href="#">161TA7556</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	5	320	<a href="#">161TA7719</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	2	0	5	320	<a href="#">161TA7426</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	5	0	0	375	<a href="#">146TA1667</a>


Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	3	125	<a href="#">146TA1417</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	3	305	<a href="#">146TA1348</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	3	865	<a href="#">145TA9796</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	120	<a href="#">146TA4784</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	185	<a href="#">146TA1234</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	250	<a href="#">146TA1353</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	260	<a href="#">145TA9656</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	480	<a href="#">161TA7294</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	128	<a href="#">145TA9625</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	240	<a href="#">161TA7623</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	2	5	385	<a href="#">161TA7650</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	PCB pin	0	1	0	2	0	<a href="#">146TA5627</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	0	1	15	0	<a href="#">161TA7824</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	6	0	<a href="#">145TA9693</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	<a href="#">145TA9706</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	<a href="#">161TA7110</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	<a href="#">145TA9918</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	5	0	<a href="#">161TA7639</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	3	0	6	0	<a href="#">161TA7524</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection + 4,75 mm faston	0	1	0	11	0	<a href="#">161TA7727</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection + 6,35 mm faston	0	1	0	10	0	<a href="#">161TA7130</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	6	0	<a href="#">146TA1093</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	<a href="#">161TA7620</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	12	0	<a href="#">161TA7519</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	15	0	<a href="#">161TA7694</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	2	0	7	0	<a href="#">161TA7371</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	2	0	10	0	<a href="#">146TA1583</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	1	0	0	16	0	<a href="#">151TA1502</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	0	1	0	10	0	<a href="#">146TA9835</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	6,35 mm faston	1	0	0	12	0	<a href="#">145TA9941</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	0	1	2	492	<a href="#">146TA1419</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	PCB pin	0	1	0	2	0	<a href="#">161TA7750</a>





Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	4,75 mm faston	0	1	0	11	0	<a href="#">146TA2005</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	1	0	<a href="#">161TA7653</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7456</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	15	0	<a href="#">103TA1576</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7403</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	15	0	<a href="#">146TA1921</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7685</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	4,75 mm faston	0	0	1	15	0	<a href="#">146TA1310</a>








Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	4,75 mm faston	0	1	0	10	0	<a href="#">146TA1089</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7230</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	4,75 mm faston	1	0	0	15	0	<a href="#">146TA6773</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	6,35 mm faston	0	0	1	10	0	<a href="#">161TA7188</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7358</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	10	305	<a href="#">118TA1923</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	10	310	<a href="#">161TA7494</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	10	620	<a href="#">161TA7159</a>



Center distance: 22,2 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	5	500	<a href="#"><u>161TA7273</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	2	0	0	5	500	<a href="#"><u>146TA1596</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	3	1570	<a href="#"><u>146TA1519</u></a>





Center distance: 22,2 mm + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	0	1	6	0	<a href="#"><u>161TA7215</u></a>


Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible rod	Covered screw connection	0	1	0	10	0	<a href="#">161TA7563</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible rod	Screw connection	0	1	0	15	0	<a href="#">161TA7108</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9738</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7755</a>









	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7115</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">146TA1460</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	20	0	<a href="#">161TA7693</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	25	0	<a href="#">161TA7798</a>





Center distance: 25,4 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	25	0	<a href="#">161TA7173</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	2	0	15	0	<a href="#">146TA1084</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	1	0	0	21	0	<a href="#">161TA7853</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	0	1	0	0	300	<a href="#">145TA9502</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	0	1	3	253	<a href="#">161TA7769</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	4	0	0	5	370	<a href="#">161TA7157</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	0	1	0	0	0	<a href="#">145TA9877</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	0	1	0	10	0	<a href="#">146TA3686</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	1	0	0	0	0	<a href="#">146TA1379</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	3	0	<a href="#">145TA9791</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	5	0	<a href="#">161TA7427</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	10	0	<a href="#">146TA2157</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA1477</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA3183</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA3738</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA1302</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA3211</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA2328</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	1	0	16	0	<a href="#">146TA1455</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	2	0	5	0	<a href="#">161TA7840</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	0	2	0	15	0	<a href="#">161TA7809</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	<a href="#">161TA7405</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	<a href="#">161TA7517</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Solder connection	0	1	0	5	0	<a href="#">161TA7621</a>




Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	10	0	<a href="#">161TA7559</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	15	0	<a href="#">161TA7614</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Soler connection	0	1	0	15	0	<a href="#">161TA7335</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	4,75 mm faston	0	1	0	11	0	<a href="#">161TA7114</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7757</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9828</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7790</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	0	1	0	15	0	<a href="#">161TA7783</a>








Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	0	1	0	15	0	<a href="#">146TA2106</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	4,75 mm faston	0	1	0	25	0	<a href="#">161TA7601</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	10	0	<a href="#">146TA2298</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7640</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7711</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7715</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	1	0	25	0	<a href="#">161TA7463</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	2	0	25	0	<a href="#">161TA7219</a>


Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable	1	0	0	5	2530	<a href="#">161TA7264</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	5	180	<a href="#">146TA1467</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	0	1	15	310	<a href="#">146TA1235</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	1	0	0	15	275	<a href="#">145TA9864</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	0	1	0	10	0	<a href="#">146TA3607</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection + cable	1	0	0	16	1845	<a href="#">145TA9636</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	10	0	<a href="#">146TA1428</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	10	0	<a href="#">146TA2306</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	<a href="#">161TA7603</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	<a href="#">161TA7789</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	<a href="#">161TA7354</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	<a href="#">161TA7189</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	1	0	15	0	<a href="#">161TA7113</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	0	2	0	6	0	<a href="#">161TA7591</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Screw connection	1	0	1	15	0	<a href="#">146TA1344</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Solder connection	0	1	0	3	0	<a href="#">161TA7535</a>


Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Soler connection	0	1	0	10	0	<a href="#">161TA7682</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	0	1	0	5	0	<a href="#">146TA1390</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	0	1	0	15	0	<a href="#">146TA1439</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	0	1	15	0	<a href="#">161TA7774</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	5	0	<a href="#">161TA7844</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	5	0	<a href="#">145TA9821</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	5	0	<a href="#">161TA7468</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	15	0	<a href="#">146TA1479</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	21	0	<a href="#">146TA1225</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	2	0	20	0	<a href="#">161TA7771</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	1	0	0	15	0	<a href="#">161TA7857</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	1	0	1	16	0	<a href="#">161TA7222</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	10	200	<a href="#">161TA7845</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	155	<a href="#">145TA9398</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	10	145	<a href="#">161TA7839</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	10	150	<a href="#">161TA7308</a>


Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	15	335	<a href="#">146TA1462</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	15	130	<a href="#">146TA6798</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	5	0	<a href="#">161TA7545</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7109</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	10	0	<a href="#">146TA1789</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7767</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	0	1	0	16	0	<a href="#">146TA3728</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	0	1	10	0	<a href="#">145TA9457</a>








Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	5	0	<a href="#">161TA7837</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	<a href="#">161TA7174</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7864</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	<a href="#">151TA1491</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	<a href="#">146TA1859</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7126</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7843</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	<a href="#">145TA9880</a>








Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7493</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	16	0	<a href="#">161TA7528</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	16	0	<a href="#">161TA7817</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	25	0	<a href="#">161TA7220</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	5	0	<a href="#">161TA7668</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	15	0	<a href="#">161TA7332</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	15	0	<a href="#">161TA7500</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	15	0	<a href="#">161TA7801</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	20	0	<a href="#">146TA1128</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	20	0	<a href="#">161TA7552</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	0	1	0	15	0	<a href="#">145TA9765</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	0	1	12	0	<a href="#">145TA9406</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	15	115	<a href="#">145TA9901</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	5	0	<a href="#">161TA7390</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">146TA5340</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">145TA9465</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7203</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7585</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7145</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9721</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">146TA1285</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7306</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	20	0	<a href="#">161TA7473</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	21	0	<a href="#">161TA7780</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	21	0	<a href="#">161TA7680</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	2	0	20	0	<a href="#">161TA7532</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	5	0	<a href="#">161TA7415</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	15	0	<a href="#">145TA9950</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	15	0	<a href="#">161TA7438</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	15	0	<a href="#">146TA1517</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	16	0	<a href="#">161TA7221</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	2	0	0	20	0	<a href="#">146TA1480</a>


Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	190	<a href="#">161TA7407</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	500	<a href="#">146TA5594</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	510	<a href="#">161TA7861</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	280	<a href="#">146TA1376</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	520	<a href="#">146TA1523</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	15	420	<a href="#">146TA1048</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	185	<a href="#">146TA1249</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	190	<a href="#">161TA7821</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	10	250	<a href="#">161TA7150</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	15	230	<a href="#">161TA7437</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	15	435	<a href="#">145TA9494</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	180	<a href="#">161TA7441</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	5	0	<a href="#">146TA2073</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	5	0	<a href="#">161TA7258</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	5	0	<a href="#">161TA7234</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	15	0	<a href="#">146TA6788</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	10	0	<a href="#">161TA7833</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	10	0	<a href="#">161TA7832</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	0	0	<a href="#">161TA7760</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	3	0	<a href="#">161TA7356</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	6	0	<a href="#">146TA1309</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">146TA2588</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">145TA9909</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">145TA9940</a>








Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7120</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">126TA6173</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7146</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7152</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7247</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7205</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	20	0	<a href="#">161TA7658</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	20	0	<a href="#">161TA7288</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	20	0	<a href="#">161TA7291</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	20	0	<a href="#">146TA1413</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	0	15	0	<a href="#">161TA7574</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	5	0	<a href="#">146TA5580</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	<a href="#">146TA1343</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	<a href="#">145TA9670</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	<a href="#">146TA3745</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	<a href="#">146TA4520</a>





## Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	<a href="#">146TA1139</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	15	0	<a href="#">146TA3740</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	2	0	5	0	<a href="#">146TA1157</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	1	0	15	1300	<a href="#">161TA7826</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	10	0	<a href="#">161TA7803</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	1	0	1	10	0	<a href="#">146TA1345</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	3	0	<a href="#">146TA1459</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">145TA9396</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7670</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	10	0	<a href="#">146TA9056</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9415</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7255</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">146TA2117</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9501</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7487</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	15	0	<a href="#">145TA9935</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	20	0	<a href="#">161TA7475</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	20	0	<a href="#">146TA1177</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	2	0	15	0	<a href="#">161TA7465</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	5	0	<a href="#">161TA7526</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	15	0	<a href="#">161TA7720</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	16	0	<a href="#">146TA1433</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	0	1	15	790	<a href="#">161TA7349</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	0	300	<a href="#">146TA6736</a>


Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	72	<a href="#">161TA7240</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	0	615	<a href="#">161TA7874</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	5	150	<a href="#">146TA8760</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	1	0	0	5	630	<a href="#">161TA7243</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	2	0	0	5	150	<a href="#">161TA7734</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	3	450	<a href="#">146TA1446</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	15	205	<a href="#">146TA1425</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	15	230	<a href="#">161TA7486</a>








Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	15	260	<a href="#">146TA1351</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	2	5	200	<a href="#">161TA7262</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	290	<a href="#">161TA7759</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	3	110	<a href="#">161TA7749</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	5	280	<a href="#">161TA7831</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	15	160	<a href="#">145TA9585</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	15	340	<a href="#">161TA7766</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	0	90	<a href="#">146TA1405</a>








Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	180	<a href="#">161TA7423</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	220	<a href="#">146TA1528</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	335	<a href="#">161TA7772</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	450	<a href="#">161TA7425</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	1	5	670	<a href="#">146TA1327</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	10	340	<a href="#">146TA1629</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	15	300	<a href="#">146TA1544</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	0	6	150	<a href="#">146TA8419</a>





## Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	0	10	380	<a href="#">146TA1632</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	4	0	0	10	415	<a href="#">146TA1664</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	4	0	0	15	380	<a href="#">146TA1648</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	2	0	<a href="#">146TA1827</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	0	1	0	15	0	<a href="#">146TA2113</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	1	0	1	10	0	<a href="#">161TA7192</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Covered screw connection	1	0	1	10	0	<a href="#">161TA7311</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	0	0	<a href="#">145TA9982</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	3	0	<a href="#">161TA7489</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	3	0	<a href="#">161TA7207</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	5	0	<a href="#">161TA7270</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	<a href="#">145TA9764</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	<a href="#">161TA7672</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	<a href="#">161TA7160</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA4703</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA1865</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	0	<a href="#">146TA8430</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	15	2010	<a href="#">161TA7737</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	16	0	<a href="#">161TA7659</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	20	0	<a href="#">146TA1295</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	1	0	<a href="#">161TA7482</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	6	0	<a href="#">161TA7541</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	10	0	<a href="#">145TA9879</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	2	0	10	0	<a href="#">161TA7297</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	15	0	<a href="#">161TA7460</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	15	0	<a href="#">161TA7669</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	3	0	<a href="#">161TA7788</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	3	0	<a href="#">161TA7459</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	15	0	<a href="#">161TA7811</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	15	0	<a href="#">145TA9447</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	16	0	<a href="#">161TA7404</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	16	0	<a href="#">161TA7414</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	16	0	<a href="#">161TA7666</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	20	0	<a href="#">161TA7367</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	2	0	16	0	<a href="#">161TA7643</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7681</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	0	1	0	20	0	<a href="#">161TA7339</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	10	315	<a href="#">161TA7611</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	15	720	<a href="#">109TA4000</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	15	1055	<a href="#">161TA7502</a>








Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	15	95	<a href="#">161TA7290</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	15	745	<a href="#">161TA7691</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	15	155	<a href="#">161TA7723</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	15	180	<a href="#">146TA1298</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	3	151	<a href="#">145TA9444</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	135	<a href="#">161TA7346</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	170	<a href="#">161TA7841</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	185	<a href="#">146TA1398</a>





Center distance: 25,4 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	335	<a href="#">161TA7805</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	340	<a href="#">161TA7754</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	0	135	<a href="#">146TA1378</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	3	260	<a href="#">161TA7385</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	3	270	<a href="#">161TA7762</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	3	295	<a href="#">145TA9649</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	10	130	<a href="#">145TA9723</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	10	155	<a href="#">145TA9428</a>

Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	10	175	<a href="#">161TA7179</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	10	560	<a href="#">161TA7876</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	150	<a href="#">145TA9944</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	170	<a href="#">145TA9923</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	180	<a href="#">145TA9781</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	185	<a href="#">145TA9407</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	380	<a href="#">161TA7860</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	4	0	0	10	360	<a href="#">146TA1663</a>


Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	5	0	0	15	425	<a href="#">161TA7736</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	1	0	<a href="#">161TA7274</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	5	0	<a href="#">145TA9437</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7334</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7111</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7707</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7151</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7167</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	10	0	<a href="#">161TA7651</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection + cable	0	0	1	5	1040	<a href="#">161TA7260</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	0	0	<a href="#">146TA1463</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	0	0	<a href="#">161TA7433</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	0	0	<a href="#">161TA7236</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	5	0	<a href="#">161TA7132</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	5	0	<a href="#">146TA6648</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	10	0	<a href="#">161TA7165</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	10	0	<a href="#">145TA9549</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	10	0	<a href="#">146TA3101</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	<a href="#">146TA1041</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7176</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7391</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7180</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	<a href="#">161TA7116</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	<a href="#">146TA1454</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	230	<a href="#">146TA1312</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	16	0	<a href="#">161TA7689</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	20	0	<a href="#">161TA7696</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	20	0	<a href="#">161TA7363</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	2	0	6	0	<a href="#">161TA7706</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	2	0	10	0	<a href="#">151TA1548</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	1	0	1	15	0	<a href="#">161TA7701</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	1	0	1	15	0	<a href="#">161TA7379</a>








Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	1	0	1	15	0	<a href="#">161TA7328</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Solder connection	0	1	0	5	0	<a href="#">161TA7479</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Solder connection	0	1	0	10	0	<a href="#">161TA7744</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Solder connection	0	1	0	15	0	<a href="#">161TA7434</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Solder connection	0	1	0	15	0	<a href="#">161TA7380</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	2,8 mm faston	0	0	1	6	0	<a href="#">145TA9792</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	6,35 mm faston	0	1	0	20	0	<a href="#">161TA7381</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	6,35 mm faston	1	0	1	15	0	<a href="#">161TA7193</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Screw connection	1	0	1	15	0	<a href="#">161TA7112</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	2,8 mm faston	0	1	0	4	0	<a href="#">145TA9441</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	4,75 mm faston	0	1	0	11	0	<a href="#">161TA7164</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	4,75 mm faston	1	0	1	15	0	<a href="#">146TA1735</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	10	0	<a href="#">146TA1326</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	1	0	0	0	190	<a href="#">146TA1404</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	1	0	0	0	205	<a href="#">161TA7816</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Covered screw connection	0	0	1	0	0	<a href="#">161TA7142</a>




Center distance: 25,4 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Covered screw connection	0	0	1	0	0	<a href="#">161TA7141</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	6,35 mm faston	0	1	0	20	0	<a href="#">161TA7201</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Covered screw connection	1	0	1	10	0	<a href="#">161TA7312</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Screw connection	0	1	0	20	0	<a href="#">146TA4628</a>





## Center distance: 25,4 + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	16	0	<a href="#"><u>161TA7338</u></a>





Center distance: 26,6 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	6,35 mm faston	0	2	0	15	0	<a href="#">161TA7530</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	4	3475	<a href="#">161TA7768</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	4	530	<a href="#">161TA7849</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	15	0	<a href="#">161TA7557</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	0	160	<a href="#">161TA7819</a>


Center distance: 28,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	1	0	<a href="#">161TA7726</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	16	0	<a href="#">161TA7138</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	16	0	<a href="#">145TA9405</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	PCB pin	1	0	1	16	0	<a href="#">145TA9567</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	5	0	<a href="#">161TA7147</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	16	0	<a href="#">161TA7600</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection + 6,35 mm faston	1	0	1	16	0	<a href="#">146TA1291</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	1	16	0	<a href="#">161TA7213</a>





Center distance: 28,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	1	16	0	<a href="#">145TA9547</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	10	0	<a href="#">161TA7166</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	1	0	<a href="#">145TA9826</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	6	0	<a href="#">145TA9461</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	10	0	<a href="#">146TA1458</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	16	0	<a href="#">146TA1293</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	16	0	<a href="#">161TA7613</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	0	0	1	5	300	<a href="#">146TA1294</a>


## Center distance: 28,0 mm + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	3	0	<a href="#">146TA7154</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	0	1	0	10	0	<a href="#">146TA7152</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	1	0	<a href="#">146TA1110</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	10	0	<a href="#">161TA7254</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	16	0	<a href="#">161TA7195</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	16	0	<a href="#">146TA8645</a>





## Center distance: 30,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	2,8 mm faston	0	1	0	2	0	<a href="#">161TA7477</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	0	1300	<a href="#">161TA7153</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	4	735	<a href="#">146TA1226</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	4	740	<a href="#">161TA7135</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	2	0	<a href="#">161TA7244</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	0	1	0	0	<a href="#">161TA7168</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	3	0	<a href="#">161TA7382</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	0	140	<a href="#">161TA7410</a>


Center distance: 32,8 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	0	1	0	5	0	<a href="#">146TA1712</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	1	0	1	5	0	<a href="#">146TA7220</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	4	1190	<a href="#">146TA1497</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable	0	1	0	5	1000	<a href="#">146TA1290</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	1	0	0	175	<a href="#">145TA9640</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	455	<a href="#">161TA7795</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	5	200	<a href="#">145TA9626</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	5	255	<a href="#">161TA7807</a>




Center distance: 32,8 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	5	265	<a href="#">161TA7702</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	5	265	<a href="#">161TA7492</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	5	300	<a href="#">161TA7411</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	5	460	<a href="#">145TA9482</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	2	0	<a href="#">145TA9663</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	5	0	<a href="#">161TA7454</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection	0	1	0	5	0	<a href="#">161TA7480</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Covered screw connection + cable with connector	1	0	0	5	415	<a href="#">145TA9661</a>





Center distance: 32,8 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	0	1	0	0	225	<a href="#"><u>161TA7729</u></a>


Center distance: 54,0 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	2	0	0	0	635	<a href="#">146TA1541</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	0	0	<a href="#">161TA7878</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	10	0	<a href="#">161TA7827</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	15	0	<a href="#">161TA7851</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	<a href="#">161TA7828</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	2	0	2	0	0	<a href="#">161TA7822</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	10	0	<a href="#">161TA7695</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	10	0	<a href="#">161TA7604</a>



Center distance: 54,0 mm



Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Roller lever	Screw connection	1	0	1	20	0	<a href="#"><u>161TA7447</u></a>



## Center distance: Special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	1	0	5	0	<a href="#">161TA7713</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	0	185	<a href="#">161TA7863</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	5	170	<a href="#">145TA9770</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Covered screw connection	1	0	1	20	0	<a href="#">145TA9875</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Screw connection	1	0	1	20	0	<a href="#">146TA7456</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	1	0	1	20	0	<a href="#">146TA7454</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Covered screw connection	2	0	2	20	0	<a href="#">145TA9925</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	1	0	1	16	0	<a href="#">161TA7558</a>





## Center distance: Special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Covered screw connection	1	0	1	20	0	<a href="#">161TA7784</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	5	0	<a href="#">161TA7657</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	2,8 mm faston	1	0	1	10	0	<a href="#">146TA6105</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	5	0	<a href="#">161TA7830</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	0	0	<a href="#">146TA1420</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	0	1	10	0	<a href="#">161TA7171</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	10	0	<a href="#">146TA1092</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7301</a>


## Center distance: Special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	0	3	0	<a href="#">161TA7268</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	1	0	1	8	0	<a href="#">161TA7419</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	2	16	1100	<a href="#">146TA1623</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	5	325	<a href="#">161TA7610</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	4	740	<a href="#">161TA7266</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	12	770	<a href="#">146TA2447</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	6	0	<a href="#">161TA7540</a>





	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	15	0	<a href="#">161TA7435</a>

## Center distance: Special

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	0	1	0	20	0	<a href="#">146TA1426</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	20	0	<a href="#">146TA2126</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	20	0	<a href="#">161TA7139</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	<a href="#">146TA1427</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	<a href="#">145TA9384</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	1	0	0	4	0	<a href="#">146TA1292</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	2	0	2	8	0	<a href="#">161TA7605</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	0	1	0	16	0	<a href="#">145TA9720</a>




## Center distance: Special

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	46	0	<a href="#">145TA9827</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	2,8 mm faston	0	1	0	4	0	<a href="#">161TA7560</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	0	1	0	15	345	<a href="#">145TA9881</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Covered screw connection	1	0	1	20	0	<a href="#">146TA1451</a>





## Center distance: Special + special


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Covered screw connection	1	0	1	3	0	<a href="#"><u>145TA9890</u></a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	4,75 mm faston	0	1	0	5	0	<a href="#">145TA9866</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	0	2	15	0	<a href="#">161TA7326</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	6,35 mm faston	0	0	2	15	0	<a href="#">161TA7324</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable	1	0	0	10	200	<a href="#">145TA9756</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	0	4	0	10	240	<a href="#">161TA7870</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	0	0	<a href="#">161TA7829</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long roller lever	Cable with connector	1	0	0	1	335	<a href="#">146TA1470</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	2,8 mm faston	0	1	0	5	0	<a href="#">161TA7548</a>

## Center distance: Already mounted

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	365	<a href="#">161TA7633</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	5	500	<a href="#">161TA7722</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long simulated lever	Cable	0	1	0	12	350	<a href="#">145TA9869</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Long straight lever	Cable with connector	0	2	0	3	1535	<a href="#">146TA1543</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	1	0	1	5	0	<a href="#">161TA7125</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	2	0	2	5	0	<a href="#">161TA7446</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	2,8 mm faston	6	0	6	8	0	<a href="#">161TA7770</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	0	1	0	5	0	<a href="#">146TA1104</a>








## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	0	1	0	15	0	<a href="#">145TA9860</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	0	2	0	10	0	<a href="#">146TA1442</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	1	0	0	15	0	<a href="#">161TA7751</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston	1	0	1	10	0	<a href="#">161TA7444</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	4,75 mm faston + 6,35 mm faston	0	2	0	10	0	<a href="#">161TA7148</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	0	1	10	0	<a href="#">161TA7686</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	5	0	<a href="#">146TA1165</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7256</a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7333</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">161TA7321</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	10	0	<a href="#">151TA1503</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	13	0	<a href="#">161TA7309</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	15	0	<a href="#">161TA7471</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7566</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	16	0	<a href="#">161TA7866</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	1	0	25	0	<a href="#">145TA9837</a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	2	0	0	0	<a href="#">161TA7154</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	2	0	10	0	<a href="#">161TA7235</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	6,35 mm faston	0	2	0	10	0	<a href="#">161TA7314</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	4	500	<a href="#">146TA8909</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	5	500	<a href="#">161TA7688</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	1	0	5	2010	<a href="#">145TA9460</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable	0	2	0	5	535	<a href="#">146TA1608</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	5	505	<a href="#">161TA7396</a>


## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	5	3025	<a href="#">161TA7867</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	0	1	15	175	<a href="#">146TA1114</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	110	<a href="#">161TA7325</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	5	540	<a href="#">145TA9390</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	10	180	<a href="#">161TA7481</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	1	0	10	190	<a href="#">161TA7709</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	0	4	0	5	410	<a href="#">146TA1661</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	230	<a href="#">146TA7260</a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Cable with connector	1	0	0	5	500	<a href="#">161TA7439</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	5	0	<a href="#">146TA3773</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	<a href="#">161TA7372</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	<a href="#">161TA7627</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	10	0	<a href="#">161TA7699</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	1	0	15	0	<a href="#">145TA9929</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	2	0	10	0	<a href="#">161TA7584</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	0	2	0	10	0	<a href="#">146TA1627</a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	1	0	0	15	0	<a href="#">146TA1066</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	2	0	2	0	0	<a href="#">146TA1042</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Screw connection	2	0	2	10	0	<a href="#">146TA2670</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	3	0	<a href="#">145TA9873</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	3	0	<a href="#">145TA9871</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	1	0	3	0	<a href="#">146TA1332</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	2	0	1	0	<a href="#">161TA7143</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	0	2	0	10	0	<a href="#">161TA7341</a>








## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Panel mount plunger	Solder connection	1	0	1	5	0	<a href="#">146TA3775</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	1	0	15	0	<a href="#">161TA7406</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	4,75 mm faston	0	2	0	10	0	<a href="#">161TA7596</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	2	0	<a href="#">106TA2551</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	1	0	16	0	<a href="#">146TA1216</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	6,35 mm faston	0	2	0	15	0	<a href="#">161TA7417</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	512	<a href="#">145TA9451</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	0	300	<a href="#">161TA7868</a>



## Center distance: Already mounted

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	0	5	2145	<a href="#">161TA7305</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	5	1550	<a href="#">145TA9697</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	0	1200	<a href="#">145TA9414</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	5	585	<a href="#">146TA1006</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	0	1	0	10	0	<a href="#">145TA9671</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	10	0	<a href="#">146TA5575</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	10	0	<a href="#">161TA7602</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	1	0	1	20	0	<a href="#">161TA7421</a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Screw connection	2	0	2	5	0	<a href="#">146TA1628</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection + 6,35 mm faston	0	1	0	15	0	<a href="#">161TA7329</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Solder connection	0	1	0	5	0	<a href="#">146TA3767</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	0	2	0	5	0	<a href="#">161TA7582</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	2,8 mm faston	4	0	0	16	0	<a href="#">161TA7616</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	0	0	<a href="#">146TA1121</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	4,75 mm faston	0	1	0	5	0	<a href="#">161TA7716</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	1	0	1	10	0	<a href="#">106TA2522</a>


## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	6,35 mm faston	2	0	2	10	0	<a href="#">161TA7724</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	1	0	990	<a href="#">146TA1529</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	0	0	2	5	290	<a href="#">161TA7773</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	5	505	<a href="#">161TA7204</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	1	0	0	15	370	<a href="#">161TA7445</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	10	470	<a href="#">118TA2896</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	2	0	0	10	475	<a href="#">146TA1566</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	1	10	780	<a href="#">146TA1657</a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Cable with connector	3	0	1	10	860	<a href="#">146TA1655</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Screw connection	1	0	1	1	0	<a href="#">161TA7544</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	<a href="#">145TA9878</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	<a href="#">145TA9981</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	<a href="#">146TA1127</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller lever	Solder connection	0	1	0	10	0	<a href="#">161TA7636</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	4,75 mm faston	1	0	1	10	0	<a href="#">146TA1671</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	4,75 mm faston	1	0	1	10	0	<a href="#">161TA7462</a>


## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	6,35 mm faston	0	2	0	10	0	<a href="#">161TA7285</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	500	<a href="#">161TA7117</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	530	<a href="#">161TA7228</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	530	<a href="#">146TA1308</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	15	200	<a href="#">161TA7140</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	5	205	<a href="#">161TA7155</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	5	325	<a href="#">161TA7568</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	5	335	<a href="#">161TA7245</a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	15	210	<a href="#">145TA9807</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	2	5	343	<a href="#">146TA1577</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	5	150	<a href="#">161TA7389</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	5	380	<a href="#">161TA7293</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	0	<a href="#">146TA1329</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	100	<a href="#">146TA1008</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	15	105	<a href="#">161TA7488</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	5	225	<a href="#">109TA4656</a>





## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	2	0	0	5	325	<a href="#">161TA7402</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	3	0	0	15	425	<a href="#">146TA1635</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	5	0	<a href="#">161TA7511</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	10	0	<a href="#">146TA1229</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Screw connection	0	1	0	15	0	<a href="#">146TA1352</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable	0	1	0	6	10005	<a href="#">161TA7753</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	0	1	0	6	170	<a href="#">145TA9788</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	0	1	0	6	520	<a href="#">161TA7327</a>








## Center distance: Already mounted


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	1	0	0	0	325	<a href="#">161TA7131</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Simulated lever	Cable with connector	2	0	0	6	1000	<a href="#">161TA7286</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	2,8 mm faston	0	1	0	5	0	<a href="#">145TA9910</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	6,35 mm faston	0	1	0	16	0	<a href="#">146TA1492</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Special	0	1	0	5	0	<a href="#">161TA7185</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	2,8 mm faston	0	1	0	5	0	<a href="#">161TA7162</a>



	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	6,35 mm faston	0	1	0	6	0	<a href="#">161TA7452</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	3	0	0	5	500	<a href="#">161TA7525</a>



## Center distance: Already mounted

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	4	0	0	5	500	<a href="#">146TA1653</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable	4	0	0	5	500	<a href="#">161TA7792</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	0	1	0	2330	<a href="#">161TA7872</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	0	5845	<a href="#">146TA1464</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	0	1	0	3	185	<a href="#">161TA7128</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	1	0	0	1	380	<a href="#">145TA9714</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	1	0	0	20	400	<a href="#">161TA7362</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Straight lever	Cable with connector	4	0	2	10	700	<a href="#">146TA1654</a>



3


## LIMIT SWITCHES



## TECHNICAL SHEET

### TECHNICAL SHEET LIMIT SWITCH

Group  
**02-03-05-02**



Customer details

Type machine: .....

Price inquiry

Serial n° machine: .....

Order

CODE: TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x LG-BD x MAT2 x  
POS-ROL x D x I x L x AT-SCH x KIT x MERK

TY-AS ..... Type of connections:

*A = gland M20 x 1,5*

*B = gland M16 x 1,5*

*C = gland PG 13,5*

*D = gland PG 11*

*E = gland PG 9*

*F = gland NPT 1/2*

*G = fixed connector*

*H = cable*

*I = cable with connector*

*S = special*

AT-NO..... Number of Normally Open contacts.

AT-NC..... Number of Normally Closed contacts.

AT-CO..... Number of Change Over contacts.

AT-BG..... Number of mounting holes.

C..... Centre distance between mounting holes:

**Eg : 20/22**

**20/22/40/42**

**21 x 56**

**29 x 60**

**30 x 60**

**41,...**



## TECHNICAL SHEET

- MAT1 ..... Material of the housing:  
*KS = plastic*  
*M = metal*  
*KSM = plastic + metal*
- TY-HB ..... Type of actuator:  
*A = pin plunger*  
*B = roller plunger*  
*C = roller arm*  
*D = adjustable roller arm*  
*E = lever with roller*  
*F = double roller*  
*G = flexible steel pin*  
*H = flexible nylon pin*  
*I = lever with adjustable steel pin*  
*J = lever with adjustable nylon pin*  
*K = lever with adjustable pin*  
*L = head*  
*S = special*  
*Z = without*
- LG-BD ..... Position of the actuator:  
*B = top*  
*L = lateral*
- MAT2 ..... Material of the roller, if present:  
*KS = plastic*  
*M = metal*  
*KSM = plastic + metal*  
*RB = rubber*
- POS-ROL ..... Position of the roller, if present:  
*S = standard*  
*G = at 90° angle*  
*D = rotating*
- D..... Diameter roller, if present.
- I..... Current (Ampere) **(125/250 V AC)**.
- L ..... Length of cable, if present.
- AT-SCH..... Number of limit switches present.
- KIT ..... Kit: YES/NO, if the switch is part of a kit (e.g.: support, gland,...).
- MERK ..... Make of the switch.

## TECHNICAL SHEET

### TYPE OF CONNECTIONS

**Type A**  
M20 X 1,5



**Type B**  
M16 X 1,5



**Type C**  
PG 13,5




**Type D**  
PG 11




**Type E**  
PG 9




**Type F**  
NPT 1/2




**Type G**



**Type H**



**Type I**



**Type S**  
Special type







TECHNICAL SHEET

TYPE OF ACTUATOR


Type A



Type B




Type C




Type D



Type E



Type F



Type G




Type H




Type I




Type J



Type K



Type L



Type S  
Special



Type Z  
Without








## TECHNICAL SHEET

### TECHNISCHE FICHE EINDSCHAKELAAR

Groep  
**02-03-05-02**

Voorbeeld



Gegevens klant

Type machine: .....

Prijsaanvraag

Serienr. machine: .....

Bestelling

CODE: TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x LG-BD x MAT2 x  
POS-ROL x D x I x L x AT-SCH x KIT x MERK

TY-AS ..... Type aansluitingen:

*A = pakkingbus M20 x 1,5*

*B = pakkingbus M16 x 1,5*

*C = pakkingbus PG 13,5*

*D = pakkingbus PG 11*

*E = pakkingbus PG 9*

*F = pakkingbus NPT 1/2*

*G = vaste connector*

*H = kabel*

*I = kabel met connector*

*S = speciaal*

AT-NO..... Aantal normaal open (Normally Open) contacten.

AT-NC..... Aantal normaal gesloten (Normally Closed) contacten.

AT-CO..... Aantal wissel (Change Over) contacten.

AT-BG..... Aantal bevestigingsgaten.

C..... Centraafstand tussen bevestigingsgaten:

**vb: 20/22**

**20/22/40/42**

**21 x 56**

**29 x 60**

**30 x 60**

**41,...**



## TECHNICAL SHEET


MAT1 .....	Materiaal behuizing: <i>KS = kunststof</i> <i>M = metaal</i> <i>KSM = kunststof + metaal</i>
TY-HB .....	Type bediening: <i>A = pin plunjier</i> <i>B = roller plunjier</i> <i>C = roller arm</i> <i>D = regelbare roller arm</i> <i>E = hefboom met roller</i> <i>F = dubbel roller</i> <i>G = flexibele stang staal</i> <i>H = flexibele stang nylon</i> <i>I = hefboom met regelbare stang staal</i> <i>J = hefboom met regelbare stang nylon</i> <i>K = hefboom met flexibele stang</i> <i>L = kop</i> <i>S = speciaal</i> <i>Z = zonder</i>
LG-BD .....	Ligging bediening: <i>B = boven</i> <i>L = lateraal</i>
MAT2 .....	Materiaal roller, indien aanwezig: <i>KS = kunststof</i> <i>M = metaal</i> <i>KSM = kunststof + metaal</i> <i>RB = rubber</i>
POS-ROL .....	Positie van de roller, indien aanwezig: <i>S = standaard</i> <i>G = 90° gedraaid</i> <i>D = draaibaar</i>
D.....	Diameter roller, indien aanwezig.
I.....	Stroom (Ampere) <b>(125/250 V AC)</b> .
L.....	Lengte kabel, indien aanwezig.
AT-SCH.....	Aantal eindschakelaars aanwezig.
KIT .....	Kit: JA/NEE, indien de schakelaar deel uitmaakt van een kit (vb: support, pakkingbus,...).
MERK .....	Merk van de schakelaar.



## TECHNICAL SHEET

### FICHE TECHNIQUE INTERRUPTEUR FIN DE COURSE

Groupe  
**02-03-05-02**



Données client

Type machine : .....

Demande de prix

No. série machine : .....

Commande

CODE : TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x LG-BD x MAT2 x  
POS-ROL x D x I x L x AT-SCH x KIT x MERK

TY-AS ..... Type de connexion :

*A = presse étoupe M20 x 1,5*

*B = presse étoupe M16 x 1,5*

*C = presse étoupe PG 13,5*

*D = presse étoupe PG 11*

*E = presse étoupe PG 9*

*F = presse étoupe NPT 1/2*

*G = fiche moulée sur interrupteur*

*H = câble*

*I = câble avec fiche*

*S = spéciale*

AT-NO..... Nombre de contacts normalement ouverts (Normally Open).

AT-NC..... Nombre de contacts normalement fermés (Normally Closed).

AT-CO..... Nombre de contacts inverseurs (Change Over).

AT-BG ..... Nombre de trous de fixation.

C..... Entraxe entre trous de fixation :

**Ex : 20/22**

**20/22/40/42**

**21 x 56**

**29 x 60**

**30 x 60**

**41,...**



## TECHNICAL SHEET

- MAT1 ..... Matière du boîtier :  
*KS = plastique*  
*M = métal*  
*KSM = plastique + métal*
- TY-HB ..... Type de commande :  
*A = bouton poussoir*  
*B = poussoir a galet*  
*C = bras a galet*  
*D = bras a galet a longueur variable*  
*E = levier a galet*  
*F = double galet*  
*G = tige oscillante acier*  
*H = tige oscillante nylon*  
*I = levier à tige réglable acier*  
*J = levier à tige réglable nylon*  
*K = levier à tige oscillante*  
*L = tête seule*  
*S = spéciales*  
*Z = sans*
- LG-BD ..... Position de la commande :  
*B = dessus*  
*L = latérale*
- MAT2 ..... Matière du galet :  
*KS = plastique*  
*M = métal*  
*KSM = plastique + métal*  
*RB = caoutchouc*
- POS-ROL ..... Position du galet :  
*S = standard*  
*G = tourné à 90°*  
*D = pivotant*
- D ..... Diamètre du galet.
- I ..... Ampérage **(125/250 V AC)**.
- L ..... Longueur du câble, si présent.
- AT-SCH ..... Nombre d'interrupteurs de fin de course présent.
- KIT ..... Kit : OUI/NON, si l'interrupteur fait parti d'un kit (ex : support, presse étoupe, ...).
- MERK ..... Marque de l'interrupteur.



## TECHNICAL SHEET

### TECHNISCHES DATENBLATT ENDSCHALTER

Gruppe  
**02-03-05-02**

Beispiel



Kundendaten

Maschinentyp: .....

Preis Anfrage

Serien-Nr. Maschine: .....

Bestellung

CODE: TY-AS x AT-NO x AT-NC x AT-CO x AT-BG x C x MAT1 x TY-HB x LG-BD x MAT2 x  
POS-ROL x D x I x L x AT-SCH x KIT x MERK

TY-AS ..... Anschlußtyp:

*A = Stopfbüchse M20 x 1,5*

*B = Stopfbüchse M16 x 1,5*

*C = Stopfbüchse s PG 13,5*

*D = Stopfbüchse PG 11*

*E = Stopfbüchse PG 9*

*F = Stopfbüchse NPT 1/2*

*G = festes Verbindungsstück*

*H = Kabel*

*I = Kabel mit Verbindungsstück*

*S = Spezial*

AT-NO..... Anzahl normal offene (Normally Open) Kontakte.

AT-NC..... Anzahl normal geschlossene (Normally Closed) Kontakte.

AT-CO..... Anzahl Wechselkontakte (Change Over).

AT-BG ..... Anzahl Befestigungslöcher.

C..... Lochabstand zwischen den Befestigungslöchern:

**zB: 20/22**

**20/22/40/42**

**21 x 56**

**29 x 60**

**30 x 60**

**41,...**

## TECHNICAL SHEET

MAT1 ..... Material Gehäuse:

*KS = Kunststoff*

*M = Metall*

*KSM = Kunststoff + Metall*

TY-HB ..... Bedienungstyp:

*A = Stiftplunger*

*B = Rollenplunger*

*C = Rollenarm*

*D = regelbarer Rollenarm*

*E = Schalthebel mit Rolle*

*F = Doppelrolle*

*G = flexible Stahlstange*

*H = flexible Nylonstange*

*I = Schalthebel mit regelbarer Stahlstange*

*J = Schalthebel mit regelbarer Nylonstange*

*K = Schalthebel mit flexibler Stange*

*L = Kopf*

*S = Spezial*

*Z = ohne*

LG-BD ..... Lage von der Bedienung:

*B = oben*

*L = seitlich*

MAT2 ..... Material Rolle, wenn anwesend:

*KS = Kunststoff*

*M = Metall*

*KSM = Kunststoff + Metall*

*RB = Gummi*

POS-ROL ..... Position von der Rolle, wenn anwesend:

*S = Standard*

*G = 90° gedreht*

*D = drehbar*

D ..... Durchmesser Rolle, wenn anwesend.

I ..... Strom (Ampere) **(125/250 V AC)**.

L ..... Kabellänge, wenn anwesend.


AT-SCH ..... Anzahl Endschalter anwesend.


KIT ..... Satz: JA/NEIN, Wenn ein Satz den Schalter beinhaltet (zB: Halterung, Stopfbüchse,...).


MERK ..... Marke vom Schalter.



Center distance: 12 x 36 x 66 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Special	0	1	0	4	0	<a href="#"><u>161TA8018</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Special	0	1	0	5	0	<a href="#"><u>161TA8134</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	0	1	0	4	0	<a href="#"><u>161TA8058</u></a>







Center distance: 14 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	2	1820	<a href="#"><u>146TA9490</u></a>

Center distance: 15/25 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	1	0	0	15	2000	<a href="#"><u>146TA1960</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	1	0	0	15	6600	<a href="#"><u>161TA7972</u></a>




Center distance: 16 x 32 x 43 mm




Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Pin plunger	Special	1	0	1	6	0	<a href="#">161TA8071</a>


Center distance: 16.5/18 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	2	4	0	<a href="#"><u>147TA5216</u></a>



Center distance: 19 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	0	1	0	5	3000	<a href="#"><u>147TA2536</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	0	1	0	4	5000	<a href="#"><u>146TA2526</u></a>


## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	1	0	1	3	2000	<a href="#">161TA8248</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	1	0	1	6	975	<a href="#">161TA8408</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	0	0	1	3	1830	<a href="#">146TA4612</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Fixed connector	1	0	1	3	0	<a href="#">161TA8395</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	0	1	0	5	3010	<a href="#">146TA4092</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	2	0	2	4	350	<a href="#">161TA8098</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	<a href="#">161TA8036</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	2	1840	<a href="#">147TA5727</a>





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	0	810	<a href="#">161TA8364</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	0	1050	<a href="#">161TA8341</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	2	1030	<a href="#">161TA8371</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	2	1040	<a href="#">161TA8338</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	2	2000	<a href="#">147TA1247</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	1000	<a href="#">161TA8187</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	1000	<a href="#">161TA8171</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	1000	<a href="#">147TA1270</a>





## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	1990	<a href="#">161TA8259</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	2000	<a href="#">161TA8052</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	2000	<a href="#">146TA5946</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	3	2000	<a href="#">161TA8047</a>




	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	6	1070	<a href="#">146TA7275</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	2	250	<a href="#">147TA2116</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	2	260	<a href="#">146TA4589</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	2	1210	<a href="#">147TA5634</a>





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	185	<a href="#">161TA8214</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	1	3	445	<a href="#">146TA4397</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	2	365	<a href="#">161TA8375</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	0	2	3	580	<a href="#">146TA4813</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	150	<a href="#">161TA8219</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	0	1	0	3	780	<a href="#">146TA4396</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	2	405	<a href="#">146TA4428</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	2	1020	<a href="#">146TA4442</a>


Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	3	2000	<a href="#">146TA8168</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	335	<a href="#">161TA8232</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	355	<a href="#">147TA5627</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	365	<a href="#">147TA5626</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	415	<a href="#">147TA1153</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	755	<a href="#">161TA8111</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	800	<a href="#">147TA5716</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	2	975	<a href="#">147TA5734</a>





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	190	<a href="#">161TA8109</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	205	<a href="#">161TA8204</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	375	<a href="#">161TA8263</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	390	<a href="#">161TA8029</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	420	<a href="#">161TA8193</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	6	190	<a href="#">147TA5628</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	6	1055	<a href="#">146TA4599</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	3	980	<a href="#">146TA4432</a>


Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	5	320	<a href="#">147TA5713</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	1	0	0	0	<a href="#">146TA2846</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	1	0	0	0	<a href="#">147TA5758</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	1	0	1	8	0	<a href="#">161TA8003</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	1	2	1250	<a href="#">146TA4021</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	2	1000	<a href="#">161TA8276</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	2	1000	<a href="#">147TA5355</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	2	1030	<a href="#">146TA5940</a>





## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	2	2000	<a href="#">146TA5957</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	3	2000	<a href="#">161TA8223</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	3	2000	<a href="#">161TA8252</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	3	2050	<a href="#">146TA4530</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	6	1060	<a href="#">161TA8115</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	2	370	<a href="#">146TA4448</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	2	1010	<a href="#">146TA4470</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	3	395	<a href="#">146TA4445</a>


## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	1	0	2	365	<a href="#">161TA8284</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	1	0	10	1065	<a href="#">147TA5290</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	2	160	<a href="#">147TA5286</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	2	1010	<a href="#">146TA4531</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	365	<a href="#">146TA4467</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	685	<a href="#">161TA8211</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	8	1030	<a href="#">161TA8241</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	170	<a href="#">161TA8363</a>








## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	270	<a href="#">161TA8313</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	270	<a href="#">147TA5278</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	350	<a href="#">147TA5277</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	350	<a href="#">147TA5279</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	350	<a href="#">147TA5274</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	400	<a href="#">146TA4444</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	685	<a href="#">147TA5275</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	1000	<a href="#">147TA5276</a>


## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	2	1005	<a href="#">147TA5281</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	330	<a href="#">147TA5283</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	390	<a href="#">146TA4446</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	760	<a href="#">161TA8368</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1840	<a href="#">161TA8066</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	3	0	<a href="#">161TA7995</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	8	0	<a href="#">161TA8228</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	1	3	0	<a href="#">146TA9771</a>





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	2	405	<a href="#">146TA1834</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	435	<a href="#">146TA2090</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	565	<a href="#">161TA8340</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	585	<a href="#">161TA8320</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	800	<a href="#">161TA8085</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	6	740	<a href="#">161TA8129</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	2	2	2000	<a href="#">161TA8359</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	2	3	2930	<a href="#">147TA5246</a>


## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	3	1400	<a href="#">161TA8265</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	3	385	<a href="#">161TA8114</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	3	770	<a href="#">146TA1820</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	0	1055	<a href="#">147TA5239</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	970	<a href="#">147TA5238</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	1030	<a href="#">161TA8234</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2000	<a href="#">161TA8086</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2003	<a href="#">147TA5224</a>





Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2145	<a href="#">161TA8281</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2960	<a href="#">161TA8184</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	3000	<a href="#">161TA8277</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	3000	<a href="#">161TA8344</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	4000	<a href="#">147TA5233</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	4930	<a href="#">161TA8084</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	805	<a href="#">161TA8177</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1000	<a href="#">161TA8037</a>


## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1050	<a href="#">161TA8095</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1050	<a href="#">146TA6861</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1070	<a href="#">147TA5240</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1900	<a href="#">146TA5952</a>



	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	1985	<a href="#">161TA8297</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2000	<a href="#">146TA5944</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2000	<a href="#">161TA8043</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2000	<a href="#">147TA1252</a>





Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2050	<a href="#">161TA8254</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2060	<a href="#">161TA8354</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	3	2070	<a href="#">146TA7216</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	510	<a href="#">161TA8172</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	2	3	1965	<a href="#">147TA5241</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable + cable with connector	0	0	1	3	205	<a href="#">161TA8253</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	0	245	<a href="#">147TA5260</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	0	1045	<a href="#">147TA5259</a>





## Center distance: 20 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	175	<a href="#">161TA8100</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	470	<a href="#">147TA2186</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	725	<a href="#">161TA8203</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	735	<a href="#">146TA4311</a>








	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	800	<a href="#">161TA7991</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	800	<a href="#">161TA8110</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	1020	<a href="#">161TA7987</a>









	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	3	1250	<a href="#">147TA5258</a>




Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	4	730	<a href="#">161TA7985</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	4	730	<a href="#">161TA7986</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	4	1000	<a href="#">161TA7989</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	4	1320	<a href="#">161TA8010</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	0	243	<a href="#">161TA8374</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	3	240	<a href="#">147TA5262</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	3	1080	<a href="#">161TA8198</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	3	2050	<a href="#">161TA8222</a>



Center distance: 20 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	3	470	<a href="#">161TA8004</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	165	<a href="#">146TA4486</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	500	<a href="#">161TA8392</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	850	<a href="#">147TA5247</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	1100	<a href="#">147TA5248</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	2000	<a href="#">161TA7988</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	2	2000	<a href="#">161TA7990</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	155	<a href="#">161TA8170</a>



Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	255	<a href="#">161TA8119</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	308	<a href="#">161TA8365</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	380	<a href="#">161TA8255</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	400	<a href="#">161TA8251</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	420	<a href="#">161TA8163</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	490	<a href="#">147TA5254</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	2050	<a href="#">147TA5251</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	6	420	<a href="#">147TA5249</a>


## Center distance: 20 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	6	1080	<a href="#">161TA8102</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	2	0	0	3	1645	<a href="#">147TA5257</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	2	0	1	3	760	<a href="#">161TA8176</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	2	0	<a href="#">147TA5219</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	2	0	<a href="#">161TA8325</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	3	0	<a href="#">161TA8006</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	8	0	<a href="#">161TA8039</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	10	0	<a href="#">147TA5263</a>



Center distance: 20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	10	0	<a href="#">147TA5264</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Cable	0	0	2	2	2000	<a href="#">146TA6067</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Cable	1	0	1	2	1040	<a href="#">146TA6060</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Cable	1	0	1	2	2045	<a href="#">161TA8323</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Cable	1	0	1	5	1040	<a href="#">146TA6064</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	0	0	2	2	0	<a href="#">146TA6066</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	2	0	<a href="#">146TA6059</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	2	0	<a href="#">146TA6063</a>



Center distance: 20/20 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#"><u>161TA8053</u></a>





Center distance: 20/21 mm




Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Pin plunger	Fixed connector	0	0	2	8	0	<a href="#">161TA8121</a>


## Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	1	0	1	10	1975	<a href="#">147TA5415</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	0	0	2	3	10070	<a href="#">161TA8283</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	540	<a href="#">161TA8270</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	2150	<a href="#">147TA5417</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	3020	<a href="#">147TA2163</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	2	2	5250	<a href="#">147TA5418</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	2	0	0	3	1765	<a href="#">147TA5419</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8011</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	1	0	1	10	0	<a href="#">161TA8324</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA7979</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8337</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8207</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	2	2	0	<a href="#">147TA5410</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	2	0	0	3	0	<a href="#">161TA8308</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA7980</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">147TA5405</a>


Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	4	0	<a href="#">146TA5401</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	10	0	<a href="#">146TA5716</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Cable	1	0	1	3	2660	<a href="#">147TA5704</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland PG 11	1	0	1	3	0	<a href="#">161TA8126</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8299</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland PG 11	1	0	1	3	0	<a href="#">146TA5911</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable nylon pin	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA7981</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable nylon pin	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8007</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Cable	1	0	1	3	5085	<a href="#">161TA8369</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 11	1	0	1	3	0	<a href="#">147TA5698</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 11	1	0	1	3	0	<a href="#">147TA2122</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 11	1	0	1	3	0	<a href="#">161TA8319</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 11	1	0	1	3	0	<a href="#">161TA8347</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable pin	Gland PG 13,5	1	0	1	4	0	<a href="#">161TA8008</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Gland PG 11	2	0	0	3	0	<a href="#">146TA5915</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Gland PG 11	2	0	0	3	0	<a href="#">161TA8009</a>


Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA5717</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8169</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	1	0	0	6	525	<a href="#">161TA8133</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	1	0	1	6	770	<a href="#">161TA8218</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	0	<a href="#">161TA8074</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	810	<a href="#">161TA8131</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	1170	<a href="#">161TA8245</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	2295	<a href="#">147TA5446</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	2460	<a href="#">161TA8267</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	2600	<a href="#">147TA5447</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	3465	<a href="#">147TA5448</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	3	11750	<a href="#">147TA5449</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	10	3165	<a href="#">146TA4984</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	1	0	1	0	3180	<a href="#">161TA8348</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	1	0	1	10	3000	<a href="#">161TA8306</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	1	0	1	10	3440	<a href="#">147TA5443</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	<a href="#">146TA8592</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	4	0	<a href="#">161TA8035</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	3	0	<a href="#">146TA2602</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8107</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8101</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8146</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8186</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	4	3840	<a href="#">109TA4676</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8179</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8028</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8113</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	2	0	0	4	0	<a href="#">161TA8024</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	0	0	2	2	0	<a href="#">161TA8384</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#">161TA8321</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#">147TA5436</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#">147TA5437</a>


Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#">161TA8108</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#">161TA8012</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#">146TA9813</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	4	0	<a href="#">146TA5909</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	6	0	<a href="#">161TA8268</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA6228</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	4	0	<a href="#">161TA8206</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	4	0	<a href="#">146TA8832</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8025</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	10	0	<a href="#">147TA5433</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	2	0	0	4	0	<a href="#">161TA8068</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	2	2	1970	<a href="#">146TA1825</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	4	4000	<a href="#">161TA8208</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	30	230	<a href="#">146TA4561</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	2	0	0	4	4000	<a href="#">147TA5678</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	4	220	<a href="#">161TA8230</a>


Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	440	<a href="#">147TA5725</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	3	1080	<a href="#">161TA8298</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M16 x 1,5	1	0	1	3	0	<a href="#">161TA8082</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA8261</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA8378</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA7998</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8002</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8054</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8285</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	2	0	0	4	0	<a href="#">161TA8023</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	1	0	1	3	0	<a href="#">147TA5644</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	1	0	1	3	0	<a href="#">147TA5745</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	0	0	2	0	0	<a href="#">147TA5621</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	0	0	2	4	0	<a href="#">146TA8920</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	0	0	<a href="#">146TA7094</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8061</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">146TA4018</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8326</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	10	0	<a href="#">146TA5718</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	2	0	2	2	0	<a href="#">146TA1838</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	6	0	<a href="#">161TA8256</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	1	6	790	<a href="#">146TA4759</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	1	6	800	<a href="#">146TA3002</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	2	10	250	<a href="#">161TA8296</a>








Center distance: 20/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	0	2	10	250	<a href="#">161TA8295</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	0	3	940	<a href="#">118TA3809</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	3	1400	<a href="#">147TA5398</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	3	1950	<a href="#">147TA5397</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	6	310	<a href="#">146TA3007</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	6	770	<a href="#">146TA3005</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	3	0	<a href="#">161TA8315</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	3	860	<a href="#">161TA8272</a>


Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	6	3250	<a href="#">161TA8329</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	10	224	<a href="#">161TA8288</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	2	10	225	<a href="#">161TA8181</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	205	<a href="#">147TA5391</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	950	<a href="#">161TA8404</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	2750	<a href="#">161TA8394</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	3	9000	<a href="#">147TA5393</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	10	280	<a href="#">147TA5389</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	0	260	<a href="#">161TA8352</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	240	<a href="#">161TA8142</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	250	<a href="#">161TA8250</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	540	<a href="#">147TA5376</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	675	<a href="#">147TA5379</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1105	<a href="#">147TA2166</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1255	<a href="#">147TA5381</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1860	<a href="#">147TA5380</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	3	1940	<a href="#">147TA5382</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	4	70	<a href="#">161TA8079</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	10	260	<a href="#">161TA8316</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	10	290	<a href="#">161TA8318</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	10	315	<a href="#">147TA5377</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	2	2	240	<a href="#">161TA8402</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	2	2	245	<a href="#">161TA8362</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	2	2	1445	<a href="#">147TA5387</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	2	0	0	3	570	<a href="#">161TA8273</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	2	0	0	3	590	<a href="#">147TA5395</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	2	0	0	10	975	<a href="#">161TA8360</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	3	0	<a href="#">147TA5370</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	2	0	2	4	0	<a href="#">161TA8293</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	0	0	2	3	0	<a href="#">147TA5337</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	1	0	1	3	0	<a href="#">161TA8355</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#">147TA5334</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#">147TA5333</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA8201</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA8202</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8210</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">146TA8924</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8051</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	6	0	<a href="#">147TA2183</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8075</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA7994</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	8	0	<a href="#">161TA8104</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	0	1	3	0	<a href="#">161TA8393</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	0	2	3	0	<a href="#">147TA5369</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	1	1	3	0	<a href="#">161TA8103</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	0	3	0	<a href="#">147TA5366</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8140</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">147TA5348</a>








Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8016</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8331</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">146TA2576</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8328</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8031</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8366</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8343</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8311</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8406</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8278</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">146TA5907</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">147TA5351</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8258</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	4	0	<a href="#">147TA1251</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	10	0	<a href="#">161TA8305</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	10	2170	<a href="#">161TA8409</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	2	2	0	<a href="#">147TA5365</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	2	6	1455	<a href="#">147TA5364</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	6	0	<a href="#">161TA8312</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	6	0	<a href="#">147TA5346</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	6	0	<a href="#">161TA8073</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	10	0	<a href="#">146TA5719</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">147TA1260</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8183</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">147TA5343</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8062</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	<a href="#">146TA8763</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8055</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	10	0	<a href="#">147TA5342</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	2	0	0	3	0	<a href="#">161TA8166</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	2	0	0	3	0	<a href="#">146TA8770</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	3	2720	<a href="#">146TA8567</a>


Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	4	1670	<a href="#">161TA8124</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	6	290	<a href="#">146TA6534</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	1	10	4300	<a href="#">147TA5322</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	0	2	3	2640	<a href="#">147TA5323</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	4	2650	<a href="#">161TA8050</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	4	5750	<a href="#">161TA8314</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	4	10470	<a href="#">161TA8346</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	2	<a href="#">147TA5319</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1000	<a href="#">146TA8895</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	0	0	920	<a href="#">147TA5325</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	3	445	<a href="#">147TA5324</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	3	0	<a href="#">147TA5318</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	2	0	2	3	0	<a href="#">161TA8224</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M16 x 1,5	1	0	1	3	0	<a href="#">147TA5299</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8020</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8148</a>








Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8060</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8396</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	3	0	<a href="#">147TA5316</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	0	0	2	3	0	<a href="#">147TA5315</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	<a href="#">161TA8388</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	<a href="#">161TA8307</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	<a href="#">147TA5357</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	<a href="#">146TA6483</a>








Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	<a href="#">146TA5896</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	3	0	<a href="#">161TA8069</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	3	0	<a href="#">147TA5308</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	0	0	<a href="#">161TA8382</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	2	0	<a href="#">161TA8096</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	2	0	<a href="#">146TA6753</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA5715</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8399</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8269</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8350</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8048</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA7974</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">146TA5912</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA7973</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	2	0	0	6	0	<a href="#">161TA8091</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M20 x 1,5	1	0	1	10	0	<a href="#">147TA5620</a>





Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	3	0	<a href="#">161TA8302</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	3	0	<a href="#">161TA8330</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	3	0	<a href="#">161TA8189</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8327</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	2	0	0	3	0	<a href="#">146TA6072</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	0	0	2	3	0	<a href="#">147TA5717</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	0	0	2	10	0	<a href="#">147TA5636</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	0	0	<a href="#">147TA5746</a>


Center distance: 20/22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	0	0	<a href="#">147TA5721</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	2	0	<a href="#">146TA6070</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	3	0	<a href="#">147TA5637</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	3	0	<a href="#">161TA8014</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	3	0	<a href="#">161TA8383</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	1	3	0	<a href="#">147TA5708</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	1	0	2	2	0	<a href="#">147TA5638</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Special	2	0	0	3	0	<a href="#">146TA6071</a>





Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	2540	<a href="#">161TA8264</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	3180	<a href="#">147TA5469</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8097</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	2	0	0	3	0	<a href="#">147TA5468</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	3	0	<a href="#">146TA5927</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8275</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#">147TA5470</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8301</a>


Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	10	0	<a href="#">161TA8379</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	1	0	1	3	0	<a href="#">161TA8243</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	1	0	3	2950	<a href="#">161TA8300</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	1	0	1	3	0	<a href="#">146TA8056</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	1	0	1	3	0	<a href="#">146TA5926</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#">147TA1263</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	0	2	3	0	<a href="#">161TA8353</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	0	2	3	450	<a href="#">147TA5464</a>








Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">147TA5463</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8290</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8239</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8262</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	4	0	<a href="#">161TA8287</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8070</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	10	0	<a href="#">147TA5461</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	4	5000	<a href="#">147TA5458</a>





Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M16 x 1,5	1	0	1	0	0	<a href="#">146TA8401</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M16 x 1,5	1	0	1	3	0	<a href="#">147TA5452</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	10	0	<a href="#">147TA5451</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	3	0	<a href="#">147TA5457</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	3	0	<a href="#">161TA8372</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">147TA5453</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	2	0	2	10	0	<a href="#">147TA5454</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	2	0	2	10	0	<a href="#">161TA8361</a>





Center distance: 20/22/40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M16 x 1,5	0	0	2	3	0	<a href="#">161TA8405</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M16 x 1,5	1	0	1	3	0	<a href="#">147TA5631</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M16 x 1,5	1	0	1	3	0	<a href="#">161TA8345</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	0	0	2	3	0	<a href="#">147TA5619</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	1	0	1	3	0	<a href="#">147TA5622</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	2	0	0	3	0	<a href="#">146TA6074</a>





Center distance: 20/22/51/53 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	2	0	0	10	0	<a href="#"><u>161TA8370</u></a>





Center distance: 21 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	6	0	<a href="#">161TA8161</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	0	8	1870	<a href="#">161TA8217</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8282</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	8	0	<a href="#">161TA8152</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	8	0	<a href="#">161TA8151</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	2	8	0	<a href="#">161TA8041</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	2	0	1	8	0	<a href="#">161TA8059</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	2	0	1	8	0	<a href="#">146TA4890</a>


## Center distance: 21 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	3	0	0	8	0	<a href="#">161TA8112</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	1	0	1	8	0	<a href="#">161TA8026</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	6	0	<a href="#">161TA8027</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	0	0	2	8	0	<a href="#">161TA8019</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	0	0	2	8	0	<a href="#">146TA5064</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	3	0	<a href="#">161TA8067</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	<a href="#">161TA8064</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	<a href="#">161TA8194</a>





## Center distance: 21 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	8	0	<a href="#">161TA8078</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#">147TA5475</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	1	8	0	<a href="#">161TA8150</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	1000	<a href="#">161TA8246</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	5000	<a href="#">161TA8209</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	0	6	285	<a href="#">161TA8118</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1000	<a href="#">161TA8057</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	6	0	<a href="#">161TA8021</a>




Center distance: 21 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	8	0	<a href="#"><u>161TA8190</u></a>








Center distance: 21/41 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M16 x 1,5	1	0	1	3	0	<a href="#">161TA8401</a>


Center distance: 21 x 56 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	1	0	0	5	145	<a href="#">146TA1990</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Special	1	0	1	5	0	<a href="#">161TA8357</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Special	1	0	1	5	0	<a href="#">161TA8132</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Cable with connector	0	0	1	5	585	<a href="#">161TA8410</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	0	5	590	<a href="#">161TA8197</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	1	5	550	<a href="#">146TA3524</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	2	0	2	5	4820	<a href="#">147TA5485</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	0	5	2660	<a href="#">161TA8188</a>





Center distance: 21 x 56 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	1	0	1	5	2070	<a href="#"><u>161TA8294</u></a>

Center distance: 21,2 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	2	0	0	8	0	<a href="#">161TA8044</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	8	0	<a href="#">161TA8046</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	2	0	0	8	0	<a href="#">161TA8030</a>





Center distance: 21,3 mm



Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Pin plunger	Special	1	0	1	8	0	<a href="#"><u>161TA8034</u></a>


Center distance: 21,8 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	6	0	<a href="#"><u>161TA8081</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	5	0	<a href="#"><u>161TA8089</u></a>





## Center distance: 22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Fixed connector	1	0	1	5	0	<a href="#">161TA8271</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 11	1	0	1	4	0	<a href="#">146TA7014</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 9	1	0	1	6	0	<a href="#">161TA8116</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable steel pin	Fixed connector	0	0	2	8	0	<a href="#">161TA7966</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	8	605	<a href="#">161TA8162</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	0	0	1	8	1600	<a href="#">161TA8178</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	0	0	2	8	0	<a href="#">161TA7996</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	4	0	<a href="#">161TA8045</a>





Center distance: 22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	5	0	<a href="#">161TA8216</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	<a href="#">146TA5034</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	<a href="#">161TA8205</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Fixed connector	1	0	1	8	0	<a href="#">161TA8000</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland NPT 1/2	1	0	1	5	0	<a href="#">161TA8145</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	2	0	2	8	330	<a href="#">161TA8237</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	0	2	8	0	<a href="#">161TA7997</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	1	0	1	6	0	<a href="#">161TA7999</a>





Center distance: 22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	1	0	1	8	0	<a href="#">161TA8032</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	1	0	1	8	0	<a href="#">161TA8005</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	0	2	8	0	<a href="#">161TA8199</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	0	2	8	0	<a href="#">161TA8240</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	2	0	0	8	0	<a href="#">161TA8336</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	1	0	1	6	0	<a href="#">161TA8144</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8192</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	3	0	<a href="#">146TA3566</a>


Center distance: 22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	6	0	<a href="#">146TA8615</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	8	0	<a href="#">161TA8238</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	2	3	0	<a href="#">161TA8117</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	2	0	1	3	0	<a href="#">146TA9440</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	2	0	1	10	0	<a href="#">161TA8242</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	5	0	<a href="#">161TA8335</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	<a href="#">161TA8168</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	<a href="#">161TA8153</a>





## Center distance: 22 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	6	0	<a href="#">146TA2098</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	1	0	1	8	0	<a href="#">161TA8001</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Fixed connector	2	0	0	8	0	<a href="#">161TA8377</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	0	2020	<a href="#">161TA8381</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	2	0	2	3	1350	<a href="#">147TA5491</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	6	0	<a href="#">161TA7992</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	6	0	<a href="#">161TA7993</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Fixed connector	1	0	1	8	0	<a href="#">161TA8249</a>



Center distance: 22/22 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	1	0	1	3	8550	<a href="#"><u>147TA5501</u></a>




Center distance: 22/23 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	3	0	<a href="#"><u>161TA8376</u></a>




Center distance: 22/42 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	<a href="#"><u>161TA8093</u></a>







Center distance: 23 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 9	1	0	1	6	0	<a href="#">146TA9684</a>


Center distance: 24 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable with connector	1	0	1	6	165	<a href="#"><u>161TA8227</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M16 x 1,5	1	0	1	6	0	<a href="#"><u>146TA8929</u></a>





## Center distance: 25 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible nylon pin	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA8385</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Cable	0	1	0	5	960	<a href="#">161TA7975</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland NPT 1/2	0	1	0	15	0	<a href="#">161TA8247</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Cable	0	1	0	5	1040	<a href="#">147TA5761</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable	0	1	0	5	2985	<a href="#">161TA8333</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Cable with connector	1	0	1	2	190	<a href="#">146TA6179</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	10	0	<a href="#">161TA8398</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	0	1	5	3050	<a href="#">146TA5669</a>





## Center distance: 25 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	1970	<a href="#">147TA5760</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	10	0	<a href="#">146TA5710</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	15	0	<a href="#">147TA5757</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	15	0	<a href="#">147TA5755</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	0	1	0	5	3170	<a href="#">161TA8226</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	10	0	<a href="#">161TA8141</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	0	1000	<a href="#">161TA7977</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	0	1890	<a href="#">146TA9943</a>





## Center distance: 25 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	1000	<a href="#">146TA5651</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	4000	<a href="#">146TA5653</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	5	5600	<a href="#">161TA8397</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	10	1185	<a href="#">161TA8342</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	10	2860	<a href="#">161TA8231</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	0	1	0	10	3740	<a href="#">147TA5512</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	2010	<a href="#">161TA8334</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	2	3170	<a href="#">147TA5507</a>

## Center distance: 25 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	5	1110	<a href="#">147TA1197</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1000	<a href="#">146TA5208</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1040	<a href="#">146TA7277</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	1050	<a href="#">161TA7983</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	10	975	<a href="#">147TA5508</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable + cable with connector	1	0	1	10	990	<a href="#">147TA5515</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	0	1	10	1550	<a href="#">161TA8159</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	0	500	<a href="#">161TA7978</a>




Center distance: 25 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	6	250	<a href="#">161TA7984</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	6	523	<a href="#">147TA5518</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	0	1	0	10	1133	<a href="#">147TA5519</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	6	560	<a href="#">161TA7982</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable with connector	1	0	1	10	1025	<a href="#">161TA8389</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	10	0	<a href="#">147TA5504</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	0	1	0	15	0	<a href="#">146TA5705</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	0	1	0	15	0	<a href="#">161TA8127</a>







Center distance: 25 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	10	0	<a href="#"><u>147TA5742</u></a>




Center distance: 25/27 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	10	0	<a href="#">161TA8135</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 11	1	0	1	10	0	<a href="#">161TA8088</a>





Center distance: 25,4 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	0	1	0	10	0	<a href="#"><u>161TA8390</u></a>




Center distance: 25,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland NPT 1/2	0	1	0	15	0	<a href="#">147TA5525</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	0	1	0	15	0	<a href="#">161TA8042</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	2	0	<a href="#">161TA8349</a>





Center distance: 26 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 9	1	0	1	10	0	<a href="#"><u>161TA8158</u></a>




Center distance: 27 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	6	0	<a href="#">161TA8094</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	6	0	<a href="#">161TA8164</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 9	1	0	1	6	0	<a href="#">161TA8092</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 9	1	0	1	6	0	<a href="#">146TA4110</a>




Center distance: 27/89 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	20	0	<a href="#"><u>146TA5756</u></a>






Center distance: 28 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M16 x 1,5	1	0	1	6	0	<a href="#">161TA8143</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 9	1	0	1	6	0	<a href="#">161TA8128</a>



Center distance: 28 x 98/50/98 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	3	0	2	0	<a href="#"><u>147TA5765</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	3	0	5	0	<a href="#"><u>147TA5764</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	4	0	5	0	<a href="#"><u>161TA8391</u></a>




Center distance: 29,5 x 67,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	0	1	0	5	0	<a href="#">146TA4386</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	0	1	0	5	0	<a href="#">161TA8022</a>


Center distance: 30 x 58,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	2	0	2	10	0	<a href="#"><u>161TA8077</u></a>




Center distance: 30 x 59 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	10	0	<a href="#"><u>161TA8147</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	10	0	<a href="#"><u>147TA1431</u></a>





Center distance: 30/60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#"><u>161TA8367</u></a>





## Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable with connector	0	0	1	2	745	<a href="#">146TA8563</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	0	0	<a href="#">147TA5568</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#">147TA5567</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA7970</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8099</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	2	0	0	4	0	<a href="#">161TA8063</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland M20 x 1,5	2	0	2	3	0	<a href="#">161TA8182</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	1	0	1	2	0	<a href="#">161TA8033</a>







Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	1	0	1	3	0	<a href="#">161TA8065</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	2	0	2	10	0	<a href="#">147TA5575</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	2	0	<a href="#">147TA5572</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8136</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA5599</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">147TA1255</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8339</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8225</a>





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	10	0	<a href="#">161TA8309</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	2	0	0	3	0	<a href="#">146TA8752</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	2	0	0	3	0	<a href="#">161TA8123</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Cable	1	0	1	10	2000	<a href="#">161TA8257</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland M20 x 1,5	1	0	1	3	0	<a href="#">146TA2537</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8139</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8149</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland PG 11	1	0	1	2	0	<a href="#">161TA8280</a>


Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland M20 x 1,5	2	0	2	3	0	<a href="#">161TA7969</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	<a href="#">147TA5737</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	<a href="#">161TA8310</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland PG 13,5	2	0	2	3	0	<a href="#">147TA5695</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with adjustable nylon pin	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA5922</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	6	0	<a href="#">146TA5723</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	6	0	<a href="#">147TA5578</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	6	0	<a href="#">147TA5577</a>





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA8400</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	2	355	<a href="#">146TA8347</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable with connector	0	0	1	2	1480	<a href="#">146TA8348</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	0	0	2	4	0	<a href="#">161TA8174</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	0	0	2	15	0	<a href="#">147TA5558</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	0	0	2	15	0	<a href="#">161TA8304</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	2	0	<a href="#">161TA8358</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8291</a>

Center distance: 30 x 60 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8303</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8040</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8049</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	6	0	<a href="#">147TA2184</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	10	0	<a href="#">147TA5554</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	10	0	<a href="#">161TA8196</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	0	1	1	3	0	<a href="#">147TA5565</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	10	0	<a href="#">161TA8105</a>





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	10	0	<a href="#">146TA9183</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA5920</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">147TA5559</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA5898</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA5658</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	4	0	<a href="#">146TA8930</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	4	0	<a href="#">161TA8120</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	<a href="#">146TA8910</a>






Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	<a href="#">147TA5562</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	6	0	<a href="#">147TA5561</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	10	0	<a href="#">161TA8356</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	10	0	<a href="#">147TA5560</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	2	0	2	3	0	<a href="#">161TA8212</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	2	0	2	3	0	<a href="#">161TA8260</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	0	0	2	2	0	<a href="#">147TA5544</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	0	0	<a href="#">161TA8403</a>








## Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	2	0	<a href="#">147TA5543</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	3	0	<a href="#">146TA5712</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA8332</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	3	0	<a href="#">146TA9683</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	4	0	<a href="#">161TA8106</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	3	0	<a href="#">161TA8191</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	3	0	<a href="#">161TA8155</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	2	0	<a href="#">147TA5547</a>





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	0	0	2	3	0	<a href="#">161TA8157</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	2	0	<a href="#">161TA8195</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	2	0	<a href="#">147TA5545</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 13,5	1	0	1	3	0	<a href="#">146TA5899</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M20 x 1,5	1	0	1	6	0	<a href="#">161TA7967</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	3	0	<a href="#">146TA5897</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	6	0	<a href="#">146TA8894</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	2	0	2	3	0	<a href="#">147TA5690</a>





Center distance: 30 x 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	0	0	2	2	0	<a href="#">146TA3492</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	0	2	0	3	0	<a href="#">147TA5763</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	1	0	1	3	0	<a href="#">161TA8156</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	0	0	2	3	0	<a href="#">146TA6057</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	0	2	0	3	0	<a href="#">147TA5762</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	1	0	1	3	0	<a href="#">147TA5689</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	1	0	1	3	0	<a href="#">147TA5679</a>




Center distance: 30,2 x 58,7 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	<a href="#"><u>146TA5657</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	10	0	<a href="#"><u>161TA8017</u></a>




Center distance: 30,2 x 59,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland PG 13,5	1	0	1	10	0	<a href="#"><u>146TA6305</u></a>

Center distance: 33 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Fixed connector	0	0	2	8	0	<a href="#">161TA8235</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	0	1	0	0	0	<a href="#">161TA8292</a>




Center distance: 35,4 x 72 mm



Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Lever with roller	Special	1	0	1	6	0	<a href="#"><u>161TA8013</u></a>




Center distance: 37 x 66,5 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	10	0	<a href="#"><u>161TA8076</u></a>





Center distance: 39/42/48 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland M20 x 1,5	1	0	1	10	0	<a href="#"><u>161TA7971</u></a>



Center distance: 39,5 x 78 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	8	0	<a href="#"><u>161TA8087</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	1	0	1	8	0	<a href="#"><u>161TA8056</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	1	6	0	<a href="#"><u>161TA8080</u></a>



Center distance: 39,5 x 110 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	2	0	1	8	0	<a href="#"><u>161TA8154</u></a>


## Center distance: 40 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland PG 13,5	1	0	1	6	0	<a href="#">147TA1254</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA8322</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	16	0	<a href="#">147TA2057</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8173</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	6	0	<a href="#">161TA8038</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	1	0	1	10	0	<a href="#">147TA5743</a>
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable	2	0	0	6	4460	<a href="#">161TA8279</a>




Center distance: 40 x 11 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M16 x 1,5	1	0	0	4	0	<a href="#">161TA8274</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M16 x 1,5	1	0	0	4	0	<a href="#">161TA8215</a>




Center distance: 40/42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	10	0	<a href="#"><u>146TA7269</u></a>






Center distance: 40 x 72 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	1	0	1	3	0	<a href="#"><u>161TA8386</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	1	0	1	10	0	<a href="#"><u>161TA8380</u></a>

Center distance: 40 x 78 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	1	10	0	<a href="#"><u>146TA4900</u></a>





Center distance: 40 x 110 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	1	0	2	10	0	<a href="#"><u>161TA8125</u></a>





## Center distance: 41 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Cable	0	0	1	3	3055	<a href="#">161TA8180</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland NPT 1/2	1	0	1	3	0	<a href="#">146TA1954</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">161TA8072</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	3	0	<a href="#">147TA5600</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	1	0	1	4	0	<a href="#">161TA8175</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 13,5	1	0	1	10	0	<a href="#">146TA7270</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	4	1800	<a href="#">146TA4513</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	1	0	1	3	0	<a href="#">146TA5905</a>





Center distance: 41 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	4	0	<a href="#">146TA4191</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	1	0	0	4	1470	<a href="#">161TA8122</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland NPT 1/2	1	0	1	3	0	<a href="#">161TA8213</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8015</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	1	0	1	3	0	<a href="#">161TA8185</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	1	0	1	3	0	<a href="#">147TA5594</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	1	4	0	<a href="#">146TA4180</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	3	0	<a href="#">161TA8165</a>





Center distance: 41 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland M20 x 1,5	1	0	1	3	0	<a href="#"><u>146TA8802</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	1	0	1	3	0	<a href="#"><u>147TA5696</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	1	0	1	3	0	<a href="#"><u>161TA8160</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 11	1	0	1	3	0	<a href="#"><u>146TA4236</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	1	0	1	3	0	<a href="#"><u>161TA8167</u></a>





Center distance: 41 x 71 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland NPT 1/2	0	2	0	10	0	<a href="#"><u>147TA5601</u></a>



Center distance: 42 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	0	1	0	11	0	<a href="#"><u>161TA8233</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Cable	2	0	0	3	2870	<a href="#"><u>147TA5603</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M20 x 1,5	0	2	0	10	0	<a href="#"><u>161TA8236</u></a>



## Center distance: 46 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland PG 13,5	0	0	2	4	0	<a href="#">146TA8923</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland PG 13,5	1	0	1	4	0	<a href="#">146TA8914</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 13,5	0	0	2	4	0	<a href="#">146TA8926</a>




Center distance: 46,5/72 mm



Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
Pin plunger	Gland M20 x 1,5	0	1	0	3	0	<a href="#"><u>161TA8387</u></a>




Center distance: 47 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	10	0	<a href="#">146TA1784</a>




Center distance: 50 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Special	0	1	0	10	0	<a href="#"><u>147TA5752</u></a>





Center distance: 53 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	7	0	<a href="#"><u>146TA4623</u></a>

Center distance: 56 x 76 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Special	1	0	1	5	0	<a href="#"><u>146TA6602</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	5	0	<a href="#"><u>161TA8200</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Special	1	0	1	5	0	<a href="#"><u>146TA5686</u></a>







## Center distance: 60 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	<a href="#">147TA5712</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	2	0	2	10	0	<a href="#">147TA5709</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	0	1	0	10	0	<a href="#">146TA7184</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 9	0	1	0	15	0	<a href="#">161TA7968</a>


Center distance: 62 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	15	0	<a href="#"><u>146TA2281</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M20 x 1,5	0	0	4	3	0	<a href="#"><u>161TA8289</u></a>





Center distance: 66 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland NPT 1/2	2	0	2	10	0	<a href="#">147TA5607</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	1	0	1	10	0	<a href="#">147TA5643</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	2	0	2	0	0	<a href="#">161TA8407</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	2	0	2	3	0	<a href="#">147TA5677</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Head	Gland NPT 1/2	2	0	2	10	0	<a href="#">161TA8317</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland NPT 1/2	1	0	1	3	0	<a href="#">161TA7976</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	2	0	2	10	0	<a href="#">147TA5685</a>





Center distance: 66,5 mm								
	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland PG 13,5	1	0	1	7	0	<a href="#"><u>147TA5687</u></a>




## Center distance: 67 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Double roller	Gland PG 13,5	2	0	2	10	0	<a href="#"><u>147TA5608</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 13,5	1	0	1	3	0	<a href="#"><u>161TA8286</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Without	Gland NPT 1/2	1	0	1	3	0	<a href="#"><u>147TA5675</u></a>

Center distance: 68 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	1	0	0	16	<a href="#"><b>161TA8244</b></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	6	0	<a href="#"><u>146TA4335</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland NPT 1/2	0	1	0	15	0	<a href="#"><u>146TA6493</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland M20 x 1,5	0	1	0	15	0	<a href="#"><u>161TA8229</u></a>




Center distance: 68 x 30 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland PG 11	0	1	0	5	0	<a href="#"><u>147TA5759</u></a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland PG 11	0	1	0	6	0	<a href="#"><u>146TA4332</u></a>




## Center distance: 70 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Flexible steel pin	Gland PG 9	1	0	1	3	0	<a href="#">161TA8266</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 11	0	1	0	0	300	<a href="#">147TA5611</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Gland M16 x 1,5	1	0	1	3	0	<a href="#">161TA8138</a>


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland M20 x 1,5	0	1	0	20	0	<a href="#">146TA7459</a>



Center distance: 72 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland M20 x 1,5	0	1	0	5	0	<a href="#">161TA8221</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	0	0	1	2	0	<a href="#">147TA5735</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Special	0	0	1	2	0	<a href="#">147TA5736</a>





Center distance: 72 x 40 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 13,5	1	0	1	10	0	<a href="#"><u>161TA8220</u></a>





Center distance: 73 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	0	1	0	5	3000	<a href="#"><u>161TA8351</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Gland M20 x 1,5	0	1	0	5	0	<a href="#"><u>147TA5753</u></a>


Center distance: 74 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 9	0	1	0	5	0	<a href="#">147TA5614</a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Lever with roller	Gland PG 9	0	1	0	6	0	<a href="#">146TA1750</a>




Center distance: 75 x 150 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller arm	Special	2	0	4	0	0	<a href="#"><u>161TA8373</u></a>




Center distance: 80 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Gland PG 11	1	0	0	3	0	<a href="#"><u>147TA5616</u></a>






Center distance: 84 mm

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Adjustable roller arm	Fixed connector	1	0	1	5	0	<a href="#">146TA5151</a>




Center distance: 88 x 95 mm


	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Gland PG 13,5	2	0	3	6	0	<a href="#"><u>146TA5959</u></a>





Center distance: 118 mm



	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Special	Cable with connector	0	1	0	0	2570	<a href="#"><u>146TA1951</u></a>

## Center distance: Already mounted

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	6	1000	<a href="#"><u>161TA8083</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Pin plunger	Cable	1	0	1	6	1050	<a href="#"><u>161TA8090</u></a>

	Type of lever	Type of connection	Qty. of NO contacts	Qty. of CO contacts	Qty. of NC contacts	Current (A)	Length of cable (mm)	REF
	Roller plunger	Cable	1	0	1	6	2065	<a href="#"><u>161TA8137</u></a>




4

## BATTERY SWITCHES




## BATTERY SWITCH

**REF 134TA8696**

2-pole switches to disconnect battery and field circuit

- Large studs: 125 A continuous  
1000 A (5 sec)
- Small studs: 20 A continuous
- Fits panels up to thickness of 5 mm


## BATTERY SWITCH

**REF 106TA1190**

2-pole switches to disconnect battery and field circuit


- Large studs: 125 A continuous  
1000 A (5 sec)
- Small studs: 20 A continuous
- Fits panels up to thickness of 23 mm

## BATTERY SWITCH

**REF 134TA8697**



150 A – 1000 A (5 sec.) 1-pole (2 connections)

## KEY BATTERY SWITCH

**REF 112TA4853**



- 150 A – 1000 A (5 sec.) 1-pole (2 connections)
- Switch with independent SM aux. contact

## KEY BATTERY SWITCH

**REF 134TA8704**

250 A – 2500 A (5 sec) 1-pole (2 connections)

## BATTERY SWITCH

**REF 134TA8698**

250 A – 2500 A (5 sec) 2-pole (4 connections)

## KEY BATTERY SWITCH

**REF 134TA8716**

Key for Cobo

**REF 134TA8715**

Key for Hella

**REF 134TA8710**

Key for Bosch & other brands

## KEY BATTERY SWITCH


**REF 123TA7672**

75 A – 200 A (5 sec)

Plastic switch (with key)

- Switch with 2 keys
- Separate keys are available, please specify your keynumber

## KEY BATTERY SWITCH



**REF 134TA8699**

150 A – 1000 A (5 sec) 1-pole (2 connections)


## KEY BATTERY SWITCH



**REF 134TA8713**

Key for [134TA8699](#)

## BATTERY SWITCH



**REF 106TA1189**

- Metal switch (with key)
- 100 A – 500 A (5 sec) 1-pole (2 connections)


## KEY BATTERY SWITCH



**REF 106TA1188**

Metal key



## BATTERY SWITCH



**REF 106TA1187**

- Plastic switch (with key)
- 100 A – 500 A (5 sec) 1-pole (2 connections)

## BATTERY SWITCH



**REF 106TA1184**

- Switch (with key)
- 250 A – 2500 A (5 sec) 1-pole (2 connections)

## KEY BATTERY SWITCH



**REF 107TA1095**

- Plastic key – 1-side pin
- For [106TA1187](#) & [106TA1184](#)

## KEY BATTERY SWITCH




**REF 134TA8711**

- Plastic key – 2-side pin
- For [106TA1187](#) & [106TA1184](#)



## BATTERY SWITCH


REF [111TA3918](#)

300 A – 2500 A (5 sec) 1-pole (2 connections)

## KEY BATTERY SWITCH

REF [134TA8714](#)Key for [111TA3918](#)

## BATTERY SWITCH

REF [107TA1096](#)


600 A – 4500 A (5 sec) 1-pole (2 connections)

## BATTERY SWITCH

REF [134TA8702](#)


Used for Manitou/Moffet

## BATTERY SWITCH

REF [134TA8700](#)


Used for Hyster

## KEY BATTERY SWITCH

REF [134TA8707](#)

Used for Still

## BATTERY SWITCH

REF [134TA8701](#)

Used for Toyota

## BATTERY SWITCH

REF [134TA8703](#)

Used for Skyjack



## BATTERY SWITCH



**REF [134TA8709](#)**

Used for Hyster

## BATTERY SWITCH



**REF [110TA8155](#)**

Used for Caterpillar


## BATTERY SWITCH



**REF [134TA8708](#)**



Used for Hyundai

## BATTERY SWITCH



**REF [144TA1914](#)**


Used for Nichiyu-Nyk



5

MISCELLANEOUS

## EMERGENCY SWITCHES



## FOOT SWITCHES



## PUSH SWITCHES




## ROCKER SWITCHES








ROTARY SWITCHES




STEERING COLUMN SWITCHES



## TOGGLE SWITCHES




## CAM SWITCHES





PULL SWITCHES





6

# MAINTENANCE, REPAIR & OPERATIONS





## CONTACT CLEANER

### REF 163TA7890

- Effective precision cleaner for electrical/electronic equipment
- Quickly cleans contacts and components
- Removes flux traces, light oils, finger prints and other contaminants
- 500 ml



## 2-26 ELECTRO

### REF 143TA6919

- Multi-purpose maintenance for electrical equipment
- Prevents electrical and electronic malfunction caused by water penetration, humidity, condensation or corrosion
- 500 ml



## MINUS 50

### REF 143TA6920

- Coolant for electrical and electronic use
- Not flammable
- Used to cool down parts and components to temperatures below 0 °C to a minimum of -50 °C
- 500 ml



## CONTACT CLEANER

### REF 107TA1815

- High-quality spray to clean electrical contacts such as switches, batteries, contact points, printed circuit board switches and multiple sockets
- 400 ml





## ELECTRONIC COMPONENT CLEANER

### REF 141TA6721

- Liquid cleaner without surfactants for overall cleaning and degreasing of electronic controllers & electrical components, printed circuit boards, transformers & generators, electric motors
- 400 ml



**TOTAL SOURCE®**

## LOW STRENGTH THREADLOCKER

### REF 143TA3464

- Low strength, general purpose
- Max thread size: M36
- Service temperature range: -55 to 150 °C
- Strength: medium
- Breakaway torque: 6 Nm
- Viscosity: 900–1500 mPa·s
- Fixture time: 25 min
- 50 ml

#### Loctite 222:

- Ideal for low-strength thread locking of adjusting screws, countersunk head screws and set screws
- Good on low strength metals which could break during disassembly, e.g. aluminium or brass



**LOCTITE®**

## INSTANT ADHESIVE

### REF 143TA3520

- Gap filling, 2-component, low bloom
- Service temperature range: -40 to 80 °C
- Viscosity: gel
- Substrates:
  - Plastic: suited
  - Rubber: well suited
  - Metal: suited
  - Porous and/or acidic surfaces: well suited
- Fixture time: 90–150 sec
- 10 g

#### Loctite 3090:

- For applications with gaps up to 5 mm or excess of adhesive
- For applications where cosmetic aspects and low bloom is required
- For porous substrates such as wood, paper, leather, cork and fabric



**LOCTITE®**



## CONICAL CUTTER

### REF [143TA3314](#)

- Dia min: 4 mm
- Dia max: 30 mm



## 3-PIECE STEP DRILL SET

### REF [143TA3171](#)

- HSS: 4-12, 4-20, 4-30 mm



## 40-PIECE TAP AND DIE SET – METRIC

### REF [163TA7891](#)



## INSULATING TAPE

### REF [106TA9753](#)

- Red insulating tape
- 20 m x 19 mm x 0,15 mm thick

### REF [106TA9754](#)

- Black insulating tape
- 20 m x 19 mm x 0,15 mm thick
- PVC
- Temperature durability: 90 °C
- Flame retardant





## INSULATION TAPE



REF [107TA7668](#) – Black

REF [106TA9772](#) – Red

REF [106TA9773](#) – Blue

REF [106TA9768](#) – Yellow

REF [106TA9769](#) – White

- Each ref contains 10 rolls of PVC insulation tape
- Length: 10 m
- Width: 19 mm

## INSULATION TAPE



REF [106TA9775](#)

- Set of 10 insulation sealing tape rolls in different colours
- Length: 10 m
- Width: 19 mm

## HEAT-SHRINK TUBING 3/1



D	D	d	Colour	REF/metre
1,6 mm	1/16"	0,5 mm	Black	<a href="#">106TA9697</a>
3,2 mm	1/8"	1 mm	Black	<a href="#">106TA9698</a>
6,4 mm	1/4"	2 mm	Transparent	<a href="#">106TA9699</a>
			Black	<a href="#">106TA9700</a>
			Red	<a href="#">106TA9701</a>
			Blue	<a href="#">106TA9702</a>
9,5 mm	3/8"	3 mm	Transparent	<a href="#">106TA9703</a>
			Black	<a href="#">106TA9704</a>
12,7 mm	1/2"	4 mm	Red	<a href="#">106TA9705</a>
			Blue	<a href="#">106TA9706</a>
			Transparent	<a href="#">106TA9707</a>
			Black	<a href="#">106TA9708</a>
			Green	<a href="#">106TA9709</a>
19,0 mm	3/4"	6 mm	Red	<a href="#">106TA9710</a>
			Blue	<a href="#">106TA9711</a>
			Black	<a href="#">106TA9712</a>
			Yellow	<a href="#">106TA9713</a>
			Green	<a href="#">106TA9714</a>
			Transparent	<a href="#">106TA9715</a>
25,4 mm	1"	8 mm	Black	<a href="#">106TA9716</a>
			Transparent	<a href="#">106TA9717</a>
39,0 mm	1 1/2"	13 mm	Black	<a href="#">106TA9718</a>



## HEAT GUN



REF [127TA9779](#)

- Pos: 1240 l/min: 300 °C
- Pos: 2450 l/min: 500 °C
- Can be used with gun portrait placed on the worksheet



## 9-PIECE LONG HEXAGON BALL HEAD KEY SET – INCH

### REF 142TA2687

Contents:

9 long hexagon ball head keys: 1/16" – 5/64" – 3/32" – 1/8" – 5/32" – 3/16" – 1/4" – 5/16" – 3/8"



## 39-PIECE 1/4" COMBINATION SET

### REF 143TA3806

Contents:

- 11 hexagon sockets:  
5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 4 slotted bits:  
0,5 x 3 - 0,8 x 5,5 - 1 x 5,5 - 1,2 x 6,5 mm
- 4 Phillips bits:  
PH0 - PH1 - PH2 - PH3
- 7 star bits:  
T8 - T10 - T15 - T20 - T25 - T30 - T40
- 5 hexagon bits:  
3 - 4 - 5 - 6 - 8 mm

- 1 bit holder socket: 1/4" x 1/4"
- 1 x 72-teeth ratchet
- 1 spinner
- 1 sliding T-handle
- 2 extensions: 50 - 150 mm
- 1 universal joint
- 1 adapter: F1/4" x M3/8"



Beta Utensil S.p.A. Authorized Dealer






## 3-PIECE PLIERS SET



### REF 127TA8106

Contents:

-  Long needle nose pliers: 160 mm
-  Combination pliers: 180 mm
-  Diagonal cutter: 160 mm



## DIAGONAL INSULATION STRIPPER



### REF 141TA9984\*

- With elongated cutting edge
- Vanadium electric steel; forged, oil-hardened
- Length: 160 mm

\*Blister pack



## CRIMPING PLIERS



### REF 142TA1999

- Pliers black lacquered, handles with multi-component grips
- Special steel, high-strength
- Length: 240 mm





## 12-PIECE INSULATED (1000 V) SLOTTED AND PHILLIPS SCREWDRIVER SET

### REF 142TA1927

Contents:

- 7 slotted screwdrivers:  
2,4 x 75 – 3 x 100 – 3,5 x 100 – 4 x 100 – 5,5 x 125 –  
6,5 x 150 – 8 x 175 mm
- ⊕ 4 Phillips screwdrivers:  
PH0 x 60 – PH1 x 80 – PH2 x 100 – PH3 x 150 mm



- 1 induction circuit tester



## SLOTTED 230 V TESTER



### REF 163TA7901

## DIGITAL MULTIMETER

### REF 142TA3131

- AC/DC voltage: 600 V
- AC/DC current: 10 A
- Diode test
- Transistor test
- Continuity test with buzzer
- Resistance
- Capacitance
- Data hold
- Low battery indication
- Backlight
- 9 V battery and protection holster included
- CAT.II 600 V







## FLUKE® 175 – DIGITAL MULTIMETER

### Versatile meters for field service or bench repair

These meters have the features needed to find most electrical, electromechanical and heating and ventilation problems.

They are simple to use and have significant improvements over Fluke's original 70 Series like True RMS, more measurement functions, conformance to the latest safety standards, and a much larger display that is easier to view.

#### Features:

True RMS measurements	AC
Digital display counts, updates 4 times per second	6000
Analog bargraph/33 segments, updates 40 times per second	✓
Auto and manual ranging	✓
Display hold and AutoHOLD®	✓
Min-Max-Average recording mode with Min/Max Alert	✓
Smoothing mode allows filtering of rapidly changing inputs	✓
Audible continuity and diode test	✓
Test lead alert	✓
Unsafe voltage alert warns for voltages above 30 V	✓
Low battery indication	✓
Ergonomic case with integrated holster	✓
Easy battery and fuse exchange without opening the complete case	✓
Selectable sleep mode preserves battery life	✓

#### Specifications:

Functions	Max range	Max resolution	Accuracy
Voltage DC	1000 V	0,1 mV	± (0,15% + 2)
Voltage AC	1000 V	0,1 mV	± (1,0% + 3)
Current DC	10 A	0,01 mA	± (1,0% + 3)
Current AC	10 A	0,01 mA	± (1,5% + 3)
Resistance	50 MΩ	0,1 Ω	± (0,9% + 1)
Capacitance	10 000 μF	1 nF	± (1,2% + 2)
Frequency	100 kHz	0,01 Hz	± (0,1% + 1)
Temperature	-40 °C to 400 °C	0,1 °C	
Accuracies are best accuracies for each function			



#### REF 131TA8447

##### Fluke® 175

- Battery life: 200 hours typical (alkaline)
- Size (H x W x D): 190 x 85 x 45 mm
- Weight: 0,42 kg
- Warranty: lifetime



True RMS

On all inputs



#### Included accessories:

Test leads with 4 mm lantern tips and protective cap, installed 9 V battery and user's manual.

#### Recommended accessories:



REF 131TA8448  
C90

REF 131TA8445  
i1010

REF 134TA8375  
TLK220 eur

# FLUKE®





## VERNIER CALIPER

### REF [142TA3056](#)

- Digital with on/off button
- Length: 0–150 mm



## MEASURING TAPES WITH MAGNET

Length	REF
2 m	<a href="#">142TA3041</a>
3 m	<a href="#">142TA3042</a>
5 m	<a href="#">142TA3040</a>
10 m	<a href="#">142TA3043</a>



## WORKEASY BLACK

REF [143TA6973](#) – Size: 6

REF [143TA6974](#) – Size: 7

REF [143TA6975](#) – Size: 8

REF [143TA6976](#) – Size: 9

REF [143TA6977](#) – Size: 10

REF [143TA6978](#) – Size: 11

### Recommendations:

Fine handling in a dry environment

### Applications:

- Assembly and electrical components (semi-conductors, microprocessors)
- Separation of small items (household appliances, automotive industry, nuts and bolts)
- Electronic

### Advantages:

- Exceptional dexterity and breathability
- Without silicone

### Standard:

- Cat II
- EN 420
- EN 388:3121



**Honeywell**